

News 2015

April 2015



Important indications ceramics

1. Additions

New series and models

Series	Remark	Availability
Cape Cod	new series	March 2015
DuraStyle	Toilet wall mounted Basic rimless # 256209	August 2015
	Furniture washbasin Compact # 233778	March 2015
	Double furniture washbasin # 233813	available
ME by Starck	new series	March 2015
	Washbasin # 233555	September 2015
	Furniture washbasin # 233610	May 2015
	Semi-recessed washbasin # 037855	August 2015
	Toilet wall mounted compact rimless # 253009	May 2015
	Toilet floor standing # 216909, 216959	June 2015
	Toilet close-coupled # 217009	June 2015
	Urinal rimless # 280930	July 2015
	Urinal rimless # 280931	August 2015
P3 Comforts	new series	March 2015
	Washbasin # 233155	September 2015
	Furniture washbasin # 233265, 233210	July 2015
	Furniture washbasin # 233212	September 2015
	Furniture washbasin asym. left # 233312, 233385	August 2015
	Furniture washbasin asym. right # 233412, 233485	September 2015
	Vanity basin # 037755	April 2015
Starck 3	Toilet wall mounted rimless # 252709	March 2015
SensoWash Slim	Shower toilet seat # 611000 00 2 004300	April 2015
	# 611200 00 2 004300	April 2015
	# 611300 00 2 004300	April 2015
	# 611400 00 2 004300	April 2015
	# 611000 00 2 000300	August 2015
	# 611200 00 2 000300	August 2015
	# 611300 00 2 000300	August 2015
	# 611400 00 2 000300	August 2015

2. WonderGliss

Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. Thanks to the coating which is fired into the ceramics, water immediately contracts into drops and drips off, taking any other residuals substances (like e.g. lime) along. The result: less polluting deposits, less cleaning work - more fun in the bathroom! For more information please refer to www.duravit.se.



WonderGliss

+ SEK 650 per piece

Simply add a '1' to the model-no.

3. HygieneGlaze

A high level of hygiene is required in the bathroom. Unwanted, sometimes even harmful bacteria and germs can collect in toilets in particular. Duravit has taken this issue on board and developed the innovative ceramic HygieneGlaze glaze, which defines a new standard of hygiene for toilets and urinals. The new development is not merely a surface coating but an antibacterial ceramic glaze that provides almost indefinite effectiveness. HygieneGlaze is integrated into the ceramic glaze during firing. Toilets and urinals that are available with HygieneGlaze are indicated accordingly. Please note that, due to the differing surface properties WonderGliss and HygieneGlaze cannot be combined.

4. Dimensioning/Weights

The indicated dimensions in mm always refer to width x depth. Mentioned weights are net.

5. Special indications

Ceramic

When ordering please make sure that you use the correct model numbers:

0 4 5 4 6 0 0 8 0 0

0 4 5 4 6 0 0 8 3 0

When ordering washbasins with three tap holes punched please indicate this by inserting „30“ in the 9th and 10th digit.

0 4 5 4 6 0 0 8 0 0 1

When ordering items with WonderGliss-coating please add a „1“ as 11th digit.

Model Colour Variant

SensoWash®

When ordering please make sure that you use the correct model numbers:

6 1 0 0 0 1 0 0 2 0 0 0 3 0 0

Further information please see in chapter SensoWash®.

Model Colour Voltage Configuration Plug

6. CAD drawings

CAD data of Duravit sanitary ware can be downloaded from our internet website www.duravit.se or pro.duravit.se (DXF, DWG, IGS, STP format).

7. Guarantee

Duravit AG grants a guarantee period of 5 years for all ceramic sanitary ware and acrylic ware. Duravit AG grants a guarantee period of 3 years for all whirlsystems, electronic toilet seats and accessories, providing that the installation is carried out by a certified plumber or electrician.

8. Cutout templates

Necessary cutout templates are enclosed to the products. DXF-data are available on pro.duravit.com.

Important indications ceramics

9. Symbols

▲ 6,0 l	water saving 6-liter flush
▲ 5,0 l	water saving 5-liter flush
▲ 4,8 l	water saving 4,8-liter flush
▲ 4,5 l	water saving 4,5-liter flush
⊗	without tap hole
●	1 pre-punched tap hole
●	1 tap hole punched
● ●	2 pre-punched tap holes left and right for 2 taps
● ● ●	1 tap hole punched, 2 tap holes pre-punched
● ● ●	2 tap holes punched left and right for 2 taps
● ● ●	3 tap holes punched
● ●	2 tap holes punched with large distance between tap fittings
● ●	2 tap holes pre-punched with large distance between tap fittings
● ●	1 tap hole punched (left)
● ●	1 pre-punched tap hole for soap dispenser (right)
● ●	1 tap hole pre-punched (left),
● ●	1 pre-punched tap hole for soap dispenser (right)
● ●	1 tap hole punched (left)
● ●	1 tap hole punched for soap dispenser (right)
● ●	1 tap hole punched (right)
● ●	1 tap hole punched for soap dispenser (left)

10. Tolerances

All drawings are showing the necessary dimensions in mm with standard tolerances. They are without obligation as proper dimensions can be taken from finished products only.

Content News 2015

Ceramics

Cape Cod	9
DuraStyle	10
ME by Starck	11
P3 Comforts	17

SensoWash®

SensoWash® shower toilet seats

SensoWash® Slim	30
-----------------	----

SensoWash® suitable toilets

Darling New SensoWash® toilets	32
DuraStyle SensoWash® toilets	33
Happy D.2 SensoWash® toilets	36
ME by Starck SensoWash® toilets	37
P3 Comforts SensoWash® toilets	40
Starck 2 SensoWash® toilets	41
Starck 3 SensoWash® toilets	43

Bathtubs + Well Being

Bath- and whirltubs

Cape Cod	57
P3 Comforts	61
Paiova	74

Shower trays

P3 Comforts	83
Stonetto	88

Shower screens

OpenSpace B	89
OpenSpace Accessoires	94

Fittings Bathtubs + Well Being	95
--------------------------------	----

Bathroom furniture

Cape Cod	105
DuraStyle	108
L-Cube	111
Vero	130
X-Large	131

General information

Important Indications Ceramics	2
SensoWash® Product Information	25
Important Indications Bathtubs + Well Being	47
Bathtubs and shower trays	
Product Information	48
Whirlsystem Product Information	51
Shower screens Product Information	89
Important Indications Bathroom Furniture	103
Ordering information ceramics	from 138
Ordering information and ordering guides bathtubs + Well Being	from 141
Ordering information and ordering guides bathroom furniture	from 143
General Terms of Sale	153
Colour Chart	from 154

News 2015

Ceramics

Cape Cod	9
DuraStyle	10
ME by Starck	11
P3 Comforts	17

Cape Cod Design by Philippe Starck

Description		mm	kg	Qty.	Model-No.	SEK excl VAT	
						White - 00	
	Washbowl without tap platform, without overflow						
	500 mm ●	500 x 405	5,8		233950 00 00	3.690	
	Design Siphon * chrome		1,5		005036 10 00	1.465	
	Design angle valve with rosette, chrome	1/2"	0,5		003045 10 00	440	
	Slotted waste chrome	50	0,3		005024 10 00	675	
Infobox: * When using this siphon please observe outlet height from upper surface of finished floor to centre of outlet in accordance with the technical specification sheet / Made from DuraCeram							
	Washbowl with tap dome, without overflow						
	480 mm ●	ø 480	6,1	26	232848 00 00	3.690	
	Design Siphon * chrome		1,5		005036 10 00	1.465	
	Design angle valve with rosette, chrome	1/2"	0,5		003045 10 00	440	
	Slotted waste chrome	50	0,3		005024 10 00	675	
Infobox: * When using this siphon please observe outlet height from upper surface of finished floor to centre of outlet in accordance with the technical specification sheet / Made from DuraCeram							
	Washbowl with tap dome, without overflow						
	460 mm ●	460 x 460	7,3	26	234046 00 00	3.960	
	Design Siphon * chrome		1,5		005036 10 00	1.465	
	Design angle valve with rosette, chrome	1/2"	0,5		003045 10 00	440	
	Slotted waste chrome	50	0,3		005024 10 00	675	
Infobox: * When using this siphon please observe outlet height from upper surface of finished floor to centre of outlet in accordance with the technical specification sheet / Made from DuraCeram							

DuraStyle Design by Matteo Thun

Description		mm	kg	Qty.	Model-No.	SEK excl VAT	
						White	- 00
	Furniture washbasin compact						
	with overflow, with tap platform						
	785 mm ●	785 x 400	18,6		233778 00 00	3.285	
	Space saving siphon						
	White	1 1/4"	0,4		005073 00 00	475	
Infobox: For vanity units the space saving siphon is recommended / recommendation of furniture see page 143							
	Toilet wall mounted Basic Duravit Rimless®						
	rimless, washdown model						
	● 4,5 l	365 x 540			256209 00 00	1.950	
	Fixing						
	for wall mounted bidet and wall mounted toilet						
	caps chrome	Ø 12 x 180	0,2		006500 10 00	215	
	caps white	Ø 12 x 180	0,2		006500 00 00	200	
	Noise reduction gasket						
	for wall mounted toilet		0,3		005064 00 00	395	
	Toilet seat and cover						
	hinges stainless steel						
	with soft closure, removable		2,9		002079 00 00	1.100	
Infobox: If pre-wall carrier not used, the fixing # 006500 is recommended / Optionally available with a standard seat and cover							

ME by Starck Design by Philippe Starck

	Description	mm	kg	Qty.	Model-No.	SEK excl VAT	
						White - 00 HygieneGlaze white - 20	
	Washbasin with overflow, with tap platform						
	650 mm ●	650 x 490	19,4	18	233565 00 00	1.620	
	650 mm ● ● ●	650 x 490	19,4	18	233565 00 30	1.620	
	600 mm ●	600 x 460	16,5	15	233560 00 00	1.530	
	600 mm ● ● ●	600 x 460	16,5	15	233560 00 30	1.530	
	550 mm ●	550 x 440		15	233555 00 00	1.440	
	550 mm ● ● ●	550 x 440		15	233555 00 30	1.440	
	Pedestal for # 233565, 233560, 233683, 233610		15,4	30	085839 00 00	1.485	
	Siphon cover for # 233565, 233560, 233683, 233610	170 x 300	7,0	40	085840 00 00	1.080	
	Handrinse basin with overflow, with tap platform						
	450 mm ●	450 x 320	9,8	28	071945 00 00	1.395	
	450 mm ●	450 x 320	9,8	28	071945 00 10	1.395	
	Siphon cover for # 071945	165 x 230	5,1	48	085841 00 00	900	
	Washbowl with overflow, without tap platform, overflow clip chrome included, fixings included						
	550 mm ☒	550 x 420	12,0	21	033452 00 00	4.175	
	Pop-up basin waste chrome						
	with horizontal lever**		0,5		005031 10 00	720	
	with vertical lever***		0,5		005051 10 00	675	
	Infobox: *** In combination with wall mounted tap and Duravit bathroom furniture / ** Required in conjunction with wall mounted tap fitting and consoles with a maximum thickness of 30 mm / recommendation of furniture see page 143						
	Washbowl with overflow, without tap platform, overflow clip chrome included, fixings included						
	420 mm ☒	420 x 420	8,0	21	033342 00 00	3.265	
	Pop-up basin waste chrome						
	with horizontal lever**		0,5		005031 10 00	720	
	with vertical lever***		0,5		005051 10 00	675	
	Infobox: *** In combination with wall mounted tap and Duravit bathroom furniture / ** Required in conjunction with wall mounted tap fitting and consoles with a maximum thickness of 30 mm / recommendation of furniture see page 143						

ME by Starck Design by Philippe Starck

	Description	mm	kg	Qty.	Model-No.	SEK excl VAT	
						White - 00 HygieneGlaze white - 20	
	Vanity basin undercounter basin, with overflow, without tap platform, fixings for installation in wooden consoles included						
	490 mm ☒	490 x 365	7,7	21	030549 00 00	1.845	
	Fixing for stone countertops (with the exception of # 046651)		0,2		005028 00 00	170	
	Infobox: Measurements of undercounter models represent interior measurements						
	Vanity basin special ground for Duravit furniture, undercounter basin, with overflow, without tap platform						
	490 mm ☒	490 x 365	7,7	21	030549 00 22	1.985	
	Push-open waste *** chrome		0,35		005052 10 00	650	
	Infobox: *** Required in conjunction with wall mounted tap fitting, vanity unit and/or consoles / Measurements of under-counter models represent interior measurements / Undercounter basin only in combination with variable consoles, as well as vanity units for undercounter basins, see recommendation of furniture on page 143. Delivery only in combination of console or vanity unit with attached washbasin / Not available in WonderGliss						
	Semi-recessed washbasin with overflow, with tap platform, fixings for installation in wooden consoles included						
	550 mm ●	550 x 455			037855 00 00	3.440	
	550 mm ● ● ●	550 x 455			037855 00 30	3.440	
	Infobox: recommendation of furniture see page 143						
	Furniture washbasin with overflow, with tap platform						
	1030 mm ●	1030 x 490			233610 00 00	5.850	
	1030 mm ● ● ●	1030 x 490			233610 00 30	5.850	
	830 mm ●	830 x 490	19,5	8	233683 00 00	4.095	
	830 mm ● ● ●	830 x 490	19,5	8	233683 00 30	4.095	
	Infobox: recommendation of furniture see page 143						

ME by Starck Design by Philippe Starck

	Description	mm	kg	Qty.	Model-No.	SEK excl VAT	
						White - 00 HygieneGlaze white - 20	
	Bidet wall mounted ●						
	with overflow, with tap platform						
	Durafix included	370 x 570	21,0	16	228815 00 00	2.475	
	Fixing						
	for wall mounted bidet and wall mounted toilet						
	caps white	Ø 12 x 180	0,2		006500 00 00	200	
	Infobox: Durafix for invisible fixation is included in delivery / If pre-wall carrier not used, the fixing # 006500 is recommended						
	Bidet floor standing ●						
	back to wall, with overflow, with tap platform						
	fixings included	370 x 600	25,0	9	228910 00 00	2.700	
	Toilet wall mounted						
	washdown model, Durafix included						
	4,5 l	370 x 570	26,0	16	252809 00 00	3.150	
	4,5 l, with HygieneGlaze	370 x 570	26,0	16	252809 20 00	3.600	
	Fixing						
	for wall mounted bidet and wall mounted toilet						
	caps white	Ø 12 x 180	0,2		006500 00 00	200	
	Noise reduction gasket						
	for wall mounted toilet		0,3		005064 00 00	415	
	Toilet seat and cover						
	removable, hinges stainless steel						
	without soft closure		2,1		002001 00 00	990	
	with soft closure		2,1		002009 00 00	1.530	
	Infobox: Durafix for invisible fixation is included in delivery / If pre-wall carrier not used, the fixing # 006500 is recommended						



WonderGliss
+ SEK 650 per piece;
Simply add a '1' to the model-no.

ME by Starck Design by Philippe Starck

	Description	mm	kg	Qty.	Model-No.	SEK excl VAT	
						White - 00 HygieneGlaze white - 20	
	Toilet wall mounted Duravit Rimless®						
	rimless, washdown model, Durafix included						
	4,5 l	370 x 570	26,0	16	252909 00 00	3.645	
	4,5 l, with HygieneGlaze	370 x 570	26,0	16	252909 20 00	4.095	
	Fixing						
	for wall mounted bidet and wall mounted toilet						
	caps white	Ø 12 x 180	0,2		006500 00 00	200	
	Noise reduction gasket						
	for wall mounted toilet		0,3		005064 00 00	415	
	Toilet seat and cover						
	removable, hinges stainless steel						
	without soft closure		2,1		002001 00 00	990	
	with soft closure		2,1		002009 00 00	1.530	
Infobox: Durafix for invisible fixation is included in delivery / If pre-wall carrier not used, the fixing # 006500 is recommended							
	Toilet wall mounted Compact Duravit Rimless®						
	rimless, washdown model, Durafix included						
	4,5 l	370 x 480		16	253009 00 00	3.150	
	4,5 l, with HygieneGlaze	370 x 480		16	253009 20 00	3.600	
	Fixing						
	for wall mounted bidet and wall mounted toilet						
	caps white	Ø 12 x 180	0,2		006500 00 00	200	
	Noise reduction gasket						
	for wall mounted toilet		0,3		005064 00 00	415	
	Toilet seat and cover						
	removable, hinges stainless steel						
	without soft closure		2,0		002011 00 00	900	
	with soft closure		2,0		002019 00 00	1.395	
Infobox: Durafix for invisible fixation is included in delivery / If pre-wall carrier not used, the fixing # 006500 is recommended							
	Toilet floor standing						
	back to wall, washdown model, fixings included, horizontal outlet						
	4,5 l	370 x 600			216909 00 00	3.375	
	4,5 l, with HygieneGlaze	370 x 600			216909 20 00	3.825	
	Toilet seat and cover						
	removable, hinges stainless steel						
	without soft closure		2,1		002001 00 00	990	
	with soft closure		2,1		002009 00 00	1.530	

ME by Starck Design by Philippe Starck

Description		mm	kg	Qty.	Model-No.	SEK excl VAT	
						White - 00 HygieneGlaze white - 20	
	Toilet close-coupled						
	washdown model, (without cistern), fixings included						
	4,5 l	370 x 650			217009 00 00	3.375	
	4,5 l, with HygieneGlaze	370 x 650			217009 20 00	3.825	
	Vario connector set						
	for horizontal and vertical outlet, length adjustable						
	incl. excenter	Ø 110	1,5		001422 00 00	675	
	Vario connecting bend						
	for vertical outlet	Ø 100	0,7		899025 00 06	540	
	Cistern						
	with Dual Flush mechanism, chrome, for bottom left supply						
	6/3 l	390 x 180	12,8	28	093810 00 05	2.565	
	4,5/3 l	390 x 180	12,8	28	093810 00 85	2.565	
	for side supply						
	Toilet seat and cover						
	removable, hinges stainless steel						
	without soft closure		2,0		002011 00 00	900	
	with soft closure		2,0		002019 00 00	1.395	
	Urinal Duravit Rimless® 0,5 L						
	rimless, concealed inlet, syphonic action, horizontal outlet, fixings included						
	model without fly				280930 00 00	2.925	
	model with fly				280930 00 07	3.150	
	with HygieneGlaze						
	Siphon						
	horizontal outlet (concealed)	Ø 50	0,2		005113 00 00	505	



WonderGliss
+ SEK 650 per piece;
Simply add a '1' to the model-no.

ME by Starck Design by Philippe Starck

Description		mm	kg	Qty.	Model-No.	SEK excl VAT	
	Urinal Duravit Rimless® 0,5 L					White - 00 HygieneGlaze white - 20	
	complete control unit and fixings included, rimless, concealed inlet, syphonic action, horizontal outlet, Electronic urinal for power supply						
	model without fly				280931 00 93	7.985	
	model with fly 				280931 00 97	8.225	
	with HygieneGlaze						
	model without fly				280931 20 93	8.435	
	model with fly 				280931 20 97	8.675	
	Pre-assembly set						
	power supply unit 230V including electrical outlet			0,2	005004 00 00	685	
	Siphon						
horizontal outlet (concealed)		Ø 50		0,2	005113 00 00	505	
Infobox: The power supply isn't included in delivery							
	Urinal Duravit Rimless® 0,5 L						
	Electronic urinal for battery supply, rimless, concealed inlet, syphonic action, horizontal outlet, complete control unit and fixings included						
	model without fly				280931 00 00	7.985	
	model with fly 				280931 00 07	8.225	
	with HygieneGlaze						
	model without fly				280931 20 00	8.435	
	model with fly 				280931 20 07	8.675	
	Siphon						
	horizontal outlet (concealed)		Ø 50	0,2	005113 00 00	505	

P3 Comforts Design by Phoenix Design

Description		mm	kg	Qty.	Model-No.	SEK excl VAT	
						White - 00 HygieneGlaze white - 20	
	Washbasin with overflow, with tap platform, overflow clip chrome included						
	650 mm ●	650 x 500	18,0	18	233165 00 00	2.250	
	650 mm ● ● ●	650 x 500	18,0	18	233165 00 30	2.250	
	600 mm ●	600 x 470	17,0	15	233160 00 00	1.980	
	600 mm ● ● ●	600 x 470	17,0	15	233160 00 30	1.980	
	550 mm ●	550 x 455			233155 00 00	1.755	
	550 mm ● ● ●	550 x 455			233155 00 30	1.755	
	Pedestal for # 233155, 233160, 233165, 233265, 233285, 233210, 233385, 233485, 233310, 233410, 233312, 233412						
			15,4	30	085836 00 00	1.575	
	Siphon cover for # 233155, 233160, 233165, 233265, 233285, 233210, 233385, 233485, 233310, 233410, 233312, 233412						
			7,0	40	085837 00 00	1.260	
	Fixing for siphon cover		0,1		005503 00 00	340	
	Handrinse basin without overflow, with tap platform						
	500 mm ●	500 x 260	8,9	40	071550 00 00	1.665	
	500 mm ☒	500 x 260	8,9	40	071550 00 70	1.665	
	Slotted waste chrome	50	0,3		005024 10 00	675	
Infobox: Mandatory in combination with a bottle trap							
	Handrinse basin with overflow, with tap platform, overflow clip chrome included						
	450 mm ●	450 x 320	8,5	28	071645 00 00	1.530	
	450 mm ☒	450 x 320	8,5	28	071645 00 60	1.530	
	Siphon cover for # 071645		5,1	48	085838 00 00	1.170	
	Fixing for siphon cover		0,1		005503 00 00	340	

P3 Comforts Design by Phoenix Design

Description	mm	kg	Qty.	Model-No.	SEK excl VAT
 Furniture washbasin with overflow, with tap platform, overflow clip chrome included	1250 mm ●	1250 x 500		233212 00 00	7.155
	1250 mm ● ● ●	1250 x 500		233212 00 30	7.155
	1050 mm ●	1050 x 500		233210 00 00	5.400
	1050 mm ● ● ●	1050 x 500		233210 00 30	5.400
	850 mm ●	850 x 500	22,0 8	233285 00 00	4.455
	850 mm ● ● ●	850 x 500	22,0 8	233285 00 30	4.455
	650 mm ●	650 x 500		233265 00 00	2.610
	650 mm ● ● ●	650 x 500		233265 00 30	2.610
	Space saving siphon				
	White	1 1/4"	0,4	005073 00 00	475
Infobox: For vanity units the space saving siphon is recommended / recommendation of furniture see page 143					

 Furniture washbasin asymmetric with overflow, with tap platform, overflow clip chrome included, bowl on left side	1250 mm ●	1250 x 500		233312 00 00	7.110
	1250 mm ● ● ●	1250 x 500		233312 00 30	7.110
	1050 mm ●	1050 x 500	27,0 8	233310 00 00	5.850
	1050 mm ● ● ●	1050 x 500	27,0 8	233310 00 30	5.850
	850 mm ●	850 x 500		233385 00 00	4.455
	850 mm ● ● ●	850 x 500		233385 00 30	4.455
	Space saving siphon				
	White	1 1/4"	0,4	005073 00 00	475
	Infobox: For vanity units the space saving siphon is recommended / recommendation of furniture see page 143				

 Furniture washbasin asymmetric with overflow, with tap platform, overflow clip chrome included, bowl on right side	1250 mm ●	1250 x 500		233412 00 00	7.110
	1250 mm ● ● ●	1250 x 500		233412 00 30	7.110
	1050 mm ●	1050 x 500	27,0 8	233410 00 00	5.850
	1050 mm ● ● ●	1050 x 500	27,0 8	233410 00 30	5.850
	850 mm ●	850 x 500		233485 00 00	4.455
	850 mm ● ● ●	850 x 500		233485 00 30	4.455
	Space saving siphon				
	White	1 1/4"	0,4	005073 00 00	475
	Infobox: For vanity units the space saving siphon is recommended / recommendation of furniture see page 143				

P3 Comforts Design by Phoenix Design

	Description	mm	kg	Qty.	Model-No.	SEK excl VAT	
						White - 00 HygieneGlaze white - 20	
	Vanity basin countertop basin, without overflow, without tap platform 550 mm ☒	550 x 360			037755 00 00	2.385	
	Slotted waste chrome	50	0,3		005024 10 00	675	
	Infobox: recommendation of furniture see page 143						
	Vanity basin undercounter basin, with overflow, without tap platform, fixings for installation in wooden consoles included 490 mm ☒	490 x 365	7,7	21	030549 00 00	1.845	
	Fixing for stone countertops (with the exception of # 046651)		0,2		005028 00 00	170	
	Infobox: Measurements of undercounter models represent interior measurements						
	Vanity basin special ground for Duravit furniture, undercounter basin, with overflow, without tap platform 490 mm ☒	490 x 365	7,7	21	030549 00 22	1.985	
	Push-open waste *** chrome		0,35		005052 10 00	650	
	Infobox: *** Required in conjunction with wall mounted tap fitting, vanity unit and/or consoles / Measurements of under-counter models represent interior measurements / Undercounter basin only in combination with variable consoles, as well as vanity units for undercounter basins, see recommendation of furniture on page 143. Delivery only in combination of console or vanity unit with attached washbasin / Not available in WonderGliss						
	Bidet wall mounted ● with overflow, with tap platform, overflow clip chrome included Durafix included	380 x 570	22,5		226815 00 00	2.610	
	Fixing for wall mounted bidet and wall mounted toilet caps white	Ø 12 x 180	0,2		006500 00 00	200	
	Infobox: Durafix for invisible fixation is included in delivery / If pre-wall carrier not used, the fixing # 006500 is recommended						

P3 Comforts Design by Phoenix Design

	Description	mm	kg	Qty.	Model-No.	SEK excl VAT	
						White - 00 HygieneGlaze white - 20	
	Bidet floor standing ●						
	back to wall, with overflow, with tap platform, overflow clip chrome included						
	fixings included	380 x 600	28,2		226910 00 00	2.700	
	Siphon for bidet						
	with extended outlet pipe						
	chrome	1 1/4"	0,6		005027 00 00	380	
	Bidet floor standing ●						
	with overflow, with tap platform, overflow clip chrome included						
	fixings included	380 x 650	32,6	9	227310 00 00	2.790	
	Siphon for bidet						
	with extended outlet pipe						
	chrome	1 1/4"	0,6		005027 00 00	380	
	Toilet wall mounted Duravit Rimless®						
	rimless, washdown model, Durafix included						
	4,5 l	380 x 570	24,5		256109 00 00	3.870	
	4,5 l, with HygieneGlaze	380 x 570	24,5		256109 20 00	4.320	
	Noise reduction gasket						
	for wall mounted toilet		0,3		005064 00 00	415	
	Fixing						
	for wall mounted bidet and wall mounted toilet						
	caps white	Ø 12 x 180	0,2		006500 00 00	200	
	Toilet seat and cover						
	removable, hinges stainless steel						
	without soft closure		2,2		002031 00 00	1.080	
	with soft closure		2,2		002039 00 00	1.665	
Infobox: Durafix for invisible fixation is included in delivery / If pre-wall carrier not used, the fixing # 006500 is recommended							
	Toilet floor standing Duravit Rimless®						
	rimless, back to wall, fixings included, washdown model, horizontal outlet						
	4,5 l	380 x 600	34,3	9	216609 00 00	3.465	
	4,5 l, with HygieneGlaze	380 x 600	34,3	9	216609 20 00	3.915	
	Toilet seat and cover						
	removable, hinges stainless steel						
	without soft closure		2,2		002031 00 00	1.080	
	with soft closure		2,2		002039 00 00	1.665	

P3 Comforts Design by Phoenix Design

Description	mm	kg	Qty.	Model-No.	SEK excl VAT	
					White - 00 HygieneGlaze white - 20	
	Toilet close-coupled Duravit Rimless®					
	washdown model, (without cistern), Outlet for Vario connector set, for horizontal and vertical outlet, length adjustable from 70 - 170 mm, and vario connecting bend, vertical outlet from 160 - 200 mm, fixings included					
	4,5 l	380 x 650	37,5	9	216709 00 00	3.555
	4,5 l, with HygieneGlaze	380 x 650	37,5	9	216709 20 00	4.005
Vario connector set						
for horizontal and vertical outlet, length adjustable						
incl. excenter	Ø 110	1,5		001422 00 00	675	
Vario connecting bend						
for vertical outlet	Ø 100	0,7		899025 00 06	540	
Cistern						
with Dual Flush mechanism, chrome, for side supply						
6/3 l	410 x 170	12,7	28	093700 00 05	3.465	
4,5/3 l	410 x 170	12,7	28	093700 00 85	3.465	
for bottom left supply						
6/3 l	410 x 170	12,7	28	093710 00 05	3.465	
4,5/3 l	410 x 170	12,7	28	093710 00 85	3.465	
Toilet seat and cover						
removable, hinges stainless steel						
without soft closure		2,1		002041 00 00	1.080	
with soft closure		2,1		002049 00 00	1.665	



WonderGliss
+ SEK 650 per piece;
Simply add a '1' to the model-no.

P3 Comforts Design by Phoenix Design

Description		mm	kg	Qty.	Model-No.	SEK excl VAT	
						White - 00 HygieneGlaze white - 20	
Toilet close-coupled Duravit Rimless®							
washdown model, (without cistern), fixing included, horizontal outlet							
♻️ 4,5 l		380 x 650		9	216309 00 00	3.805	
♻️ 4,5 l, with HygieneGlaze		380 x 650		9	216309 20 00	4.255	
Cistern							
with Dual Flush mechanism, chrome, for side supply							
♻️ 6/3 l		410 x 170	12,7	28	093700 00 05	3.465	
♻️ 4,5/3 l		410 x 170	12,7	28	093700 00 85	3.465	
for bottom left supply							
♻️ 6/3 l		410 x 170	12,7	28	093710 00 05	3.465	
♻️ 4,5/3 l		410 x 170	12,7	28	093710 00 85	3.465	
Toilet seat and cover							
removable, hinges stainless steel							
without soft closure				2,1	002041 00 00	1.080	
with soft closure				2,1	002049 00 00	1.665	

News 2015

SensoWash®

SensoWash® shower toilet seats

SensoWash® Slim	30
-----------------	----

SensoWash® suitable toilets

Darling New SensoWash® toilets	32
DuraStyle SensoWash® toilets	33
Happy D.2 SensoWash® toilets	36
ME by Starck SensoWash® toilets	37
P3 Comforts SensoWash® toilets	40
Starck 2 SensoWash® toilets	41
Starck 3 SensoWash® toilets	43

SensoWash® Product Information

SensoWash® represents a new range of shower toilet seat with dedicated 'Rearwash' and 'Ladywash' functions.

SensoWash®Slim ceramics conceal the connections supplying water and electricity.

This makes installation simple. There are three stages, pre-installation, toilet installation and the mounting of the shower toilet seat.


The functions themselves - from gentle cleansing to intelligent energy saving mode - offer maximum comfort with very easy operation, as all functions are remotely controlled.



SensoWash® overview

SensoWash®Slim

EN 1717 inside**



Darling New	●
DuraStyle	●
Happy D.2	●
ME by Starck	●
P3 Comforts	●
Starck 2	●
Starck 3	●

** depends on version

SensoWash® Product Information

SensoWash® Slim

SensoWash® Slim shower toilet seat with concealed connections and EN 1717 inside*, suitable for series Darling New, DuraStyle, Happy D.2, ME by Starck, P3 Comforts, Starck 2 and Starck 3, Design by Duravit.



* Seat unit conforms to EN 1717 - Protection against pollution of potable water. Depends on version.

SensoWash® Product Information

Functions operated by remote control




Rearwash

Gentle and safe rear cleansing.



Oscillating Comfortwash

Forward and backward moving movement of spray wand during shower.



Ladywash

Spray wand function for feminine cleansing.



Spray wand position

Spray wand position can be adjusted to individual preference.



Water spray intensity

Water spray intensity can be adjusted to individual preference.



Stop

Rearwash, Ladywash and Comfortwash functions stop immediately.



Water temperature

Water temperature of shower functions can be individually adjusted.



Increase / decrease function

Adjustment of water spray intensity and temperature.

Additional functions

Automatic cleaning

Spray wand and nozzle are cleaned automatically before and after use.

Instant heater

Continuous supply of heated water during shower functions.

Spray nozzle

Spray nozzle detachable for cleaning and replacement.

Antimicrobial

Antimicrobial properties of spray wand materials.

Night light

Illuminated inner bowl for night mode.

Remote control

Convenient and easy-to-use operating of shower toilet seat functions.

Automatic closure

Silent closing seat and lid.

Blocking function via remote control

No function can be used while this function is activated.

Seat and lid easy removable one-handed

Automatic drainage in periods of prolonged disuse

SensoWash® Product Information

SensoWash®Slim	
Seat	
Silent closing seat and lid	●
Concealed connections - water / power	●
Hygiene	
Automatic cleaning of spray wand and nozzle before and after use	●
Antimicrobial properties of nozzle materials	●*
Spray nozzle detachable for cleaning	●
Complete unit removable for cleaning	●
Seat and lid easy removable one-handed	●
Automatical drainage in periods of prolonged disuse	●
Cleanse	
Rearwash	●
Ladywash	●
Oscillating Comfortwash	●
Adjustable spray wand position	●
Adjustable water spray intensity	●
Adjustable water temperature	●
Comfort	
Night light function	●
Remote control	●
Blocking function via remote control	●
Illuminated buttons with setting indication	●
Specifications	
Shower water heated by instant heater	●
Nominal voltage	220 – 240 V ~
Frequency	50/60 Hz
Maximum rating	1050 W
Water line pressure	0,07 – 0,75 MPa
Protection class: protection against water splashing from any direction (s.p. 138-140)	IP X4
EN 1717 inside	●**
Temperature range	
Operating temperature	4 – 40 °C
Water temperature	32 – 40 °C

* only spray wand / ** depends on version / An Electrical Leakage Protection to the bathroom socket is required prior to the installation of the product.

SensoWash® Recommendation for SensoWash® + Ceramic

			SensoWash® Slim				
			# 611000	# 611200	# 611300	# 611400	
Series	Ceramic	Ceramic type					
Darling New	# 254459	Toilet wall mounted	●				
DuraStyle	# 253759	Toilet wall mounted		●			
DuraStyle	# 254259	Toilet wall mounted Rimless®		●			
DuraStyle	# 215659	Toilet close-coupled		●			
Happy D.2	# 255059	Toilet wall mounted Rimless®			●		
ME by Starck	# 252859	Toilet wall mounted	●				
ME by Starck	# 252959	Toilet wall mounted Rimless®	●				
ME by Starck	# 216959	Toilet floor standing	●				
P3 Comforts	# 256159	Toilet wall mounted Rimless®				●	
P3 Comforts	# 216659	Toilet floor standing Rimless®				●	
Starck 2	# 253359	Toilet wall mounted	●				
Starck 2	# 212959	Toilet close-coupled	●				
Starck 3	# 222659	Toilet wall mounted	●				

SensoWash® Slim Design by Duravit

Description		mm	kg	Qty.	Model-No.	SEK excl VAT	
						White	- 00
	SensoWash Slim shower toilet seat						
	with concealed connections, Remote control included, Locking function via remote control, Rear-, Lady- and Comfortwash, Individual adjustment of water temperature as well as spray wand position and water spray intensity, Self-cleaning spray wand, with soft closure, Night light, Seat and lid easy removable one-handed, Automatic drainage in periods of prologed disuse, on / off-button, Protection device according EN 1717 integrated						
	220-240V 50/60Hz	373 x 539	5,5	36	611000 00 2 00 4300	11.430	

Infobox: Further details see www.sensowash.com / Suitable SensoWash toilets please see page 29

	SensoWash Slim shower toilet seat						
	with concealed connections, Remote control included, Locking function via remote control, Rear-, Lady- and Comfortwash, Individual adjustment of water temperature as well as spray wand position and water spray intensity, Self-cleaning spray wand, with soft closure, Night light, Seat and lid easy removable one-handed, Automatic drainage in periods of prologed disuse, on / off-button, Protection device according EN 1717 integrated						
	220-240V 50/60Hz	375 x 540	5,5	36	611200 00 2 00 4300	11.430	

Infobox: Further details see www.sensowash.com / Suitable SensoWash toilets please see page 29

SensoWash® Slim Design by Duravit

Description		mm	kg	Qty.	Model-No.	SEK excl VAT	
						White	- 00
	SensoWash Slim shower toilet seat						
	with concealed connections, Remote control included, Locking function via remote control, Rear-, Lady- and Comfortwash, Individual adjustment of water temperature as well as spray wand position and water spray intensity, Self-cleaning spray wand, with soft closure, Night light, Seat and lid easy removable one-handed, Automatic drainage in periods of prologed disuse, on / off-button, Protection device according EN 1717 integrated						
	220-240V 50/60Hz	365 x 540	5,5	36	611300 00 2 00 4300	11.430	

Infobox: Further details see www.sensowash.com / Suitable SensoWash toilets please see page 29

	SensoWash Slim shower toilet seat						
	with concealed connections, Remote control included, Locking function via remote control, Rear-, Lady- and Comfortwash, Individual adjustment of water temperature as well as spray wand position and water spray intensity, Self-cleaning spray wand, with soft closure, Night light, Seat and lid easy removable one-handed, Automatic drainage in periods of prologed disuse, on / off-button, Protection device according EN 1717 integrated						
	220-240V 50/60Hz	386 x 540	5,5	36	611400 00 2 00 4300	11.430	

Infobox: Further details see www.sensowash.com / Suitable SensoWash toilets please see page 29

Darling New SensoWash® toilets Design by sieger design

Description	mm	kg	Qty.	Model-No.	SEK excl VAT	
					White - 00	
 Toilet wall mounted washdown model, only in combination with SensoWash, connecting elements for SensoWash with concealed connections included, Durafix included						
	4,5 l	370 x 620	27,4	12	254459 00 00	5.365
Fixing						
for wall mounted bidet and wall mounted toilet caps white	Ø 12 x 180	0,2		006500 00 00	200	
Noise reduction gasket						
for wall mounted toilet		0,3		005064 00 00	415	
Pre-installation kit						
for in-wall carrier with horizontal support without shower toilet pre-installation/conduit pipe				005072 00 00	395	
Connecting set						
for in-wall carriers with conduit pipe for connection inside the tank				100559 00 00	395	
Connecting set						
for Geberit Monolith sanitary modules for WCs				100648 00 00	415	
Infobox: Choose suitable pre-installation kit or connecting set depending on used in-wall carrier / Durafix for invisible fixation is included in delivery / Further details see www.sensowash.com / If pre-wall carrier not used, the fixing # 006500 is recommended / Suitable SensoWash shower toilet seats please see page 29						



DuraStyle SensoWash® toilets Design by Matteo Thun

Description		mm	kg	Qty.	Model-No.	SEK excl VAT	
						White	- 00
	Toilet wall mounted Duravit Rimless®						
	rimless, washdown model, only in combination with SensoWash, connecting elements for SensoWash with concealed connections included, Durafix included						
	4,5 l	370 x 620	28,3	12	254259 00 00	4.870	
	Fixing						
	for wall mounted bidet and wall mounted toilet caps white		Ø 12 x 180	0,2	006500 00 00	200	
Noise reduction gasket							
for wall mounted toilet			0,3		005064 00 00	395	
Pre-installation kit							
for in-wall carrier with horizontal support without shower toilet pre-installation/conduit pipe					005072 00 00	395	
Connecting set							
for in-wall carriers with conduit pipe for connection inside the tank					100559 00 00	395	
Connecting set							
for Geberit Monolith sanitary modules for WCs					100648 00 00	415	
Infobox: Choose suitable pre-installation kit or connecting set depending on used in-wall carrier / Further details see www.sensowash.com / If pre-wall carrier not used, the fixing # 006500 is recommended / Durafix for invisible fixation is included in delivery / Suitable SensoWash shower toilet seats please see page 29							

DuraStyle SensoWash® toilets Design by Matteo Thun

Description		mm	kg	Qty.	Model-No.	SEK excl VAT	
						White - 00	
	Toilet close-coupled						
	washdown model,						
	only in combination with Sen-						
	soWash,						
	(without cistern),						
	Outlet for Vario connector set,						
	for horizontal and vertical outlet,						
	length adjustable from						
	70 - 190 mm, and vario connec-						
	ting bend, vertical outlet from						
	180 - 220 mm,						
	connecting elements for Senso-						
	Wash with concealed connections						
	included,						
	fixings included						
	▲ 4,5 l	370 x 700	41,3	9	215659 00 00	4.255	
	Vario connector set						
	for horizontal and vertical outlet,						
	length adjustable						
	incl. excenter	Ø 110	1,5		001422 00 00	675	
	Vario connecting bend						
	for vertical outlet	Ø 100	0,7		899025 00 06	540	
	Cistern						
	with Dual Flush mechanism,						
	chrome,						
	for side supply						
	▲ 6/3 l	390 x 170	14,9	27	093500 00 05	1.670	
	▲ 4,5/3 l	390 x 170	14,9	27	093500 00 85	1.670	
	for bottom left supply						
	▲ 6/3 l	390 x 170	14,9	27	093510 00 05	1.670	
	▲ 4,5/3 l	390 x 170	14,9	27	093510 00 85	1.670	
	Conversion set						
	for back supply						
	chrome		0,5		007504 10 00	270	
	Connecting set						
	only in conjunction with SensoWash with concealed						
	connections and cistern # 093510/092010				100524 00 00	340	
	Infobox: Further details see www.sensowash.com / Suitable SensoWash shower toilet seats please see page 29						

Happy D.2 SensoWash® toilets Design by sieger design

Description	mm	kg	Qty.	Model-No.	SEK excl VAT	
					White - 00	
 Toilet wall mounted Duravit Rimless® rimless, washdown model, only in combination with Sen- soWash, connecting elements for Senso- Wash with concealed connections included, Durafix included						
	4,5 l	365 x 620	28,2	255059 00 00	6.280	
	Fixing					
	for wall mounted bidet and wall mounted toilet					
	caps white	Ø 12 x 180	0,2	006500 00 00	200	
Noise reduction gasket						
for wall mounted toilet			0,3	005064 00 00	395	
Pre-installation kit						
for in-wall carrier with horizontal support without shower toilet pre-installation/conduit pipe				005072 00 00	395	
Connecting set						
for in-wall carriers with conduit pipe for connection inside the tank				100559 00 00	395	
Connecting set						
for Geberit Monolith sanitary modules for WCs				100648 00 00	415	
Infobox: Choose suitable pre-installation kit or connecting set depending on used in-wall carrier / Further details see www.sensowash.com / If pre-wall carrier not used, the fixing # 006500 is recommended / Durafix for invisible fixation is included in delivery / Suitable SensoWash shower toilet seats please see page 29						

ME by Starck SensoWash® toilets Design by Philippe Starck

Description		mm	kg	Qty.	Model-No.	SEK excl VAT	
						White - 00 HygieneGlaze white - 20	
	Toilet wall mounted						
	washdown model, Durafix included, only in combination with SensoWash, connecting elements for SensoWash with concealed connections included						
	4,5 l	370 x 570	26,0	16	252859 00 00	4.320	
	4,5 l, with HygieneGlaze	370 x 570	26,0	16	252859 20 00	4.770	
Fixing							
for wall mounted bidet and wall mounted toilet							
	caps white	Ø 12 x 180	0,2		006500 00 00	200	
Noise reduction gasket							
	for wall mounted toilet		0,3		005064 00 00	395	
Pre-installation kit							
	for in-wall carrier with horizontal support without shower toilet pre-installation/conduit pipe				005072 00 00	395	
Connecting set							
	for in-wall carriers with conduit pipe for connection inside the tank				100559 00 00	395	
Connecting set							
	for Geberit Monolith sanitary modules for WCs				100648 00 00	415	
Infobox: Choose suitable pre-installation kit or connecting set depending on used in-wall carrier / Durafix for invisible fixation is included in delivery / If pre-wall carrier not used, the fixing # 006500 is recommended / Further details see www.sensowash.com / Suitable SensoWash shower toilet seats please see page 29							

ME by Starck SensoWash® toilets Design by Philippe Starck

Description	mm	kg	Qty.	Model-No.	SEK excl VAT	
 Toilet wall mounted Duravit Rimless® rimless, washdown model, Durafix included, only in combi- nation with SensoWash, connecting elements for Senso- Wash with concealed connections included					White - 00 HygieneGlaze white - 20	
	4,5 l	370 x 570	26,0	16	252959 00 00	4.995
	4,5 l, with HygieneGlaze	370 x 570	26,0	16	252959 20 00	5.445
Fixing						
for wall mounted bidet and wall mounted toilet						
caps white	Ø 12 x 180	0,2		006500 00 00	200	
Noise reduction gasket						
for wall mounted toilet		0,3		005064 00 00	395	
Pre-installation kit						
for in-wall carrier with horizontal support without shower toilet pre-installation/conduit pipe				005072 00 00	395	
Connecting set						
for in-wall carriers with conduit pipe for connection inside the tank				100559 00 00	395	
Connecting set						
for Geberit Monolith sanitary modules for WCs				100648 00 00	415	
Infobox: Choose suitable pre-installation kit or connecting set depending on used in-wall carrier / Durafix for invisible fixati- on is included in delivery / If pre-wall carrier not used, the fixing # 006500 is recommended / Further details see www.sensowash.com / Suitable SensoWash shower toilet seats please see page 29						

ME by Starck SensoWash® toilets Design by Philippe Starck

Description	mm	kg	Qty.	Model-No.	SEK excl VAT	
					White - 00	
					HygieneGlaze	
					white - 20	
Toilet floor standing						
back to wall, washdown model, fixings included, horizontal outlet, only in combination with Sen- soWash, connecting elements for Senso- Wash with concealed connections included						
♻️ 4,5 l	370 x 600			216959 00 00	4.590	
♻️ 4,5 l, with HygieneGlaze	370 x 600			216959 20 00	5.040	
Pre-installation kit						
for in-wall carrier with horizontal support without shower toilet pre-installation/conduit pipe						
				005072 00 00	395	
Connecting set						
for in-wall carriers with conduit pipe for connection inside the tank						
				100559 00 00	395	
Connecting set						
for Geberit Monolith sanitary modules for WCs						
				100648 00 00	415	
Infobox: Choose suitable pre-installation kit or connecting set depending on used in-wall carrier / Further details see www.sensowash.com / Suitable SensoWash shower toilet seats please see page 29						



WonderGliss
+ SEK 650 per piece;
Simply add a '1' to the model-no.

P3 Comforts SensoWash® toilets Design by Phoenix Design

Description	mm	kg	Qty.	Model-No.	SEK excl VAT	
					White - 00 HygieneGlaze white - 20	
	Toilet wall mounted Duravit Rimless®					
rimless, washdown model, only in combination with Sen- soWash, connecting elements for Senso- Wash with concealed connections included, Durafix included						
4,5 l	380 x 570	24,5		256159 00 00	5.265	
4,5 l, with HygieneGlaze	380 x 570	24,5		256159 20 00	5.715	
Noise reduction gasket						
for wall mounted toilet		0,3		005064 00 00	395	
Fixing						
for wall mounted bidet and wall mounted toilet						
caps white	Ø 12 x 180	0,2		006500 00 00	200	
Pre-installation kit						
for in-wall carrier with horizontal support without shower toilet pre-installation/conduit pipe				005072 00 00	395	
Connecting set						
for in-wall carriers with conduit pipe for connection inside the tank				100559 00 00	395	
Connecting set						
for Geberit Monolith sanitary modules for WCs				100648 00 00	415	
Infobox: Choose suitable pre-installation kit or connecting set depending on used in-wall carrier / Durafix for invisible fixati- on is included in delivery / If pre-wall carrier not used, the fixing # 006500 is recommended / Further details see www.sensowash.com / Suitable SensoWash shower toilet seats please see page 29						
	Toilet floor standing Duravit Rimless®					
rimless, back to wall, only in combination with Sen- soWash, connecting elements for Senso- Wash with concealed connections included, fixings included, washdown model, horizontal outlet						
4,5 l	380 x 600	34,3	9	216659 00 00	4.320	
4,5 l, with HygieneGlaze	380 x 600	34,3	9	216659 20 00	4.770	
Pre-installation kit						
for in-wall carrier with horizontal support without shower toilet pre-installation/conduit pipe				005072 00 00	395	
Connecting set						
for in-wall carriers with conduit pipe for connection inside the tank				100559 00 00	395	
Connecting set						
for Geberit Monolith sanitary modules for WCs				100648 00 00	415	
Infobox: Choose suitable pre-installation kit or connecting set depending on used in-wall carrier / Further details see www.sensowash.com / Suitable SensoWash shower toilet seats please see page 29						

Starck 2 SensoWash® toilets Design by Philippe Starck

Description		mm	kg	Qty.	Model-No.	SEK excl VAT	
						White - 00	
	Toilet wall mounted						
	washdown model,						
	only in combination with Sen-						
	soWash, connecting elements						
	for SensoWash with concealed						
	connections included,						
	Durafix included						
	4,5 l	375 x 620	29,0	12	253359 00 00	6.795	
	Fixing						
	for wall mounted bidet and wall						
	mounted toilet						
	caps white	Ø 12 x 180	0,2		006500 00 00	200	
	Noise reduction gasket						
	for wall mounted toilet		0,3		005064 00 00	395	
	Pre-installation kit						
	for in-wall carrier with horizontal support without						
	shower toilet pre-installation/conduit pipe				005072 00 00	395	
	Connecting set						
	for in-wall carriers with conduit pipe for						
	connection inside the tank				100559 00 00	395	
	Connecting set						
	for Geberit Monolith sanitary modules for WCs				100648 00 00	415	
Infobox: Choose suitable pre-installation kit or connecting set depending on used in-wall carrier / Durafix for invisible fixation is included in delivery / Further details see www.sensowash.com / If pre-wall carrier not used, the fixing # 006500 is recommended / Suitable SensoWash shower toilet seats please see page 29							

Starck 2 SensoWash® toilets Design by Philippe Starck

Description		mm	kg	Qty.	Model-No.	SEK excl VAT	
						White	- 00
	Toilet close-coupled						
	washdown model, only in combination with SensoWash, (without cistern), Outlet for Vario connector set, for horizontal and vertical outlet, length adjustable from 70 - 200 mm, and vario connecting bend, vertical outlet from 200 - 240 mm, connecting elements for SensoWash with concealed connections included, fixings included						
	4,5 l	370 x 725	39,0	9	212959 00 00	7.535	
	Vario connector set						
	for horizontal and vertical outlet, length adjustable incl. excenter	Ø 110	1,5		001422 00 00	675	
	Vario connecting bend						
	for vertical outlet	Ø 100	0,7		899025 00 06	540	
	Cistern						
	with Dual Flush mechanism, chrome, concealed left supply						
	6/3 l	370 x 145	11,2	22	093300 00 05	3.735	
	4,5/3 l	370 x 145	11,2	22	093300 00 85	3.735	
Infobox: Further details see www.sensowash.com / Suitable SensoWash shower toilet seats please see page 29							

Starck 3 SensoWash® toilets Design by Philippe Starck

Description		mm	kg	Qty.	Model-No.	SEK excl VAT	
						White	- 00
	Toilet wall mounted						
	washdown model, only in combination with Sen- soWash, connecting elements for Senso- Wash with concealed connections included, Durafix included						
	4,5 l	370 x 620	29,0	12	222659 00 00	4.940	
	Fixing						
	for wall mounted bidet and wall mounted toilet caps white	Ø 12 x 180	0,2		006500 00 00	200	
	Noise reduction gasket						
	for wall mounted toilet		0,3		005020 00 00	395	
	Pre-installation kit						
	for in-wall carrier with horizontal support without shower toilet pre-installation/conduit pipe				005072 00 00	395	
	Connecting set						
	for in-wall carriers with conduit pipe for connection inside the tank				100559 00 00	395	
	Connecting set						
	for Geberit Monolith sanitary modules for WCs				100648 00 00	415	
Infobox: Choose suitable pre-installation kit or connecting set depending on used in-wall carrier / Durafix for invisible fixation is included in delivery / Further details see www.sensowash.com / If pre-wall carrier not used, the fixing # 006500 is recommended / Suitable SensoWash shower toilet seats please see page 29							



WonderGliss
 + SEK 650 per piece;
 Simply add a '1' to the model-no.

News 2015

Bath- and whirltubs

Cape Cod	57
P3 Comforts	61
Paiova	74

Shower trays

P3 Comforts	83
Stonetto	88


Shower screens

OpenSpace B	89
OpenSpace Accessoires	94


Fittings Bathtubs + Well Being	95
--------------------------------	----

Bathubs and shower trays product information

LED coloured light with remote control for bathtubs*



Light
Light on/off



Programming buttons
Selecting a predefined
coloured light
programme

Colour buttons
Selecting a constant
colour

Equipment

5 (10 in Blue Moon) spots

Control elements

Remote control



LED coloured light with remote control for bathtubs


Light from 5 (10 in Blue Moon) LED spots set into the side walls suffuses the water in alternating, bright colours. The 6 colours and white light plus 5 coloured lighting programmes can be selected using the remote control. The brightness of the colours can be dimmed.

A support frame is not required as it is already mounted to the bathtub. The coloured light is not suitable for bathtubs with support.

Power supply

220-230V 50/60Hz

Sound for bathtubs*



Equipment

3 structure-borne sound converter (installed under bathtub, non visible)
1 bluetooth receiver (installed under bathtub, non visible)



Sound for bathtubs

3 structure-borne sound converter create an optimal sound and music pleasure above and below the water line. The song choice and volume can be regulated with every bluetooth enabled musicplayer with A2DP profile. A support frame is not required as it is already mounted to the bathtub. There are no control elements on the rim necessary. Sound is not suitable for bathtubs with support.

Power supply

100-240V 50/60Hz

* Only available if these articles are listed on the product page


Bathubs and shower trays product information

Support for bathtubs and shower trays



Instead of using a support frame, it is also possible to apply a support to install bathtubs and shower trays. In case that the bathtub shall be tiled, the usage of a support offers the advantage that the tiles can directly be stuck on the support without creating a separate, tileable surface. Supports are made of polystyrene („styrofoam“). In case of installing a whirltub or a bathtub with sound and/or LED coloured light, it is not possible to use a support.

Antislip for shower trays



Antislip
Coating

Shower tray Antislip coating. This transparent yet perceptible Antislip coating increases grip in the tray and ensures a higher degree of safety when showering. Antislip is applied ex factory. Long-lasting, easy to clean, environmentally friendly and approved by the TÜV (German Technical Inspection Association), Antislip is suitable for both private homes and the hotel industry.

TÜV Rheinland confirms Quality Class B for bare foot areas exposed to water (DIN 51097 / DIN EN 13845).

Antislip can be ordered for all Duravit acrylic shower trays.

When ordering a shower tray with Antislip, please give the correct details by simply adding a "1" at the last digit of the item code.

7 2 0 1 1 5 0 0 0 0 0 0 0 1

Antislip

Shower trays made of DuraSolid A or DuraSolid Q reach due to their material properties without further coating the Quality Class B for bare foot areas.

Bathubs and shower trays product information

Noise reduction sets for bath-/whirltubs and shower trays

Nowadays noise is almost everywhere and restricts often the people's quality of living. The reduction of noise levels and the prevention of acoustic sound increase the wellbeing provably.

For several years, Duravit attends to noise reduction and offers noise reduction sets for acrylic bathtubs and shower trays. Consequently noise emissions can be reduced while having a bath or a shower. By using one of Duravit's noise reduction sets, a lot of requirements of the leading standards of noise protection (DIN 4109, VDI 4100 SST III and SIA 181) can be achieved.

This is also guaranteed by the Fraunhofer Institute of Construction Physics, Stuttgart, that verified Duravit's results.

The tested products were always installed with the related fittings being mentioned in the mounting instructions. If necessary, a noise reduction set was mounted. For those cases, you can find a tag in the following table.

The following table shows the test results of the noise reduction measurements:

Verified Product group	Substruction	Standard passed?			Noise reduction set necessary?
		DIN 4109	VDI 4100 Sst III	SIA 181	
Acrylic bathtubs	Screed	Yes	Yes	Yes*	*Yes, # 791368 00 0 00 0000
	Unfinished floor	Yes	Yes*	No	*Yes, # 791368 00 0 00 0000
Bathtubs made of DuraSolid	Screed	Yes	Yes	No	-
Whirlsystem Combi-P	Screed	Yes	Yes	No	-
Whirlsystem Combi-E	Screed	Yes	Yes	No	-
Whirlsystem Combi-L	Screed	Yes	Yes	Yes	-
Acrylic shower trays	Screed or unfinished floor	Yes*	Yes*	Yes*	*Yes, # 791369 00 0 00 0000
Flush fitting acrylic shower trays	Screed	Yes	-	Yes	-
Shower trays made of DuraSolid	Screed	Yes	Yes	Yes**	-

**in an apartment building, if the ground floor room in the back is an own utilization unit and the basement floor room in the front has a low sensitivity to noise (e.g. bathroom above bathroom).

The product's sonic features can be improved by using one of the following noise reduction sets:

Noise reduction set for acrylic bathtubs: # 791368 00 0 00 0000

Noise reduction set for acrylic shower trays: # 791369 00 0 00 0000


It is necessary to have a support frame for the bathtub and the shower tray in order to use the noise reduction set.

In case that a noise reduction set for shower trays is applied, the installation height can be slightly different. The altered height can be found in the section "Fittings", directly at the support frames.

It is not possible to install a noise reduction set in combination with a support.

Whirlsystems product information

Air-System



Equipment

12 flat floor jets (air)
Waste and overflow (without image)
Support frame (without image)


Accessories (optional)*

Waste and overflow with integrated water inlet (without image)
Waste and overflow with base inlet (without image)
LED coloured light, 5 spots (without image)
Sound (without image)

Control elements

Pneumatic switch LED coloured light (optional)
Pneumatic switch floor jets

Air-System Cape Cod



Equipment

12 drilled floor jets (air)
Waste and overflow (without image)
Support frame (without image)


Accessories (optional)*

Sound (without image)
Waste and overflow with integrated water inlet (without image)

Control elements

Piezo switch floor jets

Jet-System



Equipment

6 flat, adjustable side jets (mixture of air and water)
Waste and overflow (without image)
Support frame (without image)


Accessories (optional)*

Waste and overflow with integrated water inlet (without image)
Waste and overflow with base inlet (without image)
LED coloured light, 5 spots (without image)
Sound (without image)

Control elements

Pneumatic switch LED coloured light (optional)
Pneumatic switch side jets
Air regulator side jets

Combi-System P



Equipment

6 flat, adjustable side jets (mixture of air and water)
12 flat floor jets (air)
4 flat, adjustable back jets (mixture of air and water)
Waste and overflow (without image)
Support frame (without image)

Accessories (optional)*

Waste and overflow with integrated water inlet (without image)
Waste and overflow with base inlet (without image)
LED coloured light, 5 spots (without image)
Sound (without image)


Control elements

Pneumatic switch LED coloured light (optional)
Pneumatic switch floor jets
Pneumatic switch side and back jets
Air regulator side and back jets

* Only available if these articles are listed on the product page

Whirlsystems product information

Combi-System E



Equipment

6 flat, adjustable side jets (mixture of air and water)
 12 flat, adjustable floor jets (air)
 4 flat, adjustable back jets (mixture of air and water)
 LED white light, 2 spots
 2 flat, adjustable foot jets (mixture of air and water)
 Waste and overflow (without image)
 Support frame (without image)

Additional modules (optional)

Heating (without image)
 LED coloured light (instead of LED white light), 5 spots (without image)
 UV Hygiene Management (without image)

Accessories (optional)*

Waste and overflow with integrated water inlet (without image)
 Waste and overflow with base inlet (without image)
 Sound (without image)


Control elements

Diverter
 Pump performance can be concentrated to foot or back jets.

Control panel Combi-System E

Control panel with chromed brass frame und blue backlit symbols. The system is operated by pressing the symbol on the control panel.

Combi-System L



Equipment

4 flat, swivel jets (water)
 12 flat, adjustable Durapearl floor jets (a sparkling mixture of air and water, only water, only air)
 6 flat, adjustable side jets (mixture of air and water)
 LED white light, 2 spots
 2 flat, adjustable foot jets (mixture of air and water)
 Waste and overflow (without image)
 Support frame (without image)

Additional modules (optional)

LED coloured light (instead of LED white light), 5 spots (without image)
 UV Hygiene Management (without image)
 Heating (without image)

Accessories (optional)*

Waste and overflow with integrated water inlet (without image)
 Waste and overflow with base inlet (without image)
 Sound (without image)

Control elements


Control panel Combi-System L

Touch panel with chromed frame and white backlit symbols. After activating the panel the symbols start to glow slightly. By pressing the desired symbol, the functions starts and the symbol is brightly backlit.

* Only available if these articles are listed on the product page

Whirlsystems product information

Air-System Paiova 5



Equipment

12 flat floor jets (air)
Waste and overflow (without image)
Support frame (without image)


Accessories (optional)*

Waste and overflow with integrated water inlet (without image)
Waste and overflow with base inlet (without image)
LED coloured light, 5 spots (without image)
Sound (without image)

Control elements

Pneumatic switch LED coloured light (optional)
Pneumatic switch floor jets

Jet-System Paiova 5



Equipment

8 flat, adjustable back jets (mixture of air and water)
Waste and overflow (without image)
Support frame (without image)


Accessories (optional)*

Waste and overflow with integrated water inlet (without image)
Waste and overflow with base inlet (without image)
LED coloured light, 5 spots (without image)
Sound (without image)

Control elements

Pneumatic switch LED coloured light (optional)
Pneumatic switch back jets
Air regulator back jets

Combi-System P Paiova 5



Equipment

8 flat, adjustable back jets (mixture of air and water)
12 flat floor jets (air)
Waste and overflow (without image)
Support frame (without image)

Accessories (optional)*

Waste and overflow with integrated water inlet (without image)
Waste and overflow with base inlet (without image)
LED coloured light, 5 spots (without image)
Sound (without image)


Control elements

Pneumatic switch LED coloured light (optional)
Pneumatic switch floor jets
Pneumatic switch back jets
Air regulator back jets

* Only available if these articles are listed on the product page

Whirlsystems product information

Combi-System E Paiova 5



Equipment

8 flat, adjustable back jets (mixture of air and water)
12 flat, adjustable floor jets (air)
LED white light, 2 spots
2 flat, adjustable foot jets (mixture of air and water)
Waste and overflow (without image)
Support frame (without image)

Additional modules (optional)

Heating (without image)
LED coloured light (instead of LED white light), 5 spots (without image)
UV Hygiene Management (without image)

Accessories (optional)*

Waste and overflow with integrated water inlet (without image)
Waste and overflow with base inlet (without image)
Sound (without image)


Control elements

Diverter
Pump performance can be concentrated to the different jets of the two backrests.

Control panel Combi-System E

Control panel with chromed brass frame und blue backlit symbols. The system is operated by pressing the symbol on the control panel.

Combi-System L Paiova 5



Equipment

4 flat, swivel jets (water)
4 flat, adjustable back jets (mixture of air and water)
12 flat, adjustable Durapearl floor jets (a sparkling mixture of air and water, only water, only air)
LED white light, 2 spots
2 flat, adjustable foot jets (mixture of air and water)
Waste and overflow (without image)
Support frame (without image)

Additional modules (optional)

LED coloured light (instead of LED white light), 5 spots (without image)
UV Hygiene Management (without image)
Heating (without image)

Accessories (optional)*

Waste and overflow with integrated water inlet (without image)
Waste and overflow with base inlet (without image)
Sound (without image)

Control elements

Control panel Combi-System L

Touch panel with chromed frame and white backlit symbols. After activating the panel the symbols start to glow slightly. By pressing the desired symbol, the functions starts and the symbol is brightly backlit.

* Only available if these articles are listed on the product page

Whirlsystems product information

Whirlsystems and additional modules

Duravit whirlsystem are equipped as standard with the following: full system drainage, support frame, waste and overflow, protection against dry-running.



Floor jets (air)

Warm air is injected into the bath by 12 flat jets embedded in the floor of the tub.



Drilled floor jets (air)

Warm air is injected into the bath by 12 drilled flat jets embedded in the floor of the tub.



Side jets (mixture of air and water)

6 flat side mounted jets create maximum hydrotherapeutic action with actuated intensity of the massage, regulated via an air regulator.



Durapearl flat floor jets (mixture of air and water)

12 flat Durapearl jets embedded in the floor of the tub with 3 functions: the sparkling mixture of air and water, the refined jets of water or the classical warm air effect. The plus or minus keys may be used to regulate intensity.



Back jets (mixture of air and water)

4 or 8 (depending on the bathtub model) flat adjustable rotating jets have a beneficial effect on the back.



Foot jets (mixture of air and water)

2 adjustable rotating jets are stimulating the reflex zones of the foot.



Swivel jets

4 flat jets in the back area ensure a powerful, beneficial massage that moves around the entire back area.



Heating

Electronically controlled thermal system to compensate for loss of temperature during whirl action.



LED white light

2 LED spotlights (white light), create a cosy atmosphere in the bathroom.



LED coloured light

Light from 5 LED spots set into the side walls suffuses the water in alternating, bright colours. A colour in accordance with the atmosphere. LED white light is going to be replaced.



UV Hygiene Management

Simple, environmentally-friendly hygiene by means of automatic UV disinfection. Permanent monitoring of operation by optical sensor.



Sound for whirltubs

3 structure-borne sound converter create an optimal sound and music pleasure above and below the water line. The song choice and volume can be regulated with every blue-tooth enabled musicplayer with A2DP profile. There are no control elements on the rim necessary.

Power supply

220-240V 50Hz

60Hz versions: Please replace "00" by "06" on 14th and 15th digit of the item number.

Whirlsystems product information

Revisability


The whirltub should be installed that way, that all important components (pump, blower and control panel) are still accessible. We recommend the installation with a removable panel.

Positioning of the components of the whirlsystem


The figures show the standard configuration of the whirlsystem* with the positioning of the control panel. At the head side are the back jets (depending on the whirlsystem).

Custom version on request. Please send us a sketch showing the desired layout. Duravit will check and wherever possible confirm the feasibility.


Cape Cod



P3 Comforts



Paiova 5



Legend




* Please note that in case of combining tubs and whirlsystems, single components may reach over the rim of the tub. Therefore, we suggest installation into a bathtub case / ** only Combi-Systems / *** The number of control panels is determined by the whirlsystem and the additional modules selected / **** Only necessary for Combi-System E/L in combination with Sound and/or LED coloured light

Cape Cod Design by Philippe Starck

Bathtub freestanding, with one backrest slope, with special waste and overflow

DuraSolid A





Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub						
1855	885	485	205	110	700330 00 0 00 0000	35.100
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	18.790
Accessories for bathtub						
Sound					791851 00 0 00 0000	6.050
Accessories for whirltub						
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050

Cape Cod Design by Philippe Starck

Bathtub corner left, with one backrest slope

DuraSolid A





Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub						
1900	900	485	205	119,0	700362 00 0 00 0000	26.100
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	18.790
Accessories for bathtub						
Waste and overflow Quadroval, chrome					791245 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome***					791248 00 0 00 1000	4.220
Sound					791851 00 0 00 0000	6.050
Accessories for whirltub						
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Surcharge, for waste and overflow Quadroval, with water inlet, chrome***					791252 00 0 00 1000	2.745

Infobox: *** connection hose # 790166 is recommended

Cape Cod Design by Philippe Starck

Bathtub corner right, with one backrest slope

DuraSolid A





Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub						
1900	900	485	205	119,0	700363 00 0 00 0000	26.100
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	18.790
Accessories for bathtub						
Waste and overflow Quadroval, chrome					791245 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome***					791248 00 0 00 1000	4.220
Sound					791851 00 0 00 0000	6.050
Accessories for whirltub						
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Surcharge, for waste and overflow Quadroval, with water inlet, chrome ***					791252 00 0 00 1000	2.745

Infobox: *** connection hose # 790166 is recommended

Cape Cod Design by Philippe Starck

Bathtub back-to-wall, with one backrest slope

DuraSolid A





Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub						
1900	900	485	205	115	700364 00 0 00 0000	26.100
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	18.790
Accessories for bathtub						
Waste and overflow Quadroval, chrome					791245 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome***					791248 00 0 00 1000	4.220
Sound					791851 00 0 00 0000	6.050
Accessories for whirltub						
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Surcharge, for waste and overflow Quadroval, with water inlet, chrome ***					791252 00 0 00 1000	2.745

Infobox: *** connection hose # 790166 is recommended

P3 Comforts Design by Phoenix Design

Bathtub rectangle, built-in or for panel, with one backrest slope left
5 mm sanitary acrylic



	A	B	C	D	E	F	G	H	I	J	K
700371	1600	700	1560	600	975	330	355	80	190	800	1465
700373	1700	700	1660	600	1075	330	355	80	190	850	1565
700375	1700	750	1660	630	1075	360	390	100	210	850	1565

Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub						
1600	700	460	133	21,0	700371 00 0 00 0000	6.210
1700	700	460	145	24,0	700373 00 0 00 0000	6.345
1700	750	460	165	27,0	700375 00 0 00 0000	6.525
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	20.025
Jet-System					760*** 00 2 00 1000	17.725
Combi-System P					760*** 00 3 00 1000	36.045
Combi-System E					760*** 00 4 16 1000	49.480
Combi-System L					760*** 00 5 00 1000	56.710
Additional modules for whirltub						
Additional modules for Combi-System E				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Additional modules for Combi-System L				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Accessories for bath- and whirltub						
Headrest, white					790011 00 0 00 0000	1.025
Bathtub anchors					790103 00 0 00 0000	360
Rubber profile					790104 00 0 00 0000	595
Suitable panels s.p. 72-73						

continued on following page

P3 Comforts Design by Phoenix Design



Bathtub rectangle, built-in or for panel, with one backrest slope left
5 mm sanitary acrylic

Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub						
1600	700	460	133	21,0	700371 00 0 00 0000	6.210
1700	700	460	145	24,0	700373 00 0 00 0000	6.345
1700	750	460	165	27,0	700375 00 0 00 0000	6.525
Accessories for bathtub						
Support frame, with length > 1000 mm					790100 00 0 00 0000	855
Waste and overflow Quadroval, chrome					790289 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome**					790290 00 0 00 1000	3.655
Support, for # 700371, 700372					792402 00 0 00 0000	2.610
Support, for # 700373, 700374					792403 00 0 00 0000	2.655
Support, for # 700375, 700376					792404 00 0 00 0000	2.160
Surcharge, for drillings of the tub rim for faucet, from rim width 100 mm					790650 00 0 00 0000	990
LED coloured light, with remote control for bathtubs, (white -00, chrome -10)					790840 00 0 00 * 00	17.585
Sound					791851 00 0 00 0000	6.050
Noise reduction set for bathtubs					791368 00 0 00 0000	1.360
Accessories for whirltub						
Surcharge, for waste and overflow Quadroval, with water inlet, chrome**					791206 00 0 00 1000	2.225
LED coloured light, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791850 00 0 00 1000	18.730
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System E					791853 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System L					791880 00 0 00 0000	6.050

Infobox: ** connection hose # 790159 is recommended / For further information concerning noise protection, please consider the chapter „Noise reduction sets for bath-/whirltubs and shower trays“ / LED coloured light or sound is not suitable for bathtubs with support

P3 Comforts Design by Phoenix Design

Bathtub rectangle, built-in or for panel, with one backrest slope right
5 mm sanitary acrylic



	A	B	C	D	E	F	G	H	I	J	K
700372	1600	700	1560	600	975	330	355	80	190	800	1465
700374	1700	700	1660	600	1075	330	355	80	190	850	1565
700376	1700	750	1660	630	1075	360	390	100	210	850	1565

Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub						
1600	700	460	133	21,0	700372 00 0 00 0000	6.210
1700	700	460	145	24,0	700374 00 0 00 0000	6.345
1700	750	460	165	27,0	700376 00 0 00 0000	6.525
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	20.025
Jet-System					760*** 00 2 00 1000	17.725
Combi-System P					760*** 00 3 00 1000	36.045
Combi-System E					760*** 00 4 16 1000	49.480
Combi-System L					760*** 00 5 00 1000	56.710
Additional modules for whirltub						
Additional modules for Combi-System E				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Additional modules for Combi-System L				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Accessories for bath- and whirltub						
Headrest, white					790011 00 0 00 0000	1.025
Bathtub anchors					790103 00 0 00 0000	360
Rubber profile					790104 00 0 00 0000	595
Suitable panels s.p. 72-73						

continued on following page

P3 Comforts Design by Phoenix Design

Bathtub rectangle, built-in or for panel, with one backrest slope right
5 mm sanitary acrylic



Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub						
1600	700	460	133	21,0	700372 00 0 00 0000	6.210
1700	700	460	145	24,0	700374 00 0 00 0000	6.345
1700	750	460	165	27,0	700376 00 0 00 0000	6.525
Accessories for bathtub						
Support frame, with length > 1000 mm					790100 00 0 00 0000	855
Waste and overflow Quadroval, chrome					790289 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome**					790290 00 0 00 1000	3.655
Support, for # 700371, 700372					792402 00 0 00 0000	2.610
Support, for # 700373, 700374					792403 00 0 00 0000	2.655
Support, for # 700375, 700376					792404 00 0 00 0000	2.160
Surcharge, for drillings of the tub rim for faucet, from rim width 100 mm					790650 00 0 00 0000	990
LED coloured light, with remote control for bathtubs, (white -00, chrome -10)					790840 00 0 00 * 00	17.585
Sound					791851 00 0 00 0000	6.050
Noise reduction set for bathtubs					791368 00 0 00 0000	1.360
Accessories for whirltub						
Surcharge, for waste and overflow Quadroval, with water inlet, chrome**					791206 00 0 00 1000	2.225
LED coloured light, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791850 00 0 00 1000	18.730
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System E					791853 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System L					791880 00 0 00 0000	6.050

Infobox: ** connection hose # 790159 is recommended / For further information concerning noise protection, please consider the chapter „Noise reduction sets for bath-/whirltubs and shower trays“ / LED coloured light or sound is not suitable for bathtubs with support

P3 Comforts Design by Phoenix Design

Bathtub rectangle, built-in or for panel, with two backrest slopes

5 mm sanitary acrylic





Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub						
1800	800	460	186	31,0	700377 00 0 00 0000	7.110
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	20.025
Jet-System					760*** 00 2 00 1000	17.725
Combi-System P					760*** 00 3 00 1000	36.045
Combi-System E					760*** 00 4 16 1000	49.480
Combi-System L					760*** 00 5 00 1000	56.710
Additional modules for whirltub						
Additional modules for Combi-System E				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Additional modules for Combi-System L				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Accessories for bath- and whirltub						
Headrest, white					790011 00 0 00 0000	1.025
Bathtub anchors					790103 00 0 00 0000	360
Rubber profile					790104 00 0 00 0000	595
Suitable panels s.p. 72-73						
Accessories for bathtub						
Support frame, with length > 1000 mm					790100 00 0 00 0000	855
Waste and overflow Quadroval, chrome					790289 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome**					790290 00 0 00 1000	3.655
Waste and overflow, with base inlet, chrome*					791226 00 0 00 1000	2.860
Support, for # 700377					792405 00 0 00 0000	2.250
Surcharge, for drillings of the tub rim for faucet, from rim width 100 mm					790650 00 0 00 0000	990
LED coloured light, with remote control for bathtubs, (white -00, chrome -10)					790840 00 0 00 * 00	17.585
Sound					791851 00 0 00 0000	6.050
Noise reduction set for bathtubs					791368 00 0 00 0000	1.360
Accessories for whirltub						
Surcharge, for waste and overflow Quadroval, with water inlet, chrome**					791206 00 0 00 1000	2.225
Surcharge, for waste and overflow, with base inlet, chrome*					791227 00 0 00 1000	4.085
LED coloured light, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791850 00 0 00 1000	18.730
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System E					791853 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System L					791880 00 0 00 0000	6.050

Infobox: * pipe interrupt mandatory, connection hose # 790166 is recommended / ** connection hose # 790159 is recommended / For further information concerning noise protection, please consider the chapter „Noise reduction sets for bath-/whirltubs and shower trays“ / LED coloured light or sound is not suitable for bathtubs with support

P3 Comforts Design by Phoenix Design

Bathtub rectangle, built-in or for panel, with two backrest slopes

5 mm sanitary acrylic





Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub						
1900	900	460	250	33,0	700378 00 0 00 0000	8.550
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	20.025
Jet-System					760*** 00 2 00 1000	17.725
Combi-System P					760*** 00 3 00 1000	36.045
Combi-System E					760*** 00 4 16 1000	49.480
Combi-System L					760*** 00 5 00 1000	56.710
Additional modules for whirltub						
Additional modules for Combi-System E				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Additional modules for Combi-System L				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Accessories for bath- and whirltub						
Headrest, white					790011 00 0 00 0000	1.025
Bathtub anchors					790103 00 0 00 0000	360
Rubber profile					790104 00 0 00 0000	595
Suitable panels s.p. 72-73						
Accessories for bathtub						
Support frame, with length > 1000 mm					790100 00 0 00 0000	855
Waste and overflow Quadroval, chrome					790293 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome**					790294 00 0 00 1000	3.655
Waste and overflow, with base inlet, chrome*					791226 00 0 00 1000	2.860
Support, for # 700378					792406 00 0 00 0000	2.790
Surcharge, for drillings of the tub rim for faucet, from rim width 100 mm					790650 00 0 00 0000	990
LED coloured light, with remote control for bathtubs, (white -00, chrome -10)					790840 00 0 00 * 00	17.585
Sound					791851 00 0 00 0000	6.050
Noise reduction set for bathtubs					791368 00 0 00 0000	1.360
Accessories for whirltub						
Surcharge, for waste and overflow Quadroval, with water inlet, chrome**					791206 00 0 00 1000	2.225
Surcharge, for waste and overflow, with base inlet, chrome*					791227 00 0 00 1000	4.085
LED coloured light, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791850 00 0 00 1000	18.730
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System E					791853 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System L					791880 00 0 00 0000	6.050

Infobox: * pipe interrupt mandatory, connection hose # 790166 is recommended / ** connection hose # 790159 is recommended / For further information concerning noise protection, please consider the chapter „Noise reduction sets for bath-/whirltubs and shower trays“ / LED coloured light or sound is not suitable for bathtubs with support

P3 Comforts Design by Phoenix Design

Bathtub corner left, with seamless acrylic panel and support frame, with two backrest slopes
5 mm sanitary acrylic





Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub						
1800	800	460	184	70,0	700379 00 0 00 0000	23.400
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	20.025
Jet-System					760*** 00 2 00 1000	17.725
Combi-System P					760*** 00 3 00 1000	36.045
Combi-System E					760*** 00 4 16 1000	49.480
Combi-System L					760*** 00 5 00 1000	56.710
Additional modules for whirltub						
Additional modules for Combi-System E				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Additional modules for Combi-System L				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Accessories for bath- and whirltub						
Headrest, white					790011 00 0 00 0000	1.025
Bathtub anchors					790103 00 0 00 0000	360
Rubber profile					790104 00 0 00 0000	595
Accessories for bathtub						
Waste and overflow Quadroval, chrome					790291 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome**					790292 00 0 00 1000	3.655
Waste and overflow, with base inlet, chrome*					791228 00 0 00 1000	3.085
Surcharge, for drillings of the tub rim for faucet, from rim width 100 mm					790650 00 0 00 0000	990
LED coloured light, with remote control for bathtubs, (white -00, chrome -10)					790840 00 0 00 **00	17.585
Sound					791851 00 0 00 0000	6.050
Accessories for whirltub						
Surcharge, for waste and overflow Quadroval, with water inlet, chrome**					791206 00 0 00 1000	2.225
Surcharge, for waste and overflow, with base inlet, chrome*					791229 00 0 00 1000	4.295
LED coloured light, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791850 00 0 00 1000	18.730
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System E					791853 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System L					791880 00 0 00 0000	6.050

Infobox: * pipe interrupt mandatory, connection hose # 790166 is recommended / ** connection hose # 790159 is recommended

P3 Comforts Design by Phoenix Design

Bathtub corner right, with seamless acrylic panel and support frame, with two backrest slopes
5 mm sanitary acrylic





Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub						
1800	800	460	184	70,0	700380 00 0 00 0000	23.400
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	20.025
Jet-System					760*** 00 2 00 1000	17.725
Combi-System P					760*** 00 3 00 1000	36.045
Combi-System E					760*** 00 4 16 1000	49.480
Combi-System L					760*** 00 5 00 1000	56.710
Additional modules for whirltub						
Additional modules for Combi-System E				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Additional modules for Combi-System L				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Accessories for bath- and whirltub						
Headrest, white					790011 00 0 00 0000	1.025
Bathtub anchors					790103 00 0 00 0000	360
Rubber profile					790104 00 0 00 0000	595
Accessories for bathtub						
Waste and overflow Quadroval, chrome					790291 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome**					790292 00 0 00 1000	3.655
Waste and overflow, with base inlet, chrome*					791228 00 0 00 1000	3.085
Surcharge, for drillings of the tub rim for faucet, from rim width 100 mm					790650 00 0 00 0000	990
LED coloured light, with remote control for bathtubs, (white -00, chrome -10)					790840 00 0 00 **00	17.585
Sound					791851 00 0 00 0000	6.050
Accessories for whirltub						
Surcharge, for waste and overflow Quadroval, with water inlet, chrome**					791206 00 0 00 1000	2.225
Surcharge, for waste and overflow, with base inlet, chrome*					791229 00 0 00 1000	4.295
LED coloured light, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791850 00 0 00 1000	18.730
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System E					791853 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System L					791880 00 0 00 0000	6.050

Infobox: * pipe interrupt mandatory, connection hose # 790166 is recommended / ** connection hose # 790159 is recommended

P3 Comforts Design by Phoenix Design

Bathtub back-to-wall, with seamless acrylic panel and support frame, with two backrest slopes
5 mm sanitary acrylic



Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub						
1800	800	460	190	78,0	700381 00 0 00 0000	24.750
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	20.025
Jet-System					760*** 00 2 00 1000	17.725
Combi-System P					760*** 00 3 00 1000	36.045
Combi-System E					760*** 00 4 16 1000	49.480
Combi-System L					760*** 00 5 00 1000	56.710
Additional modules for whirltub						
Additional modules for Combi-System E				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Additional modules for Combi-System L				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Accessories for bath- and whirltub						
Headrest, white					790011 00 0 00 0000	1.025
Bathtub anchors					790103 00 0 00 0000	360
Rubber profile					790104 00 0 00 0000	595
Accessories for bathtub						
Waste and overflow Quadroval, chrome					790291 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome**					790292 00 0 00 1000	3.655
Waste and overflow, with base inlet, chrome*					791228 00 0 00 1000	3.085
Surcharge, for drillings of the tub rim for faucet, from rim width 100 mm					790650 00 0 00 0000	990
LED coloured light, with remote control for bathtubs, (white -00, chrome -10)					790840 00 0 00 **00	17.585
Sound					791851 00 0 00 0000	6.050
Accessories for whirltub						
Surcharge, for waste and overflow Quadroval, with water inlet, chrome**					791206 00 0 00 1000	2.225
Surcharge, for waste and overflow, with base inlet, chrome*					791229 00 0 00 1000	4.295
LED coloured light, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791850 00 0 00 1000	18.730
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System E					791853 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System L					791880 00 0 00 0000	6.050

Infobox: * pipe interrupt mandatory, connection hose # 790166 is recommended / ** connection hose # 790159 is recommended

P3 Comforts Accessories Design by Phoenix Design

Description	Model-No.		SEK excl VAT
Headrest			
white,			
for P3 Comforts			
material: polyurethane	790011	00 0 00 0000	1.025

P3 Comforts Design by Phoenix Design

Product Information

Panel	Decor	14 Terra 31 Pine Silver 43 Basalt Matt 49 Graphite Matt 51 Pine Terra 52 European Oak 53 Chestnut Dark 73 Ticino Cherry Tree 79 Natural Walnut	Basic material: High-density-fiberboard, with laminate (HPL) pressed on both sides.
	Pricegroup 1		
	Acryl	82 Acrylic White	Basic material: 8 mm Acryl solid-coloured in white.
	Pricegroup 1		
	Real wood veneer	13 American Walnut 24 Macassar 26 American Cherry Tree	Basic material: High-density-fiberboard, with real wood veneer pressed on one side and laminate (HPL) pressed on other side. Real wood veneer is a natural material, differences in colour and structure may occur.
	Pricegroup 2		
	Real wood veneer	05 Oak 12 Brushed Oak 69 Brushed Walnut 71 Mediterranean Oak 72 Brushed Dark Oak	Basic material: High-density-fiberboard, with real wood veneer pressed on one side and laminate (HPL) pressed on other side. Real wood veneer is a natural material, differences in colour and structure may occur.
	Pricegroup 3		

P3 Comforts Design by Phoenix Design

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	
						
Panel for corner left						
for # 700371 (1600 x 700 mm), for # 700372 (1600 x 700 mm)	1590 x 690	P3 8785	8.335	11.325	13.195	
for # 700373 (1700 x 700 mm), for # 700374 (1700 x 700 mm)	1690 x 690	P3 8786	8.335	11.325	13.195	
for # 700375 (1700 x 750 mm), for # 700376 (1700 x 750 mm)	1690 x 740	P3 8787	8.335	11.325	13.195	
for # 700377 (1800 x 800 mm)	1790 x 790	P3 8788	8.335	11.325	13.195	
for # 700378 (1900 x 900 mm)	1890 x 890	P3 8906	8.810	11.990	13.980	

Infobox: For bathtubs a support frame # 790100 is required for the installation of the panel. The support frame must be ordered separately / Heights of P3 Comforts series: Height bathtub panel = 555 mm, Height bathtub panel incl. 20 mm shadow gap = 575 mm, overall height incl. 40 mm bathtub rim = 615 mm

						
Panel for corner right						
for # 700371 (1600 x 700 mm), for # 700372 (1600 x 700 mm)	1590 x 690	P3 8780	8.335	11.325	13.195	
for # 700373 (1700 x 700 mm), for # 700374 (1700 x 700 mm)	1690 x 690	P3 8781	8.335	11.325	13.195	
for # 700375 (1700 x 750 mm), for # 700376 (1700 x 750 mm)	1690 x 740	P3 8782	8.335	11.325	13.195	
for # 700377 (1800 x 800 mm)	1790 x 790	P3 8783	8.335	11.325	13.195	
for # 700378 (1900 x 900 mm)	1890 x 890	P3 8904	8.810	11.990	13.980	

Infobox: For bathtubs a support frame # 790100 is required for the installation of the panel. The support frame must be ordered separately / Heights of P3 Comforts series: Height bathtub panel = 555 mm, Height bathtub panel incl. 20 mm shadow gap = 575 mm, overall height incl. 40 mm bathtub rim = 615 mm

						
Panel for back-to-wall						
for # 700371 (1600 x 700 mm), for # 700372 (1600 x 700 mm)	1590 x 690	P3 8775	10.895	13.120	15.000	
for # 700373 (1700 x 700 mm), for # 700374 (1700 x 700 mm)	1690 x 690	P3 8776	10.895	13.120	15.000	
for # 700375 (1700 x 750 mm), for # 700376 (1700 x 750 mm)	1690 x 740	P3 8777	10.895	13.120	15.000	
for # 700377 (1800 x 800 mm)	1790 x 790	P3 8778	10.895	13.120	15.000	
for # 700378 (1900 x 900 mm)	1890 x 890	P3 8902	11.425	13.760	15.755	

Infobox: For bathtubs a support frame # 790100 is required for the installation of the panel. The support frame must be ordered separately / Heights of P3 Comforts series: Height bathtub panel = 555 mm, Height bathtub panel incl. 20 mm shadow gap = 575 mm, overall height incl. 40 mm bathtub rim = 615 mm

P3 Comforts Design by Phoenix Design



Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	
 Panel for niche for # 700371 (1600 x 700 mm), for # 700372 (1600 x 700 mm) for # 700373 (1700 x 700 mm), for # 700374 (1700 x 700 mm), for # 700375 (1700 x 750 mm), for # 700376 (1700 x 750 mm) for # 700377 (1800 x 800 mm) for # 700378 (1900 x 900 mm)						
	1590	P3 8937	6.565	8.225	8.855	
	1690	P3 8938	6.565	8.225	8.855	
	1790	P3 8939	6.565	8.225	8.855	
	1890	P3 8941	6.720	8.435	9.075	

Infobox: For bathtubs a support frame # 790100 is required for the installation of the panel. The support frame must be ordered separately / Heights of P3 Comforts series: Height bathtub panel = 555 mm, Height bathtub panel incl. 20 mm shadow gap = 575 mm, overall height incl. 40 mm bathtub rim = 615 mm

Paiova Design by E00S

Bathtub Paiova 5 corner left, built-in, with two different backrest slopes

5 mm sanitary acrylic





Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub Paiova 5						
1770	1300	440	205	37,0	700390 00 0 00 0000	13.050
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	20.025
Jet-System					760*** 00 2 00 1000	17.725
Combi-System P					760*** 00 3 00 1000	36.045
Combi-System E					760*** 00 4 16 1000	49.480
Combi-System L					760*** 00 5 00 1000	56.710
Additional modules for whirltub						
Additional modules for Combi-System E				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Additional modules for Combi-System L				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Necessary accessories for bathtub						
Waste and overflow Quadroval, chrome					791244 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome***					791247 00 0 00 1000	3.655
Waste and overflow, with base inlet, chrome*					791226 00 0 00 1000	2.860
Accessories for bath- and whirltub						
Headrest, white					790009 00 0 00 0000	1.090
Bathtub anchors					790103 00 0 00 0000	360
Rubber profile					790104 00 0 00 0000	595
Accessories for bathtub						
Support frame, with length > 1500 mm					790105 00 0 00 0000	1.280
Surcharge, for drillings of the tub rim for faucet, from rim width 100 mm					790650 00 0 00 0000	990
LED coloured light, with remote control for bathtubs, (white -00, chrome -10)					790840 00 0 00 * 00	17.585
Sound					791851 00 0 00 0000	6.050
Noise reduction set for bathtubs					791368 00 0 00 0000	1.360
Accessories for whirltub						
Surcharge, for waste and overflow Quadroval, with water inlet, chrome					791251 00 0 00 1000	2.225
Surcharge, for waste and overflow, with base inlet, chrome*					791227 00 0 00 1000	4.085
LED coloured light, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791850 00 0 00 1000	18.730
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System E					791853 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System L					791880 00 0 00 0000	6.050

Infobox: * pipe interrupt mandatory, connection hose # 790166 is recommended / *** connection hose # 790166 is recommended / For surcharge # 791251 the connection hose # 790166 is included / For further information concerning noise protection, please consider the chapter „Noise reduction sets for bath-/whirltubs and shower trays“

Paiova Design by E00S

Bathtub Paiova 5 corner left, with seamless acrylic panel and support frame, with two different backrest slopes
5 mm sanitary acrylic





Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub Paiova 5						
1770	1300	440	205	75,0	700394 00 0 00 0000	31.050
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	20.025
Jet-System					760*** 00 2 00 1000	17.725
Combi-System P					760*** 00 3 00 1000	36.045
Combi-System E					760*** 00 4 16 1000	49.480
Combi-System L					760*** 00 5 00 1000	56.710
Additional modules for whirltub						
Additional modules for Combi-System E				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Additional modules for Combi-System L				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Necessary accessories for bathtub						
Waste and overflow Quadroval, chrome					791245 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome***					791248 00 0 00 1000	4.220
Waste and overflow, with base inlet, chrome*					791228 00 0 00 1000	3.085
Accessories for bath- and whirltub						
Headrest, white					790009 00 0 00 0000	1.090
Bathtub anchors					790103 00 0 00 0000	360
Rubber profile					790104 00 0 00 0000	595
Accessories for bathtub						
Surcharge, for drillings of the tub rim for faucet, from rim width 100 mm					790650 00 0 00 0000	990
LED coloured light, with remote control for bathtubs, (white -00, chrome -10)					790840 00 0 00 * 00	17.585
Sound					791851 00 0 00 0000	6050
Accessories for whirltub						
Surcharge, for waste and overflow Quadroval, with water inlet, chrome					791251 00 0 00 1000	2.225
Surcharge, for waste and overflow, with base inlet, chrome*					791229 00 0 00 1000	4.295
LED coloured light, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791850 00 0 00 1000	18.730
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System E					791853 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System L					791880 00 0 00 0000	6.050

Infobox: * pipe interrupt mandatory, connection hose # 790166 is recommended / *** connection hose # 790166 is recommended / For surcharge # 791251 the connection hose # 790166 is included

Paiova Design by E00S

Bathtub Paiova 5 corner right, built-in, with two different backrest slopes

5 mm sanitary acrylic





Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub Paiova 5						
1770	1300	440	205	37,0	700391 00 0 00 0000	13.050
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	20.025
Jet-System					760*** 00 2 00 1000	17.725
Combi-System P					760*** 00 3 00 1000	36.045
Combi-System E					760*** 00 4 16 1000	49.480
Combi-System L					760*** 00 5 00 1000	56.710
Additional modules for whirltub						
Additional modules for Combi-System E				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Additional modules for Combi-System L				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Necessary accessories for bathtub						
Waste and overflow Quadroval, chrome					791244 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome***					791247 00 0 00 1000	3.655
Waste and overflow, with base inlet, chrome*					791226 00 0 00 1000	2.860
Accessories for bath- and whirltub						
Headrest, white					790009 00 0 00 0000	1.090
Bathtub anchors					790103 00 0 00 0000	360
Rubber profile					790104 00 0 00 0000	595
Accessories for bathtub						
Support frame, with length > 1500 mm					790105 00 0 00 0000	1.280
Surcharge, for drillings of the tub rim for faucet, from rim width 100 mm					790650 00 0 00 0000	990
LED coloured light, with remote control for bathtubs, (white -00, chrome -10)					790840 00 0 00 * 00	17.585
Sound					791851 00 0 00 0000	6.050
Noise reduction set for bathtubs					791368 00 0 00 0000	1.360
Accessories for whirltub						
Surcharge, for waste and overflow Quadroval, with water inlet, chrome					791251 00 0 00 1000	2.225
Surcharge, for waste and overflow, with base inlet, chrome*					791227 00 0 00 1000	4.085
LED coloured light, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791850 00 0 00 1000	18.730
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System E					791853 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System L					791880 00 0 00 0000	6.050

Infobox: * pipe interrupt mandatory, connection hose # 790166 is recommended / *** connection hose # 790166 is recommended / For surcharge # 791251 the connection hose # 790166 is included / For further information concerning noise protection, please consider the chapter „Noise reduction sets for bath-/whirltubs and shower trays“

Paiova Design by E00S

Bathtub Paiova 5 corner right, with seamless acrylic panel and support frame, with two different backrest slopes
5 mm sanitary acrylic





Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub Paiova 5						
1770	1300	440	205	75,0	700395 00 0 00 0000	31.050
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	20.025
Jet-System					760*** 00 2 00 1000	17.725
Combi-System P					760*** 00 3 00 1000	36.045
Combi-System E					760*** 00 4 16 1000	49.480
Combi-System L					760*** 00 5 00 1000	56.710
Additional modules for whirltub						
Additional modules for Combi-System E				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Additional modules for Combi-System L				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Necessary accessories for bathtub						
Waste and overflow Quadroval, chrome					791245 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome***					791248 00 0 00 1000	4.220
Waste and overflow, with base inlet, chrome*					791228 00 0 00 1000	3.085
Accessories for bath- and whirltub						
Headrest, white					790009 00 0 00 0000	1.090
Bathtub anchors					790103 00 0 00 0000	360
Rubber profile					790104 00 0 00 0000	595
Accessories for bathtub						
Surcharge, for drillings of the tub rim for faucet, from rim width 100 mm					790650 00 0 00 0000	990
LED coloured light, with remote control for bathtubs, (white -00, chrome -10)					790840 00 0 00 * 00	17.585
Sound					791851 00 0 00 0000	6050
Accessories for whirltub						
Surcharge, for waste and overflow Quadroval, with water inlet, chrome					791251 00 0 00 1000	2.225
Surcharge, for waste and overflow, with base inlet, chrome*					791229 00 0 00 1000	4.295
LED coloured light, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791850 00 0 00 1000	18.730
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System E					791853 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System L					791880 00 0 00 0000	6.050

Infobox: * pipe interrupt mandatory, connection hose # 790166 is recommended / *** connection hose # 790166 is recommended / For surcharge # 791251 the connection hose # 790166 is included

Paiova Design by E00S

Bathtub Paiova 5 corner left, built-in, with two different backrest slopes

5 mm sanitary acrylic





Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub Paiova 5						
1900	1400	440	267	40,0	700392 00 0 00 0000	14.310
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	20.025
Jet-System					760*** 00 2 00 1000	17.725
Combi-System P					760*** 00 3 00 1000	36.045
Combi-System E					760*** 00 4 16 1000	49.480
Combi-System L					760*** 00 5 00 1000	56.710
Additional modules for whirltub						
Additional modules for Combi-System E				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Additional modules for Combi-System L				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Necessary accessories for bathtub						
Waste and overflow Quadroval, chrome					791244 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome***					791247 00 0 00 1000	3.655
Waste and overflow, with base inlet, chrome*					791226 00 0 00 1000	2.860
Accessories for bath- and whirltub						
Headrest, white					790009 00 0 00 0000	1.090
Bathtub anchors					790103 00 0 00 0000	360
Rubber profile					790104 00 0 00 0000	595
Accessories for bathtub						
Support frame, with length > 1500 mm					790105 00 0 00 0000	1.280
Surcharge, for drillings of the tub rim for faucet, from rim width 100 mm					790650 00 0 00 0000	990
LED coloured light, with remote control for bathtubs, (white -00, chrome -10)					790840 00 0 00 * 00	17.585
Sound					791851 00 0 00 0000	6.050
Noise reduction set for bathtubs					791368 00 0 00 0000	1.360
Accessories for whirltub						
Surcharge, for waste and overflow Quadroval, with water inlet, chrome					791251 00 0 00 1000	2.225
Surcharge, for waste and overflow, with base inlet, chrome*					791227 00 0 00 1000	4.085
LED coloured light, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791850 00 0 00 1000	18.730
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System E					791853 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System L					791880 00 0 00 0000	6.050

Infobox: * pipe interrupt mandatory, connection hose # 790166 is recommended / *** connection hose # 790166 is recommended / For surcharge # 791251 the connection hose # 790166 is included / For further information concerning noise protection, please consider the chapter „Noise reduction sets for bath-/whirltubs and shower trays“

Paiova Design by E00S

Bathtub Paiova 5 corner left, with seamless acrylic panel and support frame, with two different backrest slopes
5 mm sanitary acrylic





Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub Paiova 5						
1900	1400	440	267	85,0	700396 00 0 00 0000	32.310
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	20.025
Jet-System					760*** 00 2 00 1000	17.725
Combi-System P					760*** 00 3 00 1000	36.045
Combi-System E					760*** 00 4 16 1000	49.480
Combi-System L					760*** 00 5 00 1000	56.710
Additional modules for whirltub						
Additional modules for Combi-System E				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Additional modules for Combi-System L				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Necessary accessories for bathtub						
Waste and overflow Quadroval, chrome					791245 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome***					791248 00 0 00 1000	4.220
Waste and overflow, with base inlet, chrome*					791228 00 0 00 1000	3.085
Accessories for bath- and whirltub						
Headrest, white					790009 00 0 00 0000	1.090
Bathtub anchors					790103 00 0 00 0000	360
Rubber profile					790104 00 0 00 0000	595
Accessories for bathtub						
Surcharge, for drillings of the tub rim for faucet, from rim width 100 mm					790650 00 0 00 0000	990
LED coloured light, with remote control for bathtubs, (white -00, chrome -10)					790840 00 0 00 * 00	17.585
Sound					791851 00 0 00 0000	6050
Accessories for whirltub						
Surcharge, for waste and overflow Quadroval, with water inlet, chrome					791251 00 0 00 1000	2.225
Surcharge, for waste and overflow, with base inlet, chrome*					791229 00 0 00 1000	4.295
LED coloured light, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791850 00 0 00 1000	18.730
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System E					791853 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System L					791880 00 0 00 0000	6.050

Infobox: * pipe interrupt mandatory, connection hose # 790166 is recommended / *** connection hose # 790166 is recommended / For surcharge # 791251 the connection hose # 790166 is included

Paiova Design by E00S

Bathtub Paiova 5 corner right, built-in, with two different backrest slopes 5 mm sanitary acrylic





Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub Paiova 5						
1900	1400	440	267	40,0	700393 00 0 00 0000	14.310
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	20.025
Jet-System					760*** 00 2 00 1000	17.725
Combi-System P					760*** 00 3 00 1000	36.045
Combi-System E					760*** 00 4 16 1000	49.480
Combi-System L					760*** 00 5 00 1000	56.710
Additional modules for whirltub						
Additional modules for Combi-System E				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Additional modules for Combi-System L				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Necessary accessories for bathtub						
Waste and overflow Quadroval, chrome					791244 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome***					791247 00 0 00 1000	3.655
Waste and overflow, with base inlet, chrome*					791226 00 0 00 1000	2.860
Accessories for bath- and whirltub						
Headrest, white					790009 00 0 00 0000	1.090
Bathtub anchors					790103 00 0 00 0000	360
Rubber profile					790104 00 0 00 0000	595
Accessories for bathtub						
Support frame, with length > 1500 mm					790105 00 0 00 0000	1.280
Surcharge, for drillings of the tub rim for faucet, from rim width 100 mm					790650 00 0 00 0000	990
LED coloured light, with remote control for bathtubs, (white -00, chrome -10)					790840 00 0 00 * 00	17.585
Sound					791851 00 0 00 0000	6.050
Noise reduction set for bathtubs					791368 00 0 00 0000	1.360
Accessories for whirltub						
Surcharge, for waste and overflow Quadroval, with water inlet, chrome					791251 00 0 00 1000	2.225
Surcharge, for waste and overflow, with base inlet, chrome*					791227 00 0 00 1000	4.085
LED coloured light, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791850 00 0 00 1000	18.730
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System E					791853 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System L					791880 00 0 00 0000	6.050

Infobox: * pipe interrupt mandatory, connection hose # 790166 is recommended / *** connection hose # 790166 is recommended / For surcharge # 791251 the connection hose # 790166 is included / For further information concerning noise protection, please consider the chapter „Noise reduction sets for bath-/whirltubs and shower trays“

Paiova Design by E00S

Bathtub Paiova 5 corner right, with seamless acrylic panel and support frame, with two different backrest slopes
5 mm sanitary acrylic




Length mm	Width mm	Depth/Height mm	Capacity l	Weight kg	Model-No.	SEK excl VAT
						White - 00
Bathtub Paiova 5						
1900	1400	440	267	85,0	700397 00 0 00 0000	32.310
Surcharge for whirlsystem						
Air-System					760*** 00 1 00 1000	20.025
Jet-System					760*** 00 2 00 1000	17.725
Combi-System P					760*** 00 3 00 1000	36.045
Combi-System E					760*** 00 4 16 1000	49.480
Combi-System L					760*** 00 5 00 1000	56.710
Additional modules for whirltub						
Additional modules for Combi-System E				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Additional modules for Combi-System L				Module-No.		
LED coloured light (replaces LED white light)				06		14.125
Heating				07		5.550
UV Hygiene Management				08		7.565
Necessary accessories for bathtub						
Waste and overflow Quadroval, chrome					791245 00 0 00 1000	1.485
Waste and overflow Quadroval, with water inlet, chrome***					791248 00 0 00 1000	4.220
Waste and overflow, with base inlet, chrome*					791228 00 0 00 1000	3.085
Accessories for bath- and whirltub						
Headrest, white					790009 00 0 00 0000	1.090
Bathtub anchors					790103 00 0 00 0000	360
Rubber profile					790104 00 0 00 0000	595
Accessories for bathtub						
Surcharge, for drillings of the tub rim for faucet, from rim width 100 mm					790650 00 0 00 0000	990
LED coloured light, with remote control for bathtubs, (white -00, chrome -10)					790840 00 0 00 * 00	17.585
Sound					791851 00 0 00 0000	6050
Accessories for whirltub						
Surcharge, for waste and overflow Quadroval, with water inlet, chrome					791251 00 0 00 1000	2.225
Surcharge, for waste and overflow, with base inlet, chrome*					791229 00 0 00 1000	4.295
LED coloured light, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791850 00 0 00 1000	18.730
Sound, for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project					791852 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System E					791853 00 0 00 0000	6.050
Sound, for whirltubs with Combi-System L					791880 00 0 00 0000	6.050

Infobox: * pipe interrupt mandatory, connection hose # 790166 is recommended / *** connection hose # 790166 is recommended / For surcharge # 791251 the connection hose # 790166 is included


P3 Comforts Design by Phoenix Design

Product information

Option of corner version



Corner left





Corner right

P3 Comforts shower trays can be ordered as corner left or corner right version. The corner is taken from the perspective of a person standing in front of the shower tray. The person looks at the wide, evaluated shower tray rim.

P3 Comforts Design by Phoenix Design

Shower tray corner left, rectangle

DuraSolid A



	A	B	C	D
720151	900	800	740	750
720155	1000	800	840	750
720157	1200	800	1040	750
720159	1200	900	1040	850
720161	1400	900	1240	850



Length mm	Width mm	Depth/Height mm	Weight kg	Model-No.	SEK excl VAT
					White - 00
Shower tray					
900	800	47	19,0	720151 00 0 00 0000	6.390
1000	800	47	20,0	720155 00 0 00 0000	6.930
1200	800	47	25,0	720157 00 0 00 0000	7.290
1200	900	47	28,0	720159 00 0 00 0000	7.560
1400	900	47	29,0	720161 00 0 00 0000	8.100
Accessories for shower tray					
Stool, white matt				791877 00 0 00 0000	3.420
Support frame, for shower tray 900 x 800 mm				790167 00 0 00 0000	2.500
Support frame, for shower tray 1000 x 800 mm				790169 00 0 00 0000	2.500
Support frame, for shower tray 1200 x 800 mm				790170 00 0 00 0000	2.610
Support frame, for shower trays 1200 x 900 mm				790171 00 0 00 0000	2.610
Support frame, for shower trays 1400 x 900 mm				790172 00 0 00 0000	2.780
Shower tray feet, suitable for increased installation height				790173 00 0 00 0000	225
Rubber profile				790104 00 0 00 0000	575
Outlet drain, horizontal outlet				791243 00 0 00 0000	855
Support, for Stonetto # 720145 - 720150, P3 Comforts # 720151 - 720162				792407 00 0 00 0000	1.575

Infobox: If DuraSolid shower trays will be installed with footframe or support, the outlet drain # 791243 00 0 00 0000 is mandatory. If installed without footframe or support, please use outlet drains # 790263 00 0 00 1000 or # 790269 00 0 00 1000

P3 Comforts Design by Phoenix Design

Shower tray corner right, rectangle

DuraSolid A



	A	B	C	D
720152	900	800	740	750
720156	1000	800	840	750
720158	1200	800	1040	750
720160	1200	900	1040	850
720162	1400	900	1240	850



Length mm	Width mm	Depth/Height mm	Weight kg	Model-No.	SEK excl VAT
					White - 00
Shower tray					
900	800	47	19,0	720152 00 0 00 0000	6.390
1000	800	47	20,0	720156 00 0 00 0000	6.930
1200	800	47	25,0	720158 00 0 00 0000	7.290
1200	900	47	28,0	720160 00 0 00 0000	7.560
1400	900	47	29,0	720162 00 0 00 0000	8.100
Accessories for shower tray					
Stool, white matt				791877 00 0 00 0000	3.420
Support frame, for shower tray 900 x 800 mm				790167 00 0 00 0000	2.500
Support frame, for shower tray 1000 x 800 mm				790169 00 0 00 0000	2.500
Support frame, for shower tray 1200 x 800 mm				790170 00 0 00 0000	2.610
Support frame, for shower trays 1200 x 900 mm				790171 00 0 00 0000	2.610
Support frame, for shower trays 1400 x 900 mm				790172 00 0 00 0000	2.780
Shower tray feet, suitable for increased installation height				790173 00 0 00 0000	225
Rubber profile				790104 00 0 00 0000	575
Outlet drain, horizontal outlet				791243 00 0 00 0000	855
Support, for Stonetto # 720145 - 720150, P3 Comforts # 720151 - 720162				792407 00 0 00 0000	1.575

Infobox: If DuraSolid shower trays will be installed with footframe or support, the outlet drain # 791243 00 0 00 0000 is mandatory. If installed without footframe or support, please use outlet drains # 790263 00 0 00 1000 or # 790269 00 0 00 1000

P3 Comforts Design by Phoenix Design

Shower tray corner left, square

DuraSolid A




Length mm	Width mm	Depth/Height mm	Weight kg	Model-No.	SEK excl VAT
					White - 00
Shower tray					
900	900	47	21,0	720153 00 0 00 0000	6.660
Accessories for shower tray					
Stool, white matt				791877 00 0 00 0000	3.420
Support frame, for shower tray 900 x 900 mm				790168 00 0 00 0000	2.500
Shower tray feet, suitable for increased installation height				790173 00 0 00 0000	225
Rubber profile				790104 00 0 00 0000	575
Outlet drain, horizontal outlet				791243 00 0 00 0000	855
Support, for Stonetto # 720145 - 720150, P3 Comforts # 720151 - 720162				792407 00 0 00 0000	1.575

Infobox: If DuraSolid shower trays will be installed with footframe or support, the outlet drain # 791243 00 0 00 0000 is mandatory. If installed without footframe or support, please use outlet drains # 790263 00 0 00 1000 or # 790269 00 0 00 1000

P3 Comforts Design by Phoenix Design

Shower tray corner right, square

DuraSolid A



Length mm	Width mm	Depth/Height mm	Weight kg	Model-No.	SEK excl VAT
					White - 00
Shower tray					
900	900	47	21,0	720154 00 0 00 0000	6.660
Accessories for shower tray					
Stool, white matt				791877 00 0 00 0000	3.420
Support frame, for shower tray 900 x 900 mm				790168 00 0 00 0000	2.500
Shower tray feet, suitable for increased installation height				790173 00 0 00 0000	225
Rubber profile				790104 00 0 00 0000	575
Outlet drain, horizontal outlet				791243 00 0 00 0000	855
Support, for Stonetto # 720145 - 720150, P3 Comforts # 720151 - 720162				792407 00 0 00 0000	1.575

Infobox: If DuraSolid shower trays will be installed with footframe or support, the outlet drain # 791243 00 0 00 0000 is mandatory. If installed without footframe or support, please use outlet drains # 790263 00 0 00 1000 or # 790269 00 0 00 1000



P3 Comforts Accessories Design by Phoenix Design

Description		Model-No.			SEK excl VAT
	Stool				
	white matt, height: 420 mm				
	for P3 Comforts shower trays	791877	00 0 00 0000		3.420

Stonetto Design by E00S

Shower tray, rectangle

DuraSolid Q




	A	B	C
720145	900	800	400
720146	900	900	450
720147	1000	800	400
720148	1200	800	400
720149	1200	900	450
720150	1400	900	450

Length mm	Width mm	Depth/Height mm	Weight kg	Model-No.	SEK excl VAT
					White - 38 Sand - 48 Anthracite - 68
Shower tray					
900	800	50	31	720145 .. 0 00 0000	7.110
900	900	50	32	720146 .. 0 00 0000	7.470
1000	800	50	31	720147 .. 0 00 0000	7.740
1200	800	50	37	720148 .. 0 00 0000	8.190
1200	900	50	40	720149 .. 0 00 0000	8.460
1400	900	50	46	720150 .. 0 00 0000	9.090
Accessories for shower tray					
Support frame, for shower tray 900 x 800 mm				790167 00 0 00 0000	2.500
Support frame, for shower tray 900 x 900 mm				790168 00 0 00 0000	2.500
Support frame, for shower tray 1000 x 800 mm				790169 00 0 00 0000	2.500
Support frame, for shower tray 1200 x 800 mm				790170 00 0 00 0000	2.610
Support frame, for shower trays 1200 x 900 mm				790171 00 0 00 0000	2.610
Support frame, for shower trays 1400 x 900 mm				790172 00 0 00 0000	2.780
Shower tray feet, suitable for increased installation height				790173 00 0 00 0000	225
Rubber profile				790104 00 0 00 0000	575
Outlet drain, horizontal outlet				791243 00 0 00 0000	855
Support, for Stonetto # 720145 - 720150, P3 Comforts # 720151 - 720162				792407 00 0 00 0000	1.575

Infobox: If DuraSolid shower trays will be installed with footframe or support, the outlet drain # 791243 00 0 00 0000 is mandatory. If installed without footframe or support, please use outlet drains # 790263 00 0 00 1000 or # 790269 00 0 00 1000

Shower screen Product Information

Tap side (example OpenSpace)



The glass doors of OpenSpace can be folded away after use. So OpenSpace transforms into a discreet wall panel which tidily conceals tap fittings and shower attachments.

The taps can be either positioned on the left or on the right side. The tap side is taken from the perspective of a person standing in front of the shower screen. For the type with tap left the deeper wall profile is assembled on the left. For the type with tap right the deeper wall profile is assembled on the right. Please consider this when ordering your OpenSpace / OpenSpace B shower screen. On site the tap side is no more changeable.

Before ordering an Duravit shower screen check the structural conditions with the help of the pre-installation data sheet.

Selection of taps

The deeper wall profile is constructed for the assembly of taps. The tap parts on the wall can be up to 125 mm deep.

As a shower set consisting of shower bar and hand shower can have a depth of more than 125 mm a special quench holder with conical adapter is included in the delivery of every OpenSpace/OpenSpace B shower screen. Thus a multitude of standard hand showers are applicable and a clash of hand shower and glass folded towards the wall is avoided.

Please consider the instructions in the pre-installation data sheet for the selection of your taps.

Water-tightness

The doors of OpenSpace/OpenSpace B directly rest on the shower tray or the tiled floor by the rise and fall hinge mechanism. Thereby a splash guard is largely achieved. Construction-conditioned, absolute water-tightness can't be ensured for frameless glass shower screens that are sealed by means of flexible plastic sealing strips. Doors that can be opened outwards can cause water drops.

Technical information

OpenSpace/OpenSpace B complies with the technical requirements of the valid EN 14428.

Glass

8 mm toughened safety glass (OpenSpace B: 6 mm) manufactured to EN 12150-1, transparent glass or optional mirror glass for tap side

Profiles

Aluminium, finish chrome optics high-gloss, with rise and fall hinge mechanism, 180° swivelling range, OpenSpace B: Cover in compact laminate

Application area

For shower trays or tiled shower areas

Adjusting range

Vertical tolerances up to 18 mm (OpenSpace B: 25 mm) can be adjusted.

Quench holder

Chromed brass, included in delivery, only suitable for hand showers with conical adapter


Door handle (only OpenSpace)

Chromed ABS, included in delivery, optionally mountable



Door handle (inside view)

Installation dimensions



OpenSpace/OpenSpace B square, tap left
(for tap right mirror-inverted)
* only OpenSpace


OpenSpace/OpenSpace B rectangle, tap left
(for tap right mirror-inverted)

The figures show the required installation dimensions of the shower tray / area (= measured length dimension and width dimension from tiled wall to the front edge of the installed shower tray / area) for the available dimensions of OpenSpace/OpenSpace B.

The dimensions of OpenSpace/OpenSpace B consider that the shower screen is offset towards the inside by 15 mm from the outer edge of shower tray / area for the benefit of the water-tightness.

OpenSpace B Design by E00S

Shower screen, rectangle, tap left



☒ **Mounting area for taps/ accessories on the wall:** Please consider the specified maximum projection for the areas F1 and F2.


	A	A1	A2	A3	A4	A5	B	B1	B2
770010	885	775	680	840	380	460	785	725	730
770012	985	875	780	940	400	540	885	825	830

Description	Length mm	Width mm	Height mm	Weight kg	Model-No.	SEK excl VAT
for shower tray 900 x 800 mm						
transparent glass	785	885	2000	67,0	770010 00 0 00 0000	17.910
transparent and mirror glass	785	885	2000	67,0	770010 00 0 10 0000	20.700
for shower tray 1000 x 900 mm						
transparent glass	885	985	2000	73,0	770012 00 0 00 0000	19.350
transparent and mirror glass	885	985	2000	73,0	770012 00 0 10 0000	22.320

Infobox: The dimensions indicated for the shower trays refer to the installation dimensions, i.e. the measured length dimension and width dimension of the installed shower tray after tiling

OpenSpace B Design by E00S

Shower screen, rectangle, tap right



☒ **Mounting area for taps/ accessories on the wall:** Please consider the specified maximum projection for the areas F1 and F2.


	A	A1	A2	A3	A4	A5	B	B1	B2
770010	885	775	680	840	380	460	785	725	730
770012	985	875	780	940	400	540	885	825	830

Description	Length mm	Width mm	Height mm	Weight kg	Model-No.	SEK excl VAT
for shower tray 900 x 800 mm						
transparent glass	785	885	2000	67,0	770010 00 0 01 0000	17.910
transparent and mirror glass	785	885	2000	67,0	770010 00 0 11 0000	20.700
for shower tray 1000 x 900 mm						
transparent glass	885	985	2000	73,0	770012 00 0 01 0000	19.350
transparent and mirror glass	885	985	2000	73,0	770012 00 0 11 0000	22.320

Infobox: The dimensions indicated for the shower trays refer to the installation dimensions, i.e. the measured length dimension and width dimension of the installed shower tray after tiling

OpenSpace B Design by E00S

Shower screen, square, tap left



☒ **Mounting area for taps/ accessories on the wall:** Please consider the specified maximum projection for the areas F1 and F2.


	A	A1	A2	A3	B	B1	B2	B3	B4
770008	885	775	780	840	885	825	730	435	405
770009	985	875	880	940	985	925	830	525	415

Description	Length mm	Width mm	Height mm	Weight kg	Model-No.	SEK excl VAT
for shower tray 900 x 900 mm						
transparent glass	885	885	2000	71,0	770008 00 0 00 0000	18.360
transparent and mirror glass	885	885	2000	71,0	770008 00 0 10 0000	21.510
for shower tray 1000 x 1000 mm						
transparent glass	985	985	2000	75,0	770009 00 0 00 0000	19.800
transparent and mirror glass	985	985	2000	75,0	770009 00 0 10 0000	22.500

Infobox: The dimensions indicated for the shower trays refer to the installation dimensions, i.e. the measured length dimension and width dimension of the installed shower tray after tiling

OpenSpace B Design by E00S

Shower screen, square, tap right



☒ **Mounting area for taps/ accessories on the wall:** Please consider the specified maximum projection for the areas F1 and F2.

	A	A1	A2	A3	B	B1	B2	B3	B4
770008	885	775	780	840	885	825	730	435	405
770009	985	875	880	940	985	925	830	525	415

Description	Length mm	Width mm	Height mm	Weight kg	Model-No.	SEK excl VAT
for shower tray 900 x 900 mm						
transparent glass	885	885	2000	71,0	770008 00 0 01 0000	18.360
transparent and mirror glass	885	885	2000	71,0	770008 00 0 11 0000	21.510
for shower tray 1000 x 1000 mm						
transparent glass	985	985	2000	75,0	770009 00 0 01 0000	19.800
transparent and mirror glass	985	985	2000	75,0	770009 00 0 11 0000	22.500

Infobox: The dimensions indicated for the shower trays refer to the installation dimensions, i.e. the measured length dimension and width dimension of the installed shower tray after tiling

OpenSpace Accessories Design by E00S

Description		Model-No.		SEK excl VAT
	Shower seat			
	hinged,			
	loads up to 150kg,			
	material: polyurethane,			
	aluminium			
	anthracite	791873	68 0 00 0000	4.400
	Handle with shower basket			
	material: polyurethane,			
	chrome,			
	anthracite			
	shower basket left	791874	68 0 00 0000	1.700
	shower basket right	791875	68 0 00 0000	1.700
	Shower basket			
	material: polyurethane,			
	chrome			
	anthracite	791876	68 0 00 0000	1.430

Fittings Bathtubs + Well Being

	Description	Model-No.	SEK excl VAT
	Headrest		
	white, for Happy D.2, Paiova 5 material: polyurethane	790009 00 0 00 0000	1.090
	Support frame		
	for acrylic bathtubs and shower trays, with length > 1000 mm, height-adjustable from 120 - 190 mm, height-adjustable from 145 - 190 mm if a noise reduction set for shower trays is used 2 pieces	790100 00 0 00 0000	855
	Support frame		
	for acrylic bathtubs and shower trays, with length > 1500 mm, height-adjustable from 120 - 190 mm, height-adjustable from 145 - 190 mm if a noise reduction set for shower trays is used 3 pieces	790105 00 0 00 0000	1.280
	Bathtub anchors		
	for mounting and support of bathtubs and shower trays 3 pieces	790103 00 0 00 0000	360
	Rubber profile		
	for noise reduction and sealing against mois- ture length: 3300 mm	790104 00 0 00 0000	595
	Waste and overflow Quadroval		
	chrome, for bathtubs with central outlet, outlet diameter 52 mm length of bowden cable 650 mm	790289 00 0 00 1000	1.485
	length of bowden cable 850 mm	790293 00 0 00 1000	1.485
	Waste and overflow Quadroval**		
	with water inlet, chrome, for bathtubs with central outlet, outlet diameter 52 mm, (pipe interrupt necessary), (connection hose not included)		
	length of bowden cable 650 mm	790290 00 0 00 1000	3.655
	length of bowden cable 850 mm	790294 00 0 00 1000	3.655
Infobox: ** connection hose # 790159 is recommended			

Fittings Bathtubs + Well Being

Description		Model-No.		SEK excl VAT
	Waste and overflow Quadroval			
	chrome, for freestanding bathtubs, outlet diameter 52 mm length of bowden cable 650 mm			
		790291 00 0 00 1000		1.485
	Waste and overflow Quadroval**			
	with water inlet, chrome, for freestanding bathtubs, outlet diameter 52 mm, (pipe interrupt necessary), (connection hose not included) length of bowden cable 650 mm			
		790292 00 0 00 1000		3.655
Infobox: ** connection hose # 790159 is recommended				
	Waste and overflow Quadroval			
	chrome, for Paiova 5 # 700390 - 700393, length of bowden cable 725 mm outlet diameter 52 mm			
		791244 00 0 00 1000		1.485
	Waste and overflow Quadroval			
	chrome, for bathtubs with slim bathtub rim, with flexible hose, length of bowden cable 725 mm outlet diameter 52 mm			
		791245 00 0 00 1000		1.485
	Waste and overflow Quadroval***			
	with water inlet, chrome, for Paiova 5 # 700390 - 700393, length of bowden cable 725 mm, (connection hose not included) outlet diameter 52 mm			
		791247 00 0 00 1000		3.655
Infobox: *** connection hose # 790166 is recommended				
	Waste and overflow Quadroval***			
	with water inlet, chrome, for bathtubs with slim bathtub rim, with flexible hose, length of bowden cable 725 mm, (connection hose not included) outlet diameter 52 mm			
		791248 00 0 00 1000		4.220
Infobox: *** connection hose # 790166 is recommended				

Fittings Bathtubs + Well Being

Description		Model-No.		SEK excl VAT
	Surcharge**			
	for waste and overflow Quadroval, with water inlet, chrome, for whirltubs, outlet diameter 52 mm, (pipe interrupt necessary), (connection hose not included)			
	long version	791206 00 0 00 1000		2.225
Infobox: ** connection hose # 790159 is recommended				
	Surcharge			
	for waste and overflow Quadroval, with water inlet, chrome, for whirltubs with slim bathtub rim, with flexible hose, length of bowden cable 725 mm, (pipe interrupt necessary), (connection hose already mounted)			
	outlet diameter 52 mm	791251 00 0 00 1000		2.225
	Surcharge ***			
	for waste and overflow Quadroval, with water inlet, chrome, for whirltubs, outlet diameter 52 mm, (pipe interrupt necessary), (connection hose not included)			
	long version	791252 00 0 00 1000		2.745
Infobox: *** connection hose # 790166 is recommended				
	Waste and overflow *			
	with base inlet, chrome, outlet diameter 52 mm, (connection hose not included)			
	for bathtubs	791226 00 0 00 1000		2.860
for freestanding bathtubs		791228 00 0 00 1000		3.085
Infobox: * pipe interrupt mandatory, connection hose # 790166 is recommended				
	Surcharge *			
	for waste and overflow, with base inlet, chrome, outlet diameter 52 mm, (connection hose not included)			
	for whirltubs	791227 00 0 00 1000		4.085
for freestanding whirltubs		791229 00 0 00 1000		4.295
Infobox: * pipe interrupt mandatory, connection hose # 790166 is recommended				

Fittings Bathtubs + Well Being

	Description	Model-No.	SEK excl VAT
	Flush-mounting duct interrupt		
	model A2, EN 1717, chrome 3/4"	790114 00 0 00 1000	1.630
	Connection hose		
	for water inlet, not suitable for waste and overflows with base inlet, 3/4" outside thread x 3/4" cap nut length: 900 mm	790159 00 0 00 0000	470
	Connection hose		
	for waste and overflows with base inlet, for waste and overflows with water inlet # 791247, 791248, 791252, 1/2" x 16 mm Length: 1500 mm	790166 00 0 00 0000	1.315
	LED coloured light		
	with remote control for bathtubs		
	white	790840 00 0 00 0000	17.585
	chrome	790840 00 0 00 1000	17.585
	LED coloured light		
	for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project	791850 00 0 00 1000	18.730
	Sound		
	for bathtubs	791851 00 0 00 0000	6.050
	for whirltubs with Air-System, Jet-System, Combi-System P, Durapearl-System or Jet Project	791852 00 0 00 0000	6.050
	for whirltubs with Combi-System E	791853 00 0 00 0000	6.050
	Support frame		
	for DuraSolid shower trays, height-adjustable from 130 - 150 mm		
	for shower tray 900 x 800 mm	790167 00 0 00 0000	2.500
	for shower tray 900 x 900 mm	790168 00 0 00 0000	2.500
	for shower tray 1000 x 800 mm	790169 00 0 00 0000	2.500
	for shower tray 1200 x 800 mm	790170 00 0 00 0000	2.610
	for shower trays 1200 x 900 mm	790171 00 0 00 0000	2.610
	for shower trays 1400 x 900 mm	790172 00 0 00 0000	2.780
	Shower tray feet		
	in combination with support frame # 790167 - 790172, suitable for increased installation height height-adjustable from 150 - 200 mm	790173 00 0 00 0000	225

Fittings Bathtubs + Well Being

Description		Model-No.	SEK excl VAT
Support			
for Stonetto # 720145 - 720150, P3 Comforts # 720151 - 720162		792407 00 0 00 0000	1.575
Outlet drain			
for DuraSolid shower trays, horizontal outlet			
outlet diameter 90 mm		791243 00 0 00 0000	855
Infobox: If DuraSolid shower trays will be installed with footframe or support, the outlet drain # 791243 00 0 00 0000 is mandatory. If installed without footframe or support, please use outlet drains # 790263 00 0 00 1000 or # 790269 00 0 00 1000			
			
Care kit			
for acrylic surfaces, for basic cleaning and removing persistent stains			
Contents: acrylic care agent, grinding paste, polishing paste		790301 00 0 00 0000	475
			
Care and maintenance kit			
for acrylic surfaces, for correcting scratches and other superficial damage			
Contents: acrylic care agent, acrylic resin, hardener, grinding paste, polishing paste		790302 00 0 00 0000	965
			
Mounting foam for supports			
400 ml			
1 bottle		790340 00 0 00 0000	135
			
Installation set			
for freestanding bath- and whirltubs		790850 00 0 00 0000	3.005
Noise reduction set for bathtubs			
for acrylic bathtubs			
Contents: noise protection shower tray an- chors, bitumen pads, rubber profile		791368 00 0 00 0000	1.360
Infobox: For further information concerning noise protection, please consider the chapter „Noise reduction sets for bath-/ whirltubs and shower trays“			
Noise reduction set for shower trays			
for acrylic shower trays			
Contents: noise protection shower tray anchors, noise protection shower tray feet, bitumen pads, rubber profile		791369 00 0 00 0000	1.510
Infobox: For further information concerning noise protection, please consider the chapter „Noise reduction sets for bath-/ whirltubs and shower trays“			

News 2015

Bathroom furniture

Cape Cod	105
DuraStyle	108
L-Cube	111
Vero	130
X-Large	131

Important Indications Bathroom Furniture

1. Additions

Extension of surfaces

Series	Colour code	Availability
Darling New	12, 13, 22, 26, 40, 43, 49, 52, 53, 69, 71, 72, 73, 79, 03, 10, 20, 27, 38, 40, 47, 61, 85, 86, 87, 89, 90; Interior colour: 57 Black Diamond	March 2015
Delos	13, 14, 18, 22, 26, 31, 40, 43, 49, 51, 52, 53, 71, 72, 73, 79, 03, 10, 20, 27, 38, 40, 47, 61, 86, 87, 89, 90	March 2015
DuraStyle	14, 22, 31, 49, 51, 73, 79 Interior colour: 57 Black Diamond	March 2015
Fogo	12, 14, 18, 22, 31, 40, 43, 49, 51, 52, 53, 69, 71, 72, 73, 79, 03, 10, 20, 27, 38, 40, 47, 61, 85, 86, 87, 89, 90; Interior colour: 57 Black Diamond	March 2015
Ketho	14, 22, 31, 51, 52, 53, 73, 79; Interior colour: 57 Black Diamond	March 2015
Vero	12, 13, 14, 18, 22, 26, 31, 40, 43, 49, 51, 52, 79, 03, 10, 20, 27, 38, 40, 47, 61, 85, 86, 87, 89, 90	March 2015
X-Large	13, 14, 26, 31, 40, 43, 49, 51, 52, 69, 71, 72, 73, 03, 10, 20, 27, 38, 40, 47, 61, 87, 89, 90; Interior colour: 57 Black Diamond	March 2015
Other Furniture series	Interior colour: 57 Black Diamond replaces interior colour 37 White Aluminium	until end of 2015

New models

Series	Remark	Availability
Cape Cod	new series	available
Delos	Vanity unit # DL 6798	available
DuraStyle	Vanity unit # DS 6398, 6498	available
L-Cube	new series	available
X-Large	Vanity unit # XL 6516 - XL 6518 # XL 6581-XL 6583, XL 6535-XL 6538 # XL 6590-XL 6593, XL 6543-XL 6545 # XL 6553-XL 6555, XL 6563-XL 6565 # XL 6573-XL 6575, XL 6810-XL 6811 Plinth leg # UV 9991, UV 9992	available available

2. Series with Bi-Colour surfaces (DuraStyle / Darling New)

Articles, ordered with different front- and body colours from two different pricegroups (bi-colour), will be charged with the higher of both price-groups.

3. Structure of the pricelist

All models are type-ordered

Type-number consists of:

X L	1 1 3 5	L	2 2	2 2
	previous ord. no.		front	
identifica- tion code for series	hinges / position of washbasin			body

Note: Please indicate the „0“ at the according point for models without hinges. Please set the body colour as well as front colour for models without a front.

model-no. = identification code for series + previous ord. no.

If furniture are offered in various colours, all necessary information for the ordering process are mentioned in an ordering example.

4. Ordering system Duravit

4.1. Individual specifications

- series
- front colour
- body colour
- colour for consoles, countertops and shelves

4.2. Model-related specifications

- model number
- door hinges
 - L = hinge on the left side
 - R = hinge on the right side
 - 0 = no hinge
- position of washbasin
 - L = washbasin on the left side
 - R = washbasin on the right side
 - M = washbasin centred
 - B = washbasin on both sides
- for variable models, indication of the width
- model-no. ceramic for consoles
- position low cabinets or vanity units for consoles

4.3. Drawings, sketches

Detailed drawings for ordering of countertops or variable consoles are absolutely necessary. Please use order sheet and check list.

4.4. Duravit individual

Variations of articles and materials within the available product range are possible. If necessary please attach a sketch. On request we provide a proposal.

5. Warranty

Duravit grants a warranty period of 5 years for all ceramic sanitary ware, 5 years for all bathroom furniture, providing that the installation is carried out by a certified plumber. Please note that parts subject to wear and tear are excluded.

Bathroom Furniture Product Specifications

All furniture parts correspond in construction and workmanship to the requirements laid down in DIN 68935 and the E1 directive on toxic substances with regard to formaldehyde emissions.

I. Technical Product Specifications

1. Panel for mirror ground plate, body and rear panel

These are 38, 19, 16 and 8 mm thick, back panels are set in grooves, recessed and bonded.

Further information is available in the detailed product information for the various series.

2. Real wood veneer

Fronts, Bodies, Consoles, Shelf under washbasin trim, Washbasin trims:

Possible variations concerning structure, veining, pores and colour are manifestations of the genuineness of the natural material wood and preclude any cause for complaint.

Further information can be obtained from the detailed product information for the individual series.

3. Consoles

Detailed information is included in the description of the individual series.

4. Shelves

Glass shelves, thickness: 6 mm, height-adjustable.

5. Drawers

5.1. Drawers for series 2nd floor, Darling New, DuraStyle, Fogo, Ketho, PuraVida, Starck, X-Large
Anthracite colored frames; roller guide with extended self-closing action; strong lateral support; casters of noise-reducing plastic; steel guide tracks. Two dimensional adjustment of the drawer's covering is possible. Elegant cover of the adjusting mechanism with DURAVIT logo. Base and rear panel in the colour of the body; drawers can be easily removed for cleaning purposes.

5.2. Drawers for Delos, Happy D.2, L-Cube and Vero
Anthracite colored steel frames; roller guide with extended self-closing action; strong lateral support; casters of noise-reducing plastic; steel guide tracks. Three-dimensional adjustment of the drawers's covering possible. Elegant cover of the adjusting mechanism with DURAVIT logo. Base and rear panel in the colour of the body; drawers can be easily removed for cleaning purposes. The interior system is optional.

6. Hinges

Full metal hinges with three-dimensional adjustment. 107° opening angle. Doors are easily unhinged. Thanks to clip-on mechanism, no tools are necessary. Elegant cover with DURAVIT logo.

7. Suspension brackets

7.1. Cabinet suspension

Concealed by the rear panel, easy to adjust two-dimensionally. Maximum load 65 kg each, with slip-resistant combination hook for track and hook suspension.

7.2. Mirror suspension

Height-adjustable fixing; integrated in the mirror's rear panel.

7.3. Washbasin vanity unit suspension

Easily adjustable in two dimensions; maximum load 65 kg each, with slip-resistant combination hook for track and hook suspension. After the adjustment, vanity units with a width of more than 100 cm are protected additionally by a special fixing.

8. Wire articles

Glossy chrome-plated finish of railings and removable laundry basket.

9. Crystal mirrors

Ground and polished edges; high quality standards exceeding DIN 1238. Crystal mirrors ought to be cleaned only with a soft and dry cloth; wipe off marks with a slightly damp cloth or chamois leather; window cleanser and other acid cleaning agents can damage the silver coating and preclude any cause for complaint.

10. Interior System

Interior modules are factory installed and must be requested upon ordering. The interior system with a material mix in acrylic glass and solid wood is available in maple or walnut. There is an individually designed interior system for each cabinet width between 550 - 1200 mm. There are always two boxes and one box cover in the interior systems for drawers with or without siphon cut-out plus a small tray wave system for cosmetic products. A special field for a hair dryer is integrated off a width of 750 mm. The interior system for drawer without siphon cut-out includes always a big tray wave system to lay in bigger bottles. Off a width of 800 mm there is also a special field for a hair dryer integrated.

The interior system for a pull-out compartment (Delos, Happy D.2 and L-Cube) always includes a support for hair brushes and comb. The interior system for a pull-out compartment (Vero) is available off a width of 750 mm. There is a wood grid to fix bottles off a width of 750 mm.

Each size of the cabinet have a individual layout of the interior systems to use the optimum storage space. The bottom, the box cover the small and big wave plus the special support for hair brushes and comb have a special anti-slip lacquer.

II. Mounting Aids

1. Mounting accessories

Screws, dowels, cover caps and installation tracks are included with the respective model.

Installation only by skilled professionals. Provided screws and dowels have to be reviewed for applicability in appropriate wall, if necessary they have to be replaced by capable material on site.

2. Mounting and care instructions

Are included in the respective consignment.


Cape Cod Design by Philippe Starck

Product Information

Metal frame	Steel	Chrome	Basic material: Steel square tube hollow profile with surface in chrome.
Console Shelf	Real wood massive Pricegroup 1	76 European Oak solid wood 81 White Beech solid wood	Basic material: Massive wooden board lacquered transparent.
	Real wood massive Pricegroup 2	77 American Walnut solid wood	Basic material: Massive wooden board lacquered transparent.
	Lacquer Pricegroup 3	85 White High Gloss	Basic material: High-compressed MDF board. Lacquered opaque in several coats. Edge material: ABS-Edge material (lacquered).
	Massivholz Pricegroup 4	95 Vintage Oak solid wood	Basic material: Massive wooden board oiled. Massive wooden boards are unique with top quality, differences in colour and structure may occur.
Fronts Body	Lacquer Pricegroup 3	85 White High Gloss	Basic material: High-compressed MDF board. Lacquered opaque in several coats. Edge material: ABS-Edge material (lacquered).
Mirror			LED light technology, 3500 Kelvin light colour. Sensor switch bottom right for on/off function.
Edge Mirror ground plate		Neutral	Basic material: High-compressed MDF board directly coated. Edge material: ABS-Edge material (lacquered).

Cape Cod Design by Philippe Starck

Ordering Sample






Cape Cod
Vanity unit floor-standing
Mirror with lighting

85 White High Gloss

Description	Remark	Quantity	Model-No.
1 Vanity unit floor-standing	Width 1120 mm	1	# CC 9533 0 85 85
2 Mirror with lighting	Width 766 mm	1	# CC 9641 0 00 00
c Washbowl Cape Cod	Width 500 mm	1	# 233950 00 00


Cape Cod Design by Philippe Starck

Description	mm	Model-No.	SEK excl VAT Pricegroup 1	SEK excl VAT Pricegroup 2	SEK excl VAT Pricegroup 3	SEK excl VAT Pricegroup 4
						
Vanity unit floor-standing 1 console, 1 Shelf below						
	1120 x 570	CC 9532	24.910	30.995	24.910	38.745
Infobox: In combination with ceramic # 233950 Position tap hole on the right side / Surcharge tap hole of 170 SEK with exact positioning information / Required specification for ordering: - Model-no. ceramic, please see page 143						
						
Vanity unit floor-standing 1 console, 1 Furniture with doors and shelf elements laterally						
	1120 x 570	CC 9533			42.620	
Infobox: Only available in surface 85 White High Gloss / Space saving siphon # 005073 is recommended / In combination with ceramic # 233950 Position tap hole on the right side / Surcharge tap hole of 170 SEK with exact positioning information / Required specification for ordering: - Model-no. ceramic, please see page 143						
						
Mirror with lighting IP 44, 1 sensor switch bottom right, Energy class: A LED module 3500 Kelvin Lichtfarbe, 54 W 766 x 60						
		CC 9641	26.015			
Infobox: Distance between sensor and reflecting surfaces = minimum 75 mm						

DuraStyle Design by Matteo Thun

Product Information

Fronts Body Fronts Bi-Color	Decor Pricegroup 1	14 Terra 18 White Matt 31 Pine Silver 43 Basalt Matt 49 Graphite Matt 51 Pine Terra 52 European Oak 53 Chestnut Dark 79 Natural Walnut	Basic material: High-compressed three-ply chipboard, directly coated with melamine resin decor on both sides. Handle cover integrated, execution corpus colour. Edge material: ABS-Edge material.
	Decor Pricegroup 2	22 White High Gloss 73 Ticino Cherry Tree	Basic material: High-compressed three-ply chipboard, directly coated with melamine resin decor on both sides. Handle cover integrated, execution corpus colour. Edge material: ABS-Edge material.
Body Bi-Color	Decor Pricegroup 1	18 White Matt 43 Basalt Matt	Basic material: High-compressed three-ply chipboard, directly coated with melamine resin decor on both sides. Handle cover integrated, execution corpus colour. Edge material: ABS-Edge material.
Console	Decor Pricegroup 1	14 Terra 18 White Matt 31 Pine Silver 43 Basalt Matt 49 Graphite Matt 51 Pine Terra 52 European Oak 53 Chestnut Dark 79 Natural Walnut	Basic material: Base: solid wood, multiplex curved pasted plywood, with laminate (HPL) pressed on both sides. Edge material: All edges and cutouts for towels consists of plywood, waterproofed sealed with oil (colour-coordinated to the laminate).
	Decor Pricegroup 2	22 White High Gloss 73 Ticino Cherry Tree	Basic material: Base: solid wood, multiplex curved pasted plywood, with laminate (HPL) pressed on both sides. Edge material: All edges and cutouts for towels consists of plywood, waterproofed sealed with oil (colour-coordinated to the laminate).
Mirror with lighting			LED light technology, 3500 Kelvin light colour. Sensor switch bottom right for on/off function.
Edges mirror ground plate	Decor Pricegroup 1	37 White Aluminium	Basic material: High-compressed MDF board directly coated. Edge material: ABS-Edge material.
Extension mechanism		handleless	Protruding front for opening.
Body furniture accessoires	Real wood massive Pricegroup 1	76 European Oak massive	Body frame massive lacquered.
	Real wood massive Pricegroup 2	77 American Walnut massive	Body frame massive lacquered.
Shelf furniture accessoires	Decor	14 Terra 18 White Matt 22 White High Gloss 43 Basalt Matt 49 Graphite Matt	Basic material: Shelves from high-compressed three-ply chipboard with melamine resin decor pressed on both sides. Edge material: ABS-Edge material.
Seat Cushion		White	Synthetic Leather



Ordering Sample


DuraStyle
Vanity Unit
Tall cabinet
Mirror with lighting

53 Chestnut dark
43 Basalte Matt

Description	Remark	Quantity	Model-No.
1 Vanity unit wall-mounted	Width 730 mm	1	# DS 6381 0 53 43
2 Tall cabinet	Width 500 mm	1	# DS 1249 L 53 43
3 Mirror with lighting	Width 800 mm	1	# DS 7268 0 00 00
C DuraStyle 800 mm		1	# 232080 00 00

DuraStyle Design by Matteo Thun

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2		
						
Vanity unit wall-mounted						
1 pull-out compartment, pull-out compartment including cut-out for siphon and siphon cover						
for DuraStyle # 233778	730 x 350	DS 6399	5.015	5.765		
Infobox: Required specification for ordering: - Front colour - Body colour / Additional option Bi-Color only with Body colour: 18 White Matt / 43 Basalt Matt possible. Front Bi-Color: freely selectable from all front colours.						
						
Vanity unit wall-mounted						
2 drawers, upper drawer including cut-out for siphon and siphon cover						
for DuraStyle # 233778	730 x 350	DS 6499	6.510	7.485		
Infobox: Additional option Bi-Color only with Body colour: 18 White Matt / 43 Basalt Matt possible. Front Bi-Color: freely selectable from all front colours. / Required specification for ordering: - Front colour - Body colour						

L-Cube Design by Christian Werner

Product information

Fronts Body	Decor Pricegroup 1	14 Terra 18 White Matt 31 Pine Silver 43 Basalt Matt 49 Graphite Matt 51 Pine Terra 52 European Oak 53 Chestnut Dark 79 Natural Walnut	Basic material inner body/-front: High-compressed three-ply chipboard, directly coated with melamin resin decor in (57) Black Diamond on both sides. Basic material outer body/-front: High-compressed three-ply chipboard, with laminate (HPL) pressed on both sides. Edge material: ABS-Edge material.
	Decor Pricegroup 2	22 White High Gloss 73 Ticino Cherry Tree	Basic material inner body/-front: High-compressed three-ply chipboard, directly coated with melamin resin decor in (57) Black Diamond on both sides. Basic material outer body/-front: High-compressed three-ply chipboard, with laminate (HPL) pressed on both sides. Edge material: ABS-Edge material.
	Real wood veneer Pricegroup 3	12 Brushed Oak 13 American Walnut 26 American Cherry Tree 71 Mediterranean Oak 69 Brushed Walnut 72 Brushed Dark Oak	Basic material inner body/-front: High-compressed three-ply chipboard, directly coated with melamin resin decor in (57) Black Diamond on both sides. Basic material outer body/-front: High-compressed three-ply chipboard, with real wood veneer pressed on both sides. Edge material: ABS-Edge material. Real wood veneer is a natural material, differences in colour and structure may occur.
	Lacquer Pricegroup 4	03 Jade High Gloss 10 Apricot Pearl High Gloss 20 Apricot Pearl Satin Matt 27 Weißer Flieder High Gloss 38 Dolomiti Grey High Gloss 40 Black High Gloss 47 Stone Blue High Gloss 61 Olive Brown High Gloss 85 White High Gloss 86 Cappuccino High Gloss 87 White Lilac High Gloss 89 Flannel Grey High Gloss 90 Flannel Grey Satin Matt	Basic material inner body/-front: High-compressed three-ply chipboard, directly coated with melamin resin decor in (57) Black Diamond on both sides. Basic material outer body/-front: High-compressed MDF-board. Lacquered opaque in several coats. Edge material inner body/- front: ABS-Edge material. Edge material outer body/- front: ABS-Edge material (lacquered).
Console	Decor Pricegroup 1	14 Terra 18 White Matt 31 Pine Silver 43 Basalt Matt 49 Graphite Matt 51 Pine Terra 52 European Oak 53 Chestnut Dark 79 Natural Walnut	Basic material: High-compressed three-ply chipboard, with laminate (HPL) pressed on both sides. Underside console: (57) Black Diamond. Edge material: ABS-Edge material.
	Decor Pricegroup 2	22 White High Gloss 73 Ticino Cherry Tree	Basic material: High-compressed three-ply chipboard, with laminate (HPL) pressed on both sides. Underside console: (57) Black Diamond. Edge material: ABS-Edge material.
	Real wood veneer Pricegroup 3	12 Brushed Oak 13 American Walnut 26 American Cherry Tree 71 Mediterranean Oak 69 Brushed Walnut 72 Brushed Dark Oak	Basic material: High-compressed three-ply chipboard, with real wood veneer pressed on one side and laminate (HPL) pressed on the other side. Edge material: ABS-Edge material. Real wood veneer is a natural material, differences in colour and structure may occur.


L-Cube Design by Christian Werner

Product information

Console	Lacquer Pricegroup 4	03 Jade High Gloss 10 Apricot Pearl High Gloss 20 Apricot Pearl Satin Matt 27 Weißer Flieder High Gloss 38 Dolomiti Grey High Gloss 40 Black High Gloss 47 Stone Blue High Gloss 61 Olive Brown High Gloss 85 White High Gloss 86 Cappuccino High Gloss 87 White Lilac High Gloss 89 Flannel Grey High Gloss 90 Flannel Grey Satin Matt	Basic material: High-compressed MDF board. Lacquered opaque in several coats. Underside console directly coated with melamin resin decor in (57) Black Diamond. Edge material: ABS-Edge material (lacquered).
Shelf element	Decor Pricegroup 1	14 Terra 18 White Matt 31 Pine Silver 43 Basalt Matt 49 Graphite Matt 51 Pine Terra 52 European Oak 53 Chestnut Dark 79 Natural Walnut	Basic material: High-compressed three-ply chipboard, with laminate (HPL) pressed on both sides. Edge material: ABS-Edge material.
	Dekor Pricegroup 2	22 White High Gloss 73 Ticino Cherry Tree	Basic material: High-compressed three-ply chipboard, with laminate (HPL) pressed on both sides. Edge material: ABS-Edge material.
	Real wood veneer Pricegroup 3	12 Brushed Oak 13 American Walnut 26 American Cherry Tree 71 Mediterranean Oak 69 Brushed Walnut 72 Brushed Dark Oak	Basic material: High-compressed three-ply chipboard, with real wood veneer pressed on both sides. Edge material: ABS-Edge material. Real wood veneer is a natural material, differences in colour and structure may occur.
	Lacquer Pricegroup 4	03 Jade High Gloss 10 Apricot Pearl High Gloss 20 Apricot Pearl Satin Matt 27 Weißer Flieder High Gloss 38 Dolomiti Grey High Gloss 40 Black High Gloss 47 Stone Blue High Gloss 61 Olive Brown High Gloss 85 White High Gloss 86 Cappuccino High Gloss 87 White Lilac High Gloss 89 Flannel Grey High Gloss 90 Flannel Grey Satin Matt	Basic material: High-compressed MDF board. Lacquered opaque in several coats. Edge material: ABS-Edge material (lacquered).
Mirror with lighting			LED light technology, 3500 Kelvin light colour. Sensor switch bottom right for on/off function. Including LED-dimming function.
Edge mirror ground plate	Decor Pricegroup 1	White Matt Powdered	Basic material: High-compressed three-ply chipboard directly coated. Edge material: Backpanel with ABS-Edgel material surrounded by an aluminium profile.
Interior System	Real Wood massive Pricegroup 1	77 Amer. Walnut massive 78 Maple massive	The interior system with a material mix in acryl glass and solid wood is available in maple or walnut. There is an individually designed interior system for each cabinet width between 550 - 1200 mm. Each size of the cabinet have a individual layout of the interior systems to use the optimum storage space. The box cover plus the small and big wave have a special anti-slip lacquer.

L-Cube Design by Christian Werner

Ordering Sample





L-Cube

Body, Fronts
Vanity unit wall-mounted
Semi-tall cabinet
Shelf element
Mirror with lighting



71 Mediterranean Oak
71 Mediterranean Oak
71 Mediterranean Oak
85 White High Gloss

Description	Remark	Quantity	Model-No.
1 Mirror with lighting	Width 800 mm	1	# LC 7381 0 00 00
2 Vanity unit wall-mounted	Width 820 mm	1	# LC 6147 0 71 71
3 Semi-tall cabinet	Width 700 mm	1	# LC 1177 0 71 71
4 Shelf element (horizontal)	Width 800 mm	1	# LC 1200 0 85 85
C Furniture washbasin P3 Comforts	Width 850 mm	1	# 233285 00 00



L-Cube Design by Christian Werner

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
						
Vanity unit wall-mounted						
1 pull-out compartment						
for Me by Starck # 233683	820 x 481	LC 6141	7.085	7.690	8.810	11.625
for Me by Starck # 233610	1020 x 481	LC 6142	7.320	8.010	9.220	12.175
Additional modules						
Interior system for pull-out compartment						
in maple or walnut solid wood						
without siphon cut out for cabinet widths						
820 mm	820	UV 9836	2.955			
without siphon cut out for cabinet widths						
1020 mm	1020	UV 9837	3.665			
Infobox: Space saving siphon # 005073 is recommended / Required specification for ordering: - interior system yes / no - maple or walnut						
						
Vanity unit wall-mounted						
2 drawers,						
upper drawer including cut-out for siphon						
and siphon cover						
for Me by Starck # 233683	820 x 481	LC 6241	8.855	9.665	11.020	15.510
for Me by Starck # 233610	1020 x 481	LC 6242	9.090	9.935	11.410	15.980
Additional modules						
Interior system for drawer in maple or						
walnut solid wood						
including siphon cut out for cabinet widths						
820 mm	820	UV 9821	2.555			
including siphon cut out for cabinet widths						
1020 mm	1020	UV 9822	3.065			
Infobox: Space saving siphon # 005073 is recommended / Required specification for ordering: - interior system yes / no - maple or walnut						



L-Cube Design by Christian Werner

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
						
Vanity unit wall-mounted						
1 pull-out compartment						
for P3 Comforts # 233265	620 x 481	LC 6144	6.900	7.430	8.455	11.440
for P3 Comforts # 233285, 233385, 233485	820 x 481	LC 6147	7.085	7.690	8.810	11.625
for P3 Comforts # 233210, 233310, 233410	1020 x 481	LC 6150	7.320	8.010	9.220	12.175
for P3 Comforts # 233212, 233312, 233412	1220 x 481	LC 6153	7.570	8.325	9.640	12.705
Additional modules						
Interior system for pull-out compartment in maple or walnut solid wood						
without siphon cut out for cabinet widths 620 mm	620	UV 9835	2.600			
without siphon cut out for cabinet widths 820 mm	820	UV 9836	2.955			
without siphon cut out for cabinet widths 1020 mm	1020	UV 9837	3.665			
without siphon cut out for cabinet widths 1220 mm	1220	UV 9834	3.665			
Infobox: Space saving siphon # 005073 is recommended / Required specification for ordering: - interior system yes / no - maple or walnut						
						
Vanity unit wall-mounted						
2 drawers, upper drawer including cut-out for siphon and siphon cover						
for P3 Comforts # 233265	620 x 481	LC 6244	8.625	9.385	10.625	15.100
for P3 Comforts # 233285	820 x 481	LC 6247	8.855	9.665	11.020	15.510
for P3 Comforts # 233210	1020 x 481	LC 6250	9.090	9.935	11.410	15.980
for P3 Comforts # 233212	1220 x 481	LC 6253	9.340	10.275	11.820	16.480
Additional modules						
Interior system for drawer in maple or walnut solid wood						
including siphon cut out for cabinet widths 620 mm	620	UV 9820	1.850			
including siphon cut out for cabinet widths 820 mm	820	UV 9821	2.555			
including siphon cut out for cabinet widths 1020 mm	1020	UV 9822	3.065			
including siphon cut out for cabinet widths 1220 mm	1220	UV 9823	3.065			
Infobox: Space saving siphon # 005073 is recommended / Required specification for ordering: - interior system yes / no - maple or walnut						



L-Cube Design by Christian Werner

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
						
Vanity unit wall-mounted						
2 drawers, upper drawer including cut-out for siphon and siphon cover						
for P3 Comforts # 233385 basin left	820 x 481	LC 6248	8.855	9.665	11.020	15.510
for P3 Comforts # 233310 basin left	1020 x 481	LC 6251	9.090	9.935	11.410	15.980
for P3 Comforts # 233312 basin left	1220 x 481	LC 6254	9.340	10.275	11.820	16.480
Additional modules						
Interior system for drawer in maple or walnut solid wood						
including siphon cut out for cabinet widths 820 mm	820	UV 9995	2.555			
including siphon cut out for cabinet widths 1020 mm	1020	UV 9996	3.065			
including siphon cut out for cabinet widths 1220 mm	1220	UV 9997	3.065			
Infobox: Space saving siphon # 005073 is recommended / Required specification for ordering: - interior system yes / no - maple or walnut						
						
Vanity unit wall-mounted						
2 drawers, upper drawer including cut-out for siphon and siphon cover						
for P3 Comforts # 233485 basin right	820 x 481	LC 6249	8.855	9.665	11.020	15.510
for P3 Comforts # 233410 basin right	1020 x 481	LC 6252	9.090	9.935	11.410	15.980
for P3 Comforts # 233412 basin right	1220 x 481	LC 6255	9.340	10.275	11.820	16.480
Additional modules						
Interior system for drawer in maple or walnut solid wood						
including siphon cut out for cabinet widths 820 mm	820	UV 9995	2.555			
including siphon cut out for cabinet widths 1020 mm	1020	UV 9996	3.065			
including siphon cut out for cabinet widths 1220 mm	1220	UV 9997	3.065			
Infobox: Space saving siphon # 005073 is recommended / Required specification for ordering: - interior system yes / no - maple or walnut						




L-Cube Design by Christian Werner

Description	mm	Model-No.	SEK excl VAT Pricegroup 1	SEK excl VAT Pricegroup 2	SEK excl VAT Pricegroup 3	SEK excl VAT Pricegroup 4
 Vanity unit floor-standing 2 pull-out compartments, upper pull-out compartment including cut-out for siphon and siphon cover						
for Me by Starck # 233683	820 x 481	LC 6626	9.090	10.085	11.455	16.220
for Me by Starck # 233610	1020 x 481	LC 6627	9.320	10.375	11.860	16.685
Additional modules						
Interior system for pull-out compartment in maple or walnut solid wood						
including siphon cut out for cabinet widths						
820 mm	820	UV 9839	2.555			
including siphon cut out for cabinet widths						
1020 mm	1020	UV 9840	3.065			
Infobox: Plinth leg # UV 9991, UV 9992 are recommended / Plinth leg # UV 9993, UV 9994 are recommended / Space saving siphon # 005073 is recommended / Required specification for ordering: - interior system yes / no - maple or walnut						
 Vanity unit floor-standing 2 pull-out compartments						
for P3 Comforts # 233265	620 x 481	LC 6600	8.845	9.805	11.045	15.800
for P3 Comforts # 233285, 233385, 233485	820 x 481	LC 6601	9.090	10.085	11.455	16.220
for P3 Comforts # 233210, 233310, 233410	1020 x 481	LC 6602	9.320	10.375	11.865	16.685
for P3 Comforts # 233212, 233312, 233412	1220 x 481	LC 6603	9.600	10.675	12.285	17.200
Additional modules						
Interior system for pull-out compartment in maple or walnut solid wood						
without siphon cut out for cabinet widths						
620 mm	620	UV 9835	2.600			
without siphon cut out for cabinet widths						
820 mm	820	UV 9836	2.955			
without siphon cut out for cabinet widths						
1020 mm	1020	UV 9837	3.665			
without siphon cut out for cabinet widths						
1220 mm	1220	UV 9834	3.665			
Infobox: Plinth leg # UV 9991, UV 9992 are recommended / Plinth leg # UV 9993, UV 9994 are recommended / Space saving siphon # 005073 is recommended / Required specification for ordering: - interior system yes / no - maple or walnut						



L-Cube Design by Christian Werner

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
 Vanity unit floor-standing 2 pull-out compartments, upper pull-out compartment including cut-out for siphon and siphon cover, Plinth panel						
for Me by Starck # 233683	820 x 481	LC 6681	9.520	10.580	12.090	17.360
for Me by Starck # 233610	1020 x 481	LC 6682	9.750	10.860	12.490	17.825
Additional modules						
Interior system for pull-out compartment in maple or walnut solid wood						
including siphon cut out for cabinet widths						
820 mm	820	UV 9839	2.600			
including siphon cut out for cabinet widths						
1020 mm	1020	UV 9840	3.065			
Infobox: Space saving siphon # 005073 is recommended / Required specification for ordering: - interior system yes / no - maple or walnut						
 Vanity unit floor-standing 2 pull-out compartments, Plinth panel						
for P3 Comforts # 233265	620 x 481	LC 6612	9.285	10.350	11.790	17.180
for P3 Comforts # 233285, 233385, 233485	820 x 481	LC 6613	9.520	10.580	12.090	17.360
for P3 Comforts # 233210, 233310, 233410	1020 x 481	LC 6614	9.750	10.860	12.490	17.825
for P3 Comforts 233212, 233312, 233412	1220 x 481	LC 6615	10.030	11.170	12.920	18.280
Additional modules						
Interior system for pull-out compartment in maple or walnut solid wood						
without siphon cut out for cabinet widths						
620 mm	620	UV 9835	2.600			
without siphon cut out for cabinet widths						
820 mm	820	UV 9836	2.955			
without siphon cut out for cabinet widths						
1020 mm	1020	UV 9837	3.665			
without siphon cut out for cabinet widths						
1220 mm	1220	UV 9834	3.665			
Infobox: Space saving siphon # 005073 is recommended / Required specification for ordering: - interior system yes / no - maple or walnut						



L-Cube Design by Christian Werner

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
						
Plinth leg						
Aluminium matt, 2 pieces	70 x 65	UV 9991	675			
Aluminium matt, 4 pieces	70 x 65	UV 9992	1.130			
Chrome, 2 pieces	70 x 65	UV 9993	875			
Chrome, 4 pieces	70 x 65	UV 9994	1.530			
						
Console for above counter basin and countertop basin						
1 console with one cut-out, Width min. see ordering information, Width max 2000 mm						
basic price till 800 mm	480	LC 094C	2.945	3.085	3.495	4.325
price per section of 100 mm			120	140	270	365
Infobox: Required specification for the order: - overall width - dimension between axes from left side - model.-no ceramic and min. width, please see page 150-151 - exactly position of floor cabinets / console supports Please indicate exact measures and drawings please refer to order sheet page 152 / Console tops delivered uncut possible / Console top shorter than 800 mm, be possible on request						
						
Console for above counter basin and countertop basin						
1 console with two cut-outs, Width min. see ordering information, Width max 2000 mm						
basic price till 800 mm	480	LC 095C	3.195	3.355	3.795	4.710
price per section of 100 mm			120	140	270	365
Infobox: Required specification for the order: - overall width - dimension between axes from left side - model.-no ceramic and min. width, please see page 150-151 - exactly position of floor cabinets / console supports Please indicate exact measures and drawings please refer to order sheet page 152 / Console tops delivered uncut possible / Console top shorter than 800 mm, be possible on request						



L-Cube Design by Christian Werner

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
 Vanity unit for console 1 pull-out compartment	320 x 477	LC 6808	5.595	5.940	6.655	8.035
	420 x 477	LC 6809	5.735	6.115	6.900	8.640
	520 x 477	LC 6810	5.880	6.300	7.140	9.305
	620 x 477	LC 6811	6.030	6.500	7.400	9.995
	820 x 477	LC 6812	6.200	6.730	7.710	10.170
	1020 x 477	LC 6813	6.395	6.980	8.065	10.635
Additional modules						
Interior system for pull-out compartment in maple or walnut solid wood						
without siphon cut out for cabinet widths						
620 mm	620	UV 9835	2.600			
without siphon cut out for cabinet widths						
820 mm	820	UV 9836	2.955			
without siphon cut out for cabinet widths						
1020 mm	1020	UV 9837	3.665			
Infobox: Please keep 2 mm space to the wall / Console not included in delivery, please order separately / Required specification for ordering: - interior system yes / no - maple or walnut						
 Vanity unit for console with 2 drawers, upper drawer including cut-out for siphon and siphon cover	320 x 477	LC 6818	7.400	7.755	8.280	9.330
	420 x 477	LC 6819	7.580	7.980	8.575	9.985
	520 x 477	LC 6820	7.755	8.215	8.895	10.690
	620 x 477	LC 6821	7.935	8.445	9.210	11.450
	820 x 477	LC 6822	8.130	8.700	9.545	12.145
	1020 x 477	LC 6823	8.305	8.930	9.865	13.025
Additional modules						
Interior system for drawer in maple or walnut solid wood						
including siphon cut out for cabinet widths						
620 mm	620	UV 9820	1.850			
including siphon cut out for cabinet widths						
820 mm	820	UV 9821	2.555			
including siphon cut out for cabinet widths						
1020 mm	1020	UV 9822	3.065			
Infobox: Please keep 2 mm space to the wall / Console not included in delivery, please order separately / Required specification for ordering: - interior system yes / no - maple or walnut						



L-Cube Design by Christian Werner

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
						
Low cabinet for console						
1 pull-out compartment						
	320 x 477	LC 6848	5.360	5.705	6.365	7.550
	420 x 477	LC 6849	5.500	5.900	6.630	8.130
	520 x 477	LC 6850	5.630	6.125	6.910	8.735
	620 x 477	LC 6851	5.780	6.340	7.195	9.385
	820 x 477	LC 6852	5.955	6.570	7.505	10.140
	1020 x 477	LC 6853	6.115	6.785	7.795	10.870
Additional modules						
Interior system for pull-out compartment in maple or walnut solid wood						
without siphon cut out for cabinet widths						
620 mm	620	UV 9828	1.450			
without siphon cut out for cabinet widths						
820 mm	820	UV 9829	2.425			
without siphon cut out for cabinet widths						
1020 mm	1020	UV 9830	3.450			
Infobox: Please keep 2 mm space to the wall / Console not included in delivery, please order separately / Required specification for ordering: - interior system yes / no - maple or walnut						
						
Low cabinet for console						
with 2 drawers						
	320 x 477	LC 6858	6.720	7.105	8.035	8.670
	420 x 477	LC 6859	6.900	7.325	8.280	9.320
	520 x 477	LC 6860	7.075	7.570	8.540	10.030
	620 x 477	LC 6861	7.255	7.805	8.800	10.785
	820 x 477	LC 6862	7.450	8.065	9.025	11.635
	1020 x 477	LC 6863	7.625	8.305	9.340	12.390
Additional modules						
Interior system for drawer in maple or walnut solid wood						
without siphon cut out for cabinet widths						
620 mm	620	UV 9831	2.600			
without siphon cut out for cabinet widths						
820 mm	820	UV 9832	2.955			
without siphon cut out for cabinet widths						
1020 mm	1020	UV 9833	3.665			
Infobox: Please keep 2 mm space to the wall / Console not included in delivery, please order separately / Required specification for ordering: - interior system yes / no - maple or walnut						



L-Cube Design by Christian Werner

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
						
Console for above counter basin and countertop basin						
1 console with one cut-out, Width min. see ordering information, Width max 2000 mm						
basic price till 800 mm	550	LC 096C	3.000	3.150	3.600	4.495
price per section of 100 mm			130	160	280	375
Infobox: Required specification for the order: - overall width - dimension between axes from left side - model.-no ceramic and min. width, please see page 150-151 - exactly position of floor cabinets / console supports Please indicate exact measures and drawings please refer to order sheet page 152 / Console tops delivered uncut possible / Console top shorter than 800 mm, be possible on request						
						
Console for above counter basin and countertop basin						
1 console with two cut-outs, Width min. see ordering information, Width max 2000 mm						
basic price till 800 mm	550	LC 097C	3.255	3.420	3.895	4.875
price per section of 100 mm			130	160	280	375
Infobox: Required specification for the order: - overall width - dimension between axes from left side - model.-no ceramic and min. width, please see page 150-151 - exactly position of floor cabinets / console supports Please indicate exact measures and drawings please refer to order sheet page 152 / Console tops delivered uncut possible / Console top shorter than 800 mm, be possible on request						


L-Cube Design by Christian Werner

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
						
Vanity unit for console						
1 pull-out compartment						
	320 x 547	LC 6824	5.910	6.360	7.010	8.045
	420 x 547	LC 6825	6.070	6.545	7.260	8.660
	520 x 547	LC 6826	6.220	6.750	7.530	9.315
	620 x 547	LC 6827	6.385	6.955	7.805	10.010
	820 x 547	LC 6828	6.555	7.195	8.110	10.760
	1020 x 547	LC 6829	6.710	7.400	8.420	11.505
Additional modules						
Interior system for pull-out compartment in maple or walnut solid wood						
without siphon cut out for cabinet widths						
620 mm	620	UV 9835	2.600			
without siphon cut out for cabinet widths						
820 mm	820	UV 9836	2.955			
without siphon cut out for cabinet widths						
1020 mm	1020	UV 9837	3.665			
Infobox: Please keep 2 mm space to the wall / Console not included in delivery, please order separately / Required specification for ordering: - interior system yes / no - maple or walnut						
						
Vanity unit for console						
with 2 drawers, upper drawer including cut-out for siphon and siphon cover						
	320 x 547	LC 6834	7.795	8.165	8.715	9.815
	420 x 547	LC 6835	7.980	8.400	9.025	10.515
	520 x 547	LC 6836	8.165	8.640	9.350	11.260
	620 x 547	LC 6837	8.360	8.895	9.695	12.055
	820 x 547	LC 6838	8.560	9.155	10.040	12.790
	1020 x 547	LC 6839	8.745	9.405	10.375	13.705
Additional modules						
Interior system for drawer in maple or walnut solid wood						
including siphon cut out for cabinet widths						
620 mm	620	UV 9820	1.850			
including siphon cut out for cabinet widths						
820 mm	820	UV 9821	2.555			
including siphon cut out for cabinet widths						
1020 mm	1020	UV 9822	3.065			
Infobox: Please keep 2 mm space to the wall / Console not included in delivery, please order separately / Required specification for ordering: - interior system yes / no - maple or walnut						




L-Cube Design by Christian Werner

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
						
Low cabinet for console						
1 pull-out compartment						
	320 x 547	LC 6864	5.650	6.005	6.695	7.950
	420 x 547	LC 6865	5.790	6.210	6.975	8.550
	520 x 547	LC 6866	5.940	6.440	7.260	9.190
	620 x 547	LC 6867	6.085	6.675	7.570	9.880
	820 x 547	LC 6868	6.265	6.915	7.895	10.675
	1020 x 547	LC 6869	6.430	7.140	8.205	11.450
Additional modules						
Interior system for pull-out compartment in maple or walnut solid wood						
without siphon cut out for cabinet widths						
620 mm	620	UV 9828	1.450			
without siphon cut out for cabinet widths						
820 mm	820	UV 9829	2.425			
without siphon cut out for cabinet widths						
1020 mm	1020	UV 9830	3.500			
Infobox: Please keep 2 mm space to the wall / Console not included in delivery, please order separately / Required specification for ordering: - interior system yes / no - maple or walnut						
						
Low cabinet for console						
with 2 drawers						
	320 x 547	LC 6874	7.075	7.485	8.455	9.135
	420 x 547	LC 6875	7.260	7.720	8.725	9.815
	520 x 547	LC 6876	7.440	7.960	8.985	10.555
	620 x 547	LC 6877	7.635	8.220	9.265	11.345
	820 x 547	LC 6878	7.840	8.490	9.500	12.240
	1020 x 547	LC 6879	8.025	8.735	9.845	13.040
Additional modules						
Interior system for drawer in maple or walnut solid wood						
without siphon cut out for cabinet widths						
620 mm	620	UV 9831	2.600			
without siphon cut out for cabinet widths						
820 mm	820	UV 9832	2.955			
without siphon cut out for cabinet widths						
1020 mm	1020	UV 9833	3.665			
Infobox: Please keep 2 mm space to the wall / Console not included in delivery, please order separately / Required specification for ordering: - interior system yes / no - maple or walnut						




L-Cube Design by Christian Werner

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
						
Console Support						
1 console support-bracket, mountable beneath console						
grey, powder-coated	40 x 425	UV 9902	740			
						
Console support 100 mm installation in wall						
1 console support (depth without pin)						
grey, powder-coated	90 x 420	UV 9926	875			
Infobox: For using the console support for a dry lining wall, it's necessary to arm the wall						
						
Console Support						
1 console support-towel rail, for console 480 mm depths						
chrome	40 x 455	UV 9917	1.220			
						
Console Support						
1 console support-towel rail, mountable beneath console						
chrome	40 x 480	UV 9903	1.250			



L-Cube Design by Christian Werner

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
 Towel rail for console 480 mm depths, chrome	80 x 478	UV 9959	1.430			
	80 x 548	UV 9960	1.895			
 Towel rail under consoles, including drawers, under trims, square tube, chromed, 14 mm	500	UV 9985	1.430			
	1000	UV 9986	1.895			
 Mirror with lighting IP 44, LED lighting (4-sided) 3300K, LED dimming function, 1 sensor switch bottom right, Energy class: A LED module 3500 Kelvin light colour, 38 W	650 x 67	LC 7380	8.680			
	800 x 67	LC 7381	9.285			
	1000 x 67	LC 7382	10.395			
	1200 x 67	LC 7383	11.745			
	1400 x 67	LC 7384	15.550			
	1600 x 67	LC 7385	17.965			
	1800 x 67	LC 7386	20.650			
	2000 x 67	LC 7387	23.100			
Infobox: Distance between sensor and reflecting surfaces = minimum 75 mm						





L-Cube Design by Christian Werner

Description	mm	Model-No.	SEK excl VAT Pricegroup 1	SEK excl VAT Pricegroup 2	SEK excl VAT Pricegroup 3	SEK excl VAT Pricegroup 4
 Semi-tall cabinet 2 doors, 2 glass shelves with alu carrier system	700 x 243	LC 1167	7.390	8.165	9.455	12.865
	Infobox: Please keep 50 mm space to the wall					
 Semi-tall cabinet 2 doors, 2 glass shelves with alu carrier system	700 x 363	LC 1177	7.665	8.700	10.375	13.760
	Infobox: Please keep 50 mm space to the wall					
 Semi-tall cabinet 1 door, 4 glass shelves with alu carrier system	400 x 243	LC 1168 L/R	6.590	7.260	8.425	11.300
	500 x 243	LC 1169 L/R	6.775	7.560	8.895	12.035
	Infobox: Please keep 50 mm space to the wall / Required specification for ordering: - hinges left (L) / right (R) / Plinth leg are recommended / # UV 9991 aluminium matt 2 pieces, if 4 pieces necessary please order 2 x # UV 9991 / #UV 9993 chrome 2 pieces, if 4 pieces necessary please order 2 x #UV 9993 / Plinth leg # UV 9992 and UV 9994 are not suitable					


L-Cube Design by Christian Werner

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
 Semi-tall cabinet 1 door, 4 glass shelves with alu carrier system						
	400 x 363	LC 1178 L/R	7.215	7.990	9.385	13.405
	500 x 363	LC 1179 L/R	7.440	8.325	9.870	14.970
	Infobox: Please keep 50 mm space to the wall / Required specification for ordering: - hinges left (L) / right (R) / Plinth leg are recommended / # UV 9991 aluminium matt 2 pieces, if 4 pieces necessary please order 2 x # UV 9991 / #UV 9993 chrome 2 pieces, if 4 pieces necessary please order 2 x #UV 9993 / Plinth leg # UV 9992 and UV 9994 are not suitable					
 Tall cabinet 1 door, 5 glass shelves with alu carrier system						
	400 x 243	LC 1170 L/R	7.785	8.670	10.280	13.855
	500 x 243	LC 1171 L/R	8.025	9.050	10.870	15.410
	Infobox: Please keep 50 mm space to the wall / Required specification for ordering: - hinges left (L) / right (R) / Plinth leg are recommended / # UV 9991 aluminium matt 2 pieces, if 4 pieces necessary please order 2 x # UV 9991 / #UV 9993 chrome 2 pieces, if 4 pieces necessary please order 2 x #UV 9993 / Plinth leg # UV 9992 and UV 9994 are not suitable					

L-Cube Design by Christian Werner

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
						
Tall cabinet 1 door, 5 glass shelves with alu carrier system						
	400 x 363	LC 1180 L/R	8.550	9.575	11.475	15.575
	500 x 363	LC 1181 L/R	8.820	10.010	12.120	17.125
Infobox: Please keep 50 mm space to the wall / Required specification for ordering: - hinges left (L) / right (R) / Plinth leg are recommended / # UV 9991 aluminium matt 2 pieces, if 4 pieces necessary please order 2 x # UV 9991 / #UV 9993 chrome 2 pieces, if 4 pieces necessary please order 2 x #UV 9993 / Plinth leg # UV 9992 and UV 9994 are not suitable						
						
Shelf element (horizontal) 3 compartments						
	800 x 140	LC 1200	3.125	3.470	4.445	5.060
	1000 x 140	LC 1201	3.170	3.560	4.710	5.585
						
Shelf element (vertical) 4 compartments						
	180 x 180	LC 1205	3.895	4.530	5.975	7.560
						
Shelf element (vertical) 5 compartments						
	180 x 180	LC 1206	3.970	4.780	6.645	8.790

Vero Design by Kurt Merki Jr.

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT	
 Plinth leg			Pricegroup 1				
	Chrome, 2 pieces	70 x 65	UV 9993	925			
	Chrome, 4 pieces	70 x 65	UV 9994	1.615			

X-Large Design by sieger design

Product Information

Fronts Body	Decor Pricegroup 1	14 Terra 18 White Matt 31 Pine Silver 43 Basalt Matt 49 Graphite Matt 51 Pine Terra 52 European Oak 53 Chestnut Dark 79 Natural Walnut	Basic material: High-compressend three-ply chipboard, directly coated with melamine resin decor on both sides. Edge material: ABS-Edge material.
	Decor Pricegroup 2	22 White High Gloss 73 Ticino Cherry Tree	Basic material: High-compressed three-ply chipboard, with laminate (HPL) pressed on both sides. Edge material: ABS-Edge material.
	Real wood veneer Pricegroup 3	12 Brushed Oak 13 American Walnut 26 American Cherry Tree 69 Brushed Walnut 71 Mediterranean Oak 72 Brushed Dark Oak	Basic material: High-compressed three-ply chipboard, with real wood veneer pressed on one side and laminate (HPL) in (57) Black Diamond pressed on the other side. Edge material: ABS-Edge material. Real wood veneer is a natural material, differences in colour and structure may occur.
	Lacquer Pricegroup 4	03 Jade High Gloss 10 Apricot Pearl High Gloss 20 Apricot Pearl Satin Matt 27 White Lilac High Gloss 38 Dolomiti Grey High Gloss 40 Black High Gloss 47 Stone Blue High Gloss 61 Olive Brown High Gloss 85 White High Gloss 86 Cappuccino High Gloss 87 White Lilac Satin Matt 89 Flannel Grey High Gloss 90 Flannel Grey Satin Matt	Basic material: High-compressed MDF board. Lacquered opaque in several coats. Inside directly coated with melamine resin decor in (57) Black Diamond. Edge material: ABS-Edge material (lacquered).
Mirror/ Mirror cabinet with lighting			LED light technology, 3500 Kelvin light colour. Sensor switch bottom right for on/off function.
Mirror	Decor Pricegroup 1	14 Terra 18 White Matt 31 Pine Silver 43 Basalt Matt 49 Graphite Matt 51 Pine Terra 52 European Oak 53 Chestnut Dark 79 Natural Walnut	Basic material: High-compressed MDF board, directly coated. Edge material: ABS-Edge material.
	Decor Pricegroup 2	22 White High Gloss 73 Ticino Cherry Tree	Basic material: High-compressed MDF board, directly coated. Edge material: ABS-Edge material.
	Real wood veneer Pricegroup 3	12 Brushed Oak 13 American Walnut 26 American Cherry Tree 69 Brushed Walnut 71 Mediterranean Oak 72 Brushed Dark Oak	Basic material: High-compressed MDF board, directly coated. Edge material: ABS-Edge material. Real wood veneer is a natural material, differences in colour and structure may occur.
	Lacquer Pricegroup 4	03 Jade High Gloss 10 Apricot Pearl High Gloss 20 Apricot Pearl Satin Matt 27 White Lilac High Gloss 38 Dolomiti Grey High Gloss 40 Black High Gloss 47 Stone Blue High Gloss 61 Olive Brown High Gloss 85 White High Gloss 86 Cappuccino High Gloss 87 White Lilac Satin Matt 89 Flannel Grey High Gloss 90 Flannel Grey Satin Matt	Basic material: High-compressed MDF board, directly coated. Edge material: ABS-Edge material.

All Duravit surfaces are resistant to moisture / Furniture Surfaces see end of pricelist

X-Large Design by sieger design

Product Information

Mirror cabinet	Decor Pricegroup 1	14 Terra 18 White Matt 31 Pine Silver 43 Basalt Matt 49 Graphite Matt 51 Pine Terra 52 European Oak 53 Chestnut Dark 79 Natural Walnut	Basic material: High-compressed three-ply chipboard, with laminate (HPL) pressed on both sides. Outside: surface finish / Inside: laminate (HPL) in (57) Black Diamond. Edge material: ABS-Edge material.
	Decor Pricegroup 2	22 White High Gloss 73 Ticino Cherry Tree	Basic material: High-compressed three-ply chipboard, with laminate (HPL) pressed on both sides. Outside: surface finish / Inside: laminate (HPL) in (57) Black Diamond. Edge material: ABS-Edge material.
	Real wood veneer Pricegroup 3	12 Brushed Oak 13 American Walnut 26 American Cherry Tree 69 Brushed Walnut 71 Mediterranean Oak 72 Brushed Dark Oak	Basic material: High-compressed three-ply chipboard, with real wood veneer pressed on one side and laminate (HPL) in (57) Black Diamond on the other side. Outside: surface finish / Inside: laminate (HPL) in (57) Black Diamond. Edge material: ABS-Edge material. Real wood veneer is a natural material, differences in colour and structure may occur.
	Lacquer Pricegroup 4	03 Jade High Gloss 10 Apricot Pearl High Gloss 20 Apricot Pearl Satin Matt 27 White Lilac High Gloss 38 Dolomiti Grey High Gloss 40 Black High Gloss 47 Stone Blue High Gloss 61 Olive Brown High Gloss 85 White High Gloss 86 Cappuccino High Gloss 87 White Lilac Satin Matt 89 Flannel Grey High Gloss 90 Flannel Grey Satin Matt	Basic material: High-compressed MDF board. Outside one-sided laquered opaque in several coats and highly polished. Inside directly coated with melamin resin decor in (57) Black Diamond. Edge material: ABS-Edge material.
Console	Decor Pricegroup 1	14 Terra 18 White Matt 31 Pine Silver 43 Basalt Matt 49 Graphite Matt 51 Pine Terra 52 European Oak 53 Chestnut Dark 79 Natural Walnut	Basic material: High-compressed three-ply chipboard, with laminate (HPL) pressed on both sides. Edge material: ABS-Edge material.
	Decor Pricegroup 2	22 White High Gloss 73 Ticino Cherry Tree	Basic material: High-compressed three-ply chipboard, with laminate (HPL) pressed on both sides. Edge material: ABS-Edge material.
	Real wood veneer Pricegroup 3	12 Brushed Oak 13 American Walnut 26 American Cherry Tree 69 Brushed Walnut 71 Mediterranean Oak 72 Brushed Dark Oak	Basic material: High-compressed three-ply chipboard, with real wood veneer pressed on one side and laminate (HPL) in (57) Black Diamond on the other side. Edge material: ABS-Edge material. Real wood veneer is a natural material, differences in colour and structure may occur.
	Lacquer Pricegroup 4	03 Jade High Gloss 10 Apricot Pearl High Gloss 20 Apricot Pearl Satin Matt 27 White Lilac High Gloss 38 Dolomiti Grey High Gloss 40 Black High Gloss 47 Stone Blue High Gloss 61 Olive Brown High Gloss 85 White High Gloss 86 Cappuccino High Gloss 87 White Lilac Satin Matt 89 Flannel Grey High Gloss 90 Flannel Grey Satin Matt	Basic material: High-compressed MDF board. One-sided laquered opaque in several coats including shadow gab. Console underside: directly coated with melamin resin decor in (57) Black Diamond. Edge material: ABS-Edge material (lacquered).

All Duravit surfaces are resistant to moisture / Furniture Surfaces see end of pricelist


X-Large Design by sieger design

Product Information

Wall board	Decor Pricegroup 1	14 Terra 18 White Matt 31 Pine Silver 43 Basalt Matt 49 Graphite Matt 51 Pine Terra 52 European Oak 53 Chestnut Dark 79 Natural Walnut	Basic material: High-compressed three-ply chipboard, directly coated with melamin resin decor on both sides. Edge material: ABS-Edge material.
	Decor Pricegroup 2	22 White High Gloss 73 Ticino Cherry Tree	Basic material: High-compressed three-ply chipboard, with laminate (HPL) pressed on both sides. Edge material: ABS-Edge material.
	Real wood veneer Pricegroup 3	12 Brushed Oak 13 American Walnut 26 American Cherry Tree 69 Brushed Walnut 71 Mediterranean Oak 72 Brushed Dark Oak	Basic material: High-compressed three-ply chipboard, with real wood veneer pressed on both sides. Edge material: ABS-Edge material. Real wood veneer is a natural material, differences in colour and structure may occur.
	Lacquer Pricegroup 4	03 Jade High Gloss 10 Apricot Pearl High Gloss 20 Apricot Pearl Satin Matt 27 White Lilac High Gloss 38 Dolomiti Grey High Gloss 40 Black High Gloss 47 Stone Blue High Gloss 61 Olive Brown High Gloss 85 White High Gloss 86 Cappuccino High Gloss 87 White Lilac Satin Matt 89 Flannel Grey High Gloss 90 Flannel Grey Satin Matt	Basic material: High-compressed MDF board. Lacquered opaque in several coats. Edge material: ABS-Edge material (lacquered).
Handles Furniture		Silver anodised	Aluminium
Soundsystem		The 2.1 system with 2 flat drive speakers, 1 active bass and 1 passive bass create a high-quality listening experience, especially matched to the bathroom situation. Output power: 2x5 Watt (tweeter/midrange), 1x25 Watt (active bass with one passive radiator-principle). The technical components of the soundsystem are invisibly integrated into the LED Mirror cabinet, with a loss of the useable volume of 55 mm in height. The control of the soundsystem is independent of the illumination. Music streaming and control is compatible with all Bluetooth enabled devices, that support the A2DP profile (stereo audio profiles). The standby power consumption is less than 0.5 Watt.	
Interior System		74 Ash massive	Box in ash solid wood / bottom ash veneered

X-Large Design by sieger design

Ordering Sample






X-Large

Console, Vanity Unit,
Low Cabinet, Tall Cabinet,
Wall board, Mirror




22 White High Gloss

Description	Remark	Quantity	Model-No.
1 Tall cabinet	Width 500 mm	1	# XL 1154 L 22 22
2 Low cabinet for console	Width 600 mm	1	# XL 6724 0 22 22
3 Vanity unit for console	Width 800 mm	1	# XL 6714 0 22 22
4 Wall board	Width 600 mm	2	# XL 7912 0 22 22
5 Console for above counter basin	Width 1400 mm	1	# XL 025C 0 22 22
6 Mirror with lighting	Width 600 mm	1	# XL 7292 0 22 22
C Vero washbowl		1	# 045460 00 27





X-Large Design by sieger design

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
 Vanity unit wall-mounted 2 pull-out compartments, upper pull-out compartment including cut-out for siphon and siphon cover						
for D-Code # 034285	800 x 470	XL 6516	7.205	8.290	9.375	10.450
for D-Code # 034210	1000 x 470	XL 6517	9.075	10.440	11.800	13.162
for D-Code # 034812	1150 x 470	XL 6518	10.360	11.910	13.470	15.020
Infobox: Plinth legs not included in delivery, please order separately. / Plinth leg # UV 9991, UV 9992 are recommended						
 Vanity unit floor-standing 2 pull-out compartments, upper pull-out compartment including cut-out for siphon and siphon cover, Plinth panel with integrated plinth leg (adjustable)						
for D-Code # 034285	800 x 470	XL 6581	7.640	8.790	9.930	11.080
for D-Code # 034210	1000 x 470	XL 6582	9.630	11.070	12.510	13.960
for D-Code # 034812	1150 x 470	XL 6583	10.980	12.630	14.280	15.930
 Vanity unit wall-mounted 2 pull-out compartments, upper pull-out compartment including cut-out for siphon and siphon cover						
for Starck 3 # 030470	650 x 470	XL 6535	7.715	8.865	10.030	11.180
for Starck 3 # 030480	800 x 470	XL 6536	7.950	9.135	10.330	11.525
for Starck 3 # 030410	1000 x 470	XL 6537	8.890	10.205	11.545	12.875
for Starck 3 # 033213	1200 x 470	XL 6538	10.105	11.610	13.130	14.645
Infobox: Plinth legs not included in delivery, please order separately. / Plinth leg # UV 9991, UV 9992 are recommended						

X-Large Design by sieger design

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
						
Vanity unit floor-standing 2 pull-out compartments, upper pull-out compartment including cut-out for siphon and siphon cover, Plinth panel with integrated plinth leg (adjustable)						
for Starck 3 # 030470	650 x 470	XL 6590	8.180	9.400	10.625	11.855
for Starck 3 # 030480	800 x 470	XL 6591	8.425	9.685	10.950	12.210
for Starck 3 # 030410	1000 x 470	XL 6592	9.410	10.825	12.232	13.650
for Starck 3 # 033213	1200 x 470	XL 6593	10.705	12.310	13.925	15.530
						
Vanity unit wall-mounted 2 pull-out compartments, upper pull-out compartment including cut-out for siphon and siphon cover						
for Vero # 032985 (not ground)	800 x 470	XL 6543	8.680	9.985	11.290	13.245
for Vero # 032910 (not ground)	1000 x 470	XL 6544	9.710	11.160	12.620	14.070
for Vero # 032912 (not ground)	1200 x 470	XL 6545	10.415	12.615	13.540	15.060
Infobox: Plinth legs not included in delivery, please order separately. / Plinth leg # UV 9991, UV 9992 are recommended						
						
Vanity unit wall-mounted 3 drawers, upper drawer including cut-out for siphon and siphon cover						
for Vero # 032985 (not ground)	800 x 470	XL 6553	9.520	10.950	12.375	13.805
for Vero # 032910 (not ground)	1000 x 470	XL 6554	10.030	11.535	13.040	14.545
for Vero # 032912 (not ground)	1200 x 470	XL 6555	10.450	12.020	13.595	15.155
Infobox: Plinth legs not included in delivery, please order separately. / Plinth leg # UV 9991, UV 9992 are recommended						

X-Large Design by sieger design

Description	mm	Model-No.	SEK excl VAT	SEK excl VAT	SEK excl VAT	SEK excl VAT
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
 Vanity unit floor-standing 2 pull-out compartments, upper pull-out compartment including cut-out for siphon and siphon cover, Plinth panel with integrated plinth leg (adjustable)						
for Vero # 032985 (not ground)	800 x 470	XL 6563	9.200	10.585	11.965	13.350
for Vero # 032910 (not ground)	1000 x 470	XL 6564	10.285	11.835	13.375	14.920
for Vero # 032912 (not ground)	1200 x 470	XL 6565	11.035	12.095	14.345	16.010
 Vanity unit floor-standing 3 drawers, upper drawer including cut-out for siphon and siphon cover, Plinth panel with integrated plinth leg (adjustable)						
for Vero # 032985 (not ground)	800 x 470	XL 6573	10.095	11.610	13.120	14.635
for Vero # 032910 (not ground)	1000 x 470	XL 6574	10.625	12.230	13.825	15.420
for Vero # 032912 (not ground)	1200 x 470	XL 6575	11.080	12.740	14.400	16.065
 Vanity unit floor-standing 2 doors, 1 glass shelf, Plinth panel with integrated plinth leg (adjustable)						
	800 x 548	XL 6810	6.775	7.795	8.810	11.525
	1000 x 548	XL 6811	7.840	9.010	10.185	13.315
Infobox: Console/Stone plate not included in delivery, please order separately						
 Plinth leg Aluminium matt, 2 pieces 70 x 65 Aluminium matt, 4 pieces 70 x 65						
		UV 9991	675			
		UV 9992	1.130			

Electrical requests in rooms with bathtub, whirltub, whirlpool, shower or SensoWash® for domestic use

1. Explanation IP-Code (= Internal Protection)

I P X X

2. code number

1. code number

1. code number:

Protection of utilities against penetration of solid foreign bodies

Protection of people against access to dangerous parts

2. code number:

Protection of utilities against penetration of water with harmful effects = relevant code number for rooms with bathtub and shower

1. code number			2. code number	
degree of protection	Protection of utilities against penetration of solid foreign bodies	Protection of people against access to dangerous parts	degree of protection	Protection of utilities against penetration of water with harmful effects
IP 0X	not protected	not protected	IP X0	not protected
IP 1X	≥ 50 mm Ø	back of the hand	IP X1	protection of dripping water (vertical)
IP 2X	≥ 12,5 mm Ø	finger	IP X2	protection of dripping water (inclination up to 15° degree)
IP 3X	≥ 2,5 mm Ø	tool	IP X3	protection of sprinkling water
IP 4X	≥ 1,0 mm Ø	wire	IP X4	protection of spurting water
IP 5X	dust-proof	wire	IP X5	protection of jet of water
IP 6X	dust-tight	wire	IP X6	strong protection of jet of water
X	not indicated	not indicated	IP X7	protection at temporary submerge into water
			IP X8	protection at constant submerge into water
			X	not indicated


Electrical requests in rooms with bathtub, whirltub, whirlpool, shower or SensoWash® for domestic use

Note: Following scheme complies with the standard DIN VDE 0100-701:2008-10


The electrical installation has to be carried out in accordance with the country-specific standards for low voltage installations, the local electric power company as well as the country-specific standards.

2. IP area classification


Situation referring to rooms with bathtub



Situation referring to rooms with shower tray




Situation referring to showers without tub or installation of flush fitting shower trays



Area classification in rooms with bathtub or shower			min. protection class	Installation of SensoWash®
0	area 0	inside the bathtub or shower tray	IP X7	not allowed
1	area 1	- above bathtub or shower tray, height = 2250 mm above finished floor level* - Showers without shower tray: Distance of 1200 mm from the centre point of the fixed emersion point of water at the wall or the ceiling, height = 2250 mm above finished floor level*	IP X4	not allowed
2	area 2	area 600 mm from the tub border, Height = 2250 mm above finished floor level*	IP X4	SensoWash® permissible due to its minimum protection class of IP X4. Earthed power socket not permitted.

3. Protection class of Duravit products

Serie	SensoWash®
SensoWash® Slim	IP X4



A SensoWash (IP X4) may extend into area 2

* or height of highest fixed shower head/ water outlet, depending which is higher


Electrical requests in rooms with bathtub, whirltub, whirlpool or shower for domestic use - Furniture with electricification/lamps

Note: Following scheme complies with the standard DIN VDE 0100-701:2008:10


The electrical installation has to be carried out in accordance with the country-specific standards for low voltage installations, the local electric power company as well as the country-specific standards.

2. IP area classification


Situation referring to rooms with bathtub



Situation referring to rooms with shower tray




Situation referring to showers without tub or installation of flush fitting shower trays



Area classification in rooms with bathtub or shower			min. protection class	Installation of mirrors with lighting and mirror cabinets
0	area 0	inside the bathtub or shower tray	IP X7	not allowed
1	area 1	- above bathtub or shower tray, height = 2250 mm above finished floor level* - Showers without shower tray: Distance of 1200 mm from the centre point of the fixed emersion point of water at the wall or the ceiling, height = 2250 mm above finished floor level*	IP X4	not allowed
2	area 2	area 600 mm from the tub border, Height= 2250 mm above finished floor level*	IP X4	Mirror with lighting and mirror cabinets need IP X4, switches within the mirror are allowed, sockets are not allowed. A IP X4 mirror cabinet with integrated socket have to be installed in the kind that the socket does not extend into area 1 or area 2.

3. Protection class of Duravit products

Series	mirrors	mirror cabinets
2nd floor	IP 44	IP 44
Darling New	IP 44	IP 44
Delos	IP 44	IP 44
DuraStyle	IP 44	-
Fogo	IP 44	IP 44
Happy D.2	IP 44	IP 44
Ketho	IP 44	IP 44
L-Cube	IP 44	-
Light and mirrors	IP 44	IP 44
PuraVida	IP 44	IP 44
Starck	IP 44	IP 44
Vero	IP 44	IP 44
X-Large	IP 44	IP 44



- A Mirror cabinet with IP 44 may extend into area 2
B A socket within the mirror cabinet must be installed outside the areas

* or height of highest fixed shower head/ water outlet, depending which is higher


P3 Comforts Order Sheet for Drilling Tap Holes

Customer	Customer order no.	Article no.
Order no.	Date	

To ensure correct customised drilling of the tap holes, we would ask you to carry out the following steps. Each step must be fully completed before proceeding with the next step. Please note that bathtubs with holes drilled in the rim cannot be returned. Taps are not possible for whirltubs.

1st step: Please indicate the required bathtub.

- ☐ # 700375
- ☐ # 700376
- ☐ # 700377
- ☐ # 700378
- ☐ # 700379
- ☐ # 700380
- ☐ # 700381




☐ Tap holes can be drilled in the grey area.

2nd step: Please indicate the required position of the holes to be drilled in the rim.

If the tap holes are to be drilled on the left / right, please specify the distance from the edge of the bathtub to the centre of the first drill hole:

a = _____ mm

☐ left




a = min. 320 mm for # 700375, 700376

a = min. 370 mm for # 700377, 700379, 700380, 700381

a = min. 420 mm for # 700378

☐ right




a = min. 320 mm for # 700375, 700376

a = min. 370 mm for # 700377, 700379, 700380, 700381

a = min. 420 mm for # 700378

3rd step: If the drill holes are to be centred on the rim of the bathtub, please indicate the central axis of the bathtub in relation to the drill holes.




Paiova (Paiova 5) Order Sheet for Drilling Tap Holes

Customer	Customer order no.	Article no.
Order no.	Date	

To ensure correct customised drilling of the tap holes, we would ask you to carry out the following steps. Each step must be fully completed before proceeding with the next step. Please note that bathtubs with holes drilled in the rim cannot be returned. Taps are not possible for whirltubs.

1st step: Please indicate the required bathtub.


- ☐ # 700390
- ☐ # 700391
- ☐ # 700392
- ☐ # 700393
- ☐ # 700394
- ☐ # 700395
- ☐ # 700396
- ☐ # 700397



☐ Tap holes can be drilled in the grey area.


2nd step: Please indicate the required position of the holes to be drilled in the rim.

- ☐ centre




3. 3rd step: If the drill holes are to be centred on the rim of the bathtub, please indicate the central axis of the bathtub in relation to the drill holes.

- ☐ centred between the drill holes



4th step: Specify the dimensions for drilling the holes. Please enter the distance between them and the diameter for each hole directly in the drawing.

				
---	--	--	--	--

Cape Cod Recommendation for ceramics + furniture for defined console applications

			Vanity unit (Console already included)			
			2) 570 mm depth			
			1 shelf		2 doors	
			1) 1120		1120	
			# CC 9532		# CC 9533	
Series	Ceramic	Ceramic type	#		#	
Cape Cod	# 232848	Above	●		●	
Cape Cod	# 234046	Above	●		●	
Cape Cod	# 233950	Above	●		●	

1) measures highlighted in a dark colour = Width in mm; 2) measures highlighted in a light colour = Depth in mm / Only the listed ceramics are suitable for the furniture series

DuraStyle Recommendation for ceramics + furniture for defined console applications

			Vanity unit incl. console (Console already included)					
			2) 550 mm depth					
			1 compartment			2 compartments		
			1) 800	1000	1400			
Series	Ceramic	Ceramic type	# DS 6883	# DS 6784	# DS 6884	# DS 6785	# DS 6885	# DS 6886
2nd floor	# 031758	Above		●		●		
Architec	# 046840	Bonded	●		●		●	●
Bacino	# 032542	Above		●		●		
Bacino	# 033342	Above		●		●		
Bacino	# 033452	Above				●		
Bagnella	# 045140	Above		●		●		
Bagnella	# 045148	Above		●		●		
Darling New	# 049747	Above		●		●		
DuraStyle	# 034943	Above		●		●		
DuraStyle	# 034960	Above		●		●		
DuraStyle	# 037337	Bonded	●		●		●	●
Foster	# 033550	Above		●		●		
PuraVida	# 037070	Above		●		●		
Santosa	# 046651	Bonded	●		●		●	●
Starck 1	# 040853	Above		●		●		
Starck 1	# 044753	Above		●		●		
Starck 1	# 044648	Above		●		●		
Starck 1	# 044546	Above		●		●		
Starck 1	# 040833	Above		●		●		
Starck 1	# 038647	Above		●		●		
Starck 1	# 038747	Above		●				
Starck 1	# 232144	Above		●				
Starck 1	# 232246	Above		●				
Starck 3	# 030549	Bonded	●		●		●	●
Vero	# 070445	Above		●				
Vero	# 033048	Bonded	●		●		●	●

1) measures highlighted in a dark colour = Width in mm; 2) measures highlighted in a light colour = Depth in mm / Only the listed ceramics are suitable for the furniture series

L-Cube Recommendation for ceramics + furniture for vanity unit for console

			Vanity unit for console (Please order console separately)												
			2) 480 mm depth												
			1 compartment						2 drawers						
			1) 300	400	500	600	800	1000	300	400	500	600	800	1000	
			# LC 6808	# LC 6809	# LC 6810	# LC 6811	# LC 6812	# LC 6813	# LC 6818	# LC 6819	# LC 6820	# LC 6821	# LC 6822	# LC 6823	
Series	Ceramic	Ceramic type													
2nd floor	# 031758	Built-in					●	●				●	●		
2nd floor	# 034760	Built-in					●	●				●	●		
2nd floor	# 031758	Above				●	●	●			●	●	●		
Architec	# 032042	Above			●	●	●	●			●	●	●	●	
Architec	# 032040	Above			●	●	●	●			●	●	●	●	
Bacino	# 032542	Above	●	●	●	●	●	●	●	●	●	●	●	●	
Bacino	# 033342	Above	●	●	●	●	●	●	●	●	●	●	●	●	
Bacino	# 033452	Above	●	●	●	●	●	●	●	●	●	●	●	●	
Bagnella	# 045140	Above	●	●	●	●	●	●	●	●	●	●	●	●	
DuraStyle	# 034943	Above		●	●	●	●	●		●	●	●	●	●	
DuraStyle	# 034960	Above			●	●	●	●			●	●	●	●	
DuraStyle	# 037243	Built-in			●*	●*	●*	●*			●*	●*	●*	●*	
Durastyle	# 037456	Built-in				●*	●*	●*				●*	●*	●*	
Durastyle	# 037260	Built-in					●*	●*				●*	●*		
DuraStyle	# 262943	Built-in			●*	●*	●*	●*							
Foster	# 033550	Above	●	●	●	●	●	●	●	●	●	●	●	●	
Happy D.	# 231440	Above			●	●	●	●			●	●	●	●	
Happy D.	# 231460	Above					●	●					●	●	
Happy D.	# 231765	Above					●	●					●	●	
Happy D.	# 231560	Above					●	●					●	●	
Starck 1	# 040833	Above	●	●	●	●	●	●	●	●	●	●	●	●	
Starck 1	# 232144	Above			●	●	●	●			●	●	●	●	
Starck 3	# 030348	Built-in				●*	●*	●*							
Vero	# 045460	Above			●	●	●	●			●	●	●	●	
Vero	# 045360	Above			●	●	●	●			●	●	●	●	
Vero	# 045450	Above			●	●	●	●			●	●	●	●	
Vero	# 045480	Above					●	●					●	●	
Vero	# 045410	Ausatz						●						●	
Vero	# 045560	Above				●	●	●				●	●	●	
Vero	# 045550	Above			●	●	●	●			●	●	●	●	
Vero	# 070445	Above			●	●	●	●			●	●	●	●	
Vero	# 045250	Above			●	●	●	●			●	●	●	●	
Vero	# 045260	Above				●	●	●				●	●	●	
Vero	# 045470	Above					●	●					●	●	

* only possible with space saving siphon / 1) measures highlighted in a dark colour = Width in mm; 2) measures highlighted in a light colour = Depth in mm / Only the listed ceramics are suitable for the furniture series

L-Cube Recommendation for ceramics + furniture for vanity unit for console

			Vanity unit for console (Please order console separately)												
			2) 550 mm depth												
			1 compartment						2 drawers						
			1) 300	400	500	600	800	1000	300	400	500	600	800	1000	
			# LC 6824	# LC 6825	# LC 6826	# LC 6827	# LC 6828	# LC 6829	# LC 6834	# LC 6835	# LC 6836	# LC 6837	# LC 6838	# LC 6839	
Series	Ceramic	Ceramic type													
2nd floor	# 049160	Built-in					●	●					●	●	
2nd floor	# 049170	Built-in						●						●	
2nd floor	# 049180	Built-in						●						●	
2nd floor	# 031758	Built-in					●	●					●	●	
2nd floor	# 031758	Above				●	●	●			●	●	●	●	
2nd floor	# 034760	Built-in					●	●					●	●	
Architec	# 032050	Above			●	●	●	●			●	●	●	●	
Architec	# 032045	Above			●	●	●	●			●	●	●	●	
Architec	# 032042	Above			●	●	●	●			●	●	●	●	
Architec	# 032040	Above			●	●	●	●			●	●	●	●	
Bacino	# 032542	Above	●	●	●	●	●	●	●	●	●	●	●	●	
Bacino	# 033342	Above	●	●	●	●	●	●	●	●	●	●	●	●	
Bacino	# 033452	Above	●	●	●	●	●	●	●	●	●	●	●	●	
Bagnella	# 045140	Above	●	●	●	●	●	●	●	●	●	●	●	●	
Bagnella	# 045148	Above	●	●	●	●	●	●	●	●	●	●	●	●	
D-Code	# 033754	Built-in				●	●	●							
Darling new	# 049747	Above			●	●	●	●			●	●	●	●	
DuraStyle	# 034943	Above		●	●	●	●	●		●	●	●	●	●	
DuraStyle	# 034960	Above			●	●	●	●			●	●	●	●	
DuraStyle	# 037243	Built-in			●*	●*	●*	●*			●*	●*	●*	●*	
Durastyle	# 037456	Built-in				●*	●*	●*				●*	●*	●*	
Durastyle	# 037260	Built-in					●*	●*					●*	●*	
Durastyle	# 037462	Built-in					●*	●*					●*	●*	
DuraStyle	# 262943	Built-in			●*	●*	●*	●*							
Foster	# 033550	Above	●	●	●	●	●	●	●	●	●	●	●	●	
Happy D.	# 231865	Built-in					●	●					●	●	
Happy D.	# 231880	Built-in						●						●	
Happy D.	# 231440	Above			●	●	●	●			●	●	●	●	
Happy D.	# 231460	Above					●	●					●	●	
Happy D.	# 231765	Above					●	●					●	●	
Happy D.	# 231560	Above					●	●					●	●	
PuraVida	# 037070	Above					●	●					●	●	
PuraVida	# 036970	Above					●	●					●	●	
Starck 1	# 040853	Above		●	●	●	●	●		●	●	●	●	●	
Starck 1	# 044753	Above		●	●	●	●	●		●	●	●	●	●	
Starck 1	# 044648	Above		●	●	●	●	●		●	●	●	●	●	
Starck 1	# 044546	Above		●	●	●	●	●		●	●	●	●	●	
Starck 1	# 040833	Above	●	●	●	●	●	●	●	●	●	●	●	●	
Starck 1	# 038647	Above		●	●	●	●	●		●	●	●	●	●	
Starck 1	# 038747	Above			●	●	●	●			●	●	●	●	
Starck 1	# 232144	Above			●	●	●	●			●	●	●	●	
Starck 1	# 232246	Above			●	●	●	●			●	●	●	●	

* only possible with space saving siphon / 1) measures highlighted in a dark colour = Width in mm; 2) measures highlighted in a light colour = Depth in mm / Only the listed ceramics are suitable for the furniture series

L-Cube Recommendation for ceramics + furniture for vanity unit for console

			Vanity unit for console (Please order console separately)											
			550 mm depth											
			1 compartment						2 drawers					
			300	400	500	600	800	1000	300	400	500	600	800	1000
			# LC 6824	# LC 6825	# LC 6826	# LC 6827	# LC 6828	# LC 6829	# LC 6834	# LC 6835	# LC 6836	# LC 6837	# LC 6838	# LC 6839
Series	Ceramic	Ceramic type												
Starck 1	# 232748	Built-in			●*	●*	●*	●*			●*	●*	●*	●*
Starck 2	# 232360	Built-in					●	●					●	●
Starck 3	# 030348	Built-in				●*	●*	●*						
Starck 3	# 030256	Built-in					●*	●*						
Vero	# 045460	Above				●	●	●				●	●	●
Vero	# 045360	Above				●	●	●				●	●	●
Vero	# 045450	Above				●	●	●				●	●	●
Vero	# 045480	Above					●	●					●	●
Vero	# 045560	Above				●	●	●				●	●	●
Vero	# 045410	Above						●						●
Vero	# 045550	Above			●	●	●	●			●	●	●	●
Vero	# 070445	Above			●	●	●	●			●	●	●	●
Vero	# 045250	Above			●	●	●	●			●	●	●	●
Vero	# 045260	Above				●	●	●				●	●	●
Vero	# 045470	Above					●	●					●	●
Vero	# 031550	Built-in				●*	●*	●*				●*	●*	●*
Vero	# 031555	Built-in				●*	●*	●*				●*	●*	●*

* only possible with space saving siphon / 1) measures highlighted in a dark colour = Width in mm; 2) measures highlighted in a light colour = Depth in mm / Only the listed ceramics are suitable for the furniture series

X-Large Recommendation for ceramics + furniture for vanity units for console

			Vanity unit for console (Please order console separately)															
			2) 480 mm depth						550 mm depth									
			1 compartment			2 drawers			1 compartment			2 drawers			opened com- partment		2 doors	
			1) 600	800	1000	600	800	1000	600	800	1000	600	800	1000	800		800	1000
			# XL 6500	# XL 6501	# XL 6502	# XL 6510	# XL 6511	# XL 6512	# XL 6719	# XL 6713	# XL 6715	# XL 6717	# XL 6714	# XL 6716	# XL 6718		# XL 6810	# XL 6811
Series	Ceramic	Ceramic type																
2nd floor	# 049160	Built-in																
2nd floor	# 049170	Built-in																
2nd floor	# 049180	Built-in																
2nd floor	# 031758	Built-in		●	●		●	●			●	●						
2nd floor	# 034760	Built-in									●	●						
2nd floor	# 031758	Above	●	●	●	●	●	●		●	●	●	●	●				
Architec	# 032050	Above							●	●	●	●	●	●				
Architec	# 032045	Above							●	●	●	●	●	●				
Architec	# 032042	Above	●	●	●	●	●	●		●	●	●	●	●				
Architec	# 032040	Above	●	●	●	●	●	●		●	●	●	●	●				
Architec	# 031840	Built-in							●	●	●							
Architec	# 031845	Built-in							●	●	●							
Architec	# 046840	Built-in													●	●		
Architec	# 046847	Built-in							●	●	●							
Architec	# 047334	Built-in							●	●	●							
Bacino	# 032542	Above	●	●	●	●	●	●		●	●	●	●	●				
Bacino	# 033342	Above	●	●	●	●	●	●		●	●	●	●	●				
Bacino	# 033452	Above	●	●	●	●	●	●		●	●	●	●	●				
Bagnella	# 045140	Above	●	●	●	●	●	●		●	●	●	●	●				
Bagnella	# 045148	Above							●	●	●	●	●	●				
Darling New	# 049747	Above	●	●	●				●	●	●	●	●	●				
D-Code	# 033754	Built-in							●	●	●							
DuraStyle	# 034943	Above	●	●	●				●	●	●							
DuraStyle	# 034960	Above	●	●	●				●	●	●	●	●	●				
DuraStyle	# 037243	Built-in	●	●	●				●	●	●	●	●	●				
Durastyle	# 037456	Built-in	●	●	●				●	●	●							
Durastyle	# 037260	Built-in	●	●	●					●	●							
Durastyle	# 037337	Built-in													●	●		
Durastyle	# 037462	Built-in								●	●							
Foster	# 033550	Above	●	●	●	●	●	●		●	●	●	●	●				
Happy D.2	# 231865	Built-in								●	●		●	●				
Happy D.2	# 231880	Built-in								●	●		●	●				
Happy D.2	# 231810	Built-in									●		●					
Happy D.2	# 231440	Above	●	●	●	●	●	●		●	●	●	●	●				
Happy D.2	# 231460	Above	●	●	●	●	●	●		●	●	●	●	●				
Happy D.2	# 231765	Above	●	●	●	●	●	●		●	●		●	●				
Happy D.2	# 231560	Above		●	●		●	●		●	●		●	●				
Happy D.2	# 048360	Built-in								●	●							
Manua	# 522048	Built-in							●	●	●							
PuraVida	# 037070	Above								●	●		●	●				
Santosa	# 046651	Built-in													●	●		
Starck 1	# 040853	Above							●	●	●	●	●	●				

1) measures highlighted in a dark colour = Width in mm; 2) measures highlighted in a light colour = Depth in mm / Only the listed ceramics are suitable for the furniture series


X-Large Recommendation for ceramics + furniture for vanity units for console

			Vanity unit for console (Please order console separately)																	
			2) 480 mm depth						550 mm depth											
			1 compartment			2 drawers			1 compartment			2 drawers			opened com- partment		2 doors			
			1) 600	800	1000	600	800	1000	600	800	1000	600	800	1000	800		800	1000		
			# XL 6500	# XL 6501	# XL 6502	# XL 6510	# XL 6511	# XL 6512	# XL 6719	# XL 6713	# XL 6715	# XL 6717	# XL 6714	# XL 6716	# XL 6718		# XL 6810	# XL 6811		
Series	Ceramic	Ceramic type	#	#	#	#	#	#	#	#	#	#	#		#	#				
Starck 1	# 044753	Above							●	●	●	●	●	●	●					
Starck 1	# 044648	Above							●	●	●	●	●	●	●					
Starck 1	# 044546	Above							●	●	●	●	●	●	●					
Starck 1	# 040833	Above							●	●	●	●	●	●	●					
Starck 1	# 038647	Above							●	●	●	●	●	●	●					
Starck 1	# 038747	Above							●	●	●	●	●	●	●					
Starck 1	# 232144	Above	●	●	●	●	●	●	●	●	●	●	●	●	●					
Starck 1	# 232246	Above							●	●	●	●	●	●	●					
Starck 1	# 232748	Built-in							●	●	●	●	●	●						
Starck 2	# 232360	Built-in								●	●		●	●						
Starck 3	# 030549	Built-in														●	●			
Starck 3	# 030348	Built-in	●	●	●				●	●	●									
Starck 3	# 030256	Built-in								●	●									
Vero	# 045460	Above	●	●	●	●	●	●	●	●	●	●	●	●	●					
Vero	# 045360	Above	●	●	●	●	●	●	●	●	●	●	●	●	●					
Vero	# 045450	Above	●	●	●	●	●	●	●	●	●	●	●	●	●					
Vero	# 045480	Above		●	●		●	●		●	●		●	●	●					
Vero	# 045410	Above			●			●			●			●						
Vero	# 045560	Above	●	●	●	●	●	●	●	●	●	●	●	●	●					
Vero	# 045550	Above	●	●	●	●	●	●	●	●	●	●	●	●	●					
Vero	# 070445	Above	●	●	●	●	●	●	●	●	●	●	●	●	●					
Vero	# 045250	Above							●	●	●	●	●	●	●					
Vero	# 045260	Above							●	●		●	●		●					
Vero	# 045470	Above		●	●		●	●		●	●		●	●	●					
Vero	# 031550	Built-in							●	●	●	●	●	●						
Vero	# 031555	Built-in							●	●	●	●	●	●						
Vero	# 033048	Built-in														●	●			

1) measures highlighted in a dark colour = Width in mm; 2) measures highlighted in a light colour = Depth in mm / Only the listed ceramics are suitable for the furniture series

2nd floor, Delos, DuraStyle, Fogo, Happy D.2, L-Cube, PuraVida, Vero, X-Large

Recommendation for ceramics for pure consoles



SeriesCeramic			Console												For all series Minimum size				
			2 nd floor	Delos	DuraStyle	Fogo	Happy D.2		L-Cube		PuraVida	X-Large		Vero					Vero with LED
															550	565	550	550	
			A	B	A with LED	B with LED													
1930	# 047658	Built-in	●	●		●		●		●		●		●	●	¹⁾ 1000	1680	1040	1720
2nd floor	# 049160	Built-in	●	●	●	●	●		●	●		●	●	●	●	800	1500	840	1540
2nd floor	# 049170	Built-in	●	●	●	●		●		●	●		●	●	●	900	1700	940	1740
2nd floor	# 049180	Built-in	●	●		●		●		●	●		●	●	●	1000	---	1040	---
2nd floor	# 049112	Built-in	●	●		●		●		●	●		●	●	●	1400	---	1440	---
2nd floor	# 031758	Built-in	●	●	●	●	●	●	●	●		●	●	●	●	800	1450	820	1470
2nd floor	# 034760	Built-in	●	●	●	●		●	●	●			●	●	●	800	1500	820	1520
2nd floor	# 031758	Above	●	●	●	●	●	●	●	●		●	●	●	●	700	1350	740	1390
Architec	# 032050	Above	●	●		●		●	●	●		●	●	●	●	600	1200	700	1300
Architec	# 032045	Above	●	●		●		●	●	●			●	●	●	600	1150	700	1250
Architec	# 032042	Above	●	●	●	●	●	●	●	●		●	●	●	●	600	1100	700	1100
Architec	# 032040	Above	●	●	●	●	●	●	●	●	●	●	●	●	●	600	1100	700	1100
Architec	# 031840	Built-in	●	●	●	●		●		●			●	●	●	800	1300	840	1340
Architec	# 031845	Built-in	●	●		●		●		●		●	●	●	●	800	1350	840	1390
Architec	# 046847	Built-in	●	●		●		●		●			●	●	●	800	1370	840	1410
Architec	# 047334	Built-in	●	●	●	●		●		●			●	●	●	700	1140	740	1180
Bacino	# 032542	Above	●	●	●	●	●	●	●	●	●	●	●	●	●	500	1000	500	1000
Bacino	# 033342	Above	●	●	●	●	●	●	●	●	●	●	●	●	●	500	1000	500	1000
Bacino	# 033452	Above	●	●	●	●	●	●	●	●	●	●	●	●	●	600	1250	600	1250
Bagnella	# 045140	Above	●	●	●	●	●	●	●	●	●	●	●	●	●	500	1000	500	1000
Bagnella	# 045148	Above	●	●	●	●		●		●	●		●	●	●	500	1100	500	1100
Darling New	# 049747	Above	●	●	●	●	●	●		●		●	●	●	●	600	1150	600	1150
D-Code	# 033754	Built-in	●	●	●	●		●		●	●		●	●	●	700	1350	780	1430
DuraStyle	# 034943	Above	●	●	●	●	●	●	●	●		●	●	●	●	600	1100	600	1100
DuraStyle	# 034960	Above	●	●	●	●	●	●	●	●	●	●	●	●	●	700	1400	700	1400
DuraStyle	# 037243	Built-in	●	●	●	●	●	●	●	●	●	●	●	●	●	600	1130	700	1230
Durastyle	# 037456	Built-in	●	●	●	●	●	●	●	●	●	●	●	●	●	700	1350	800	1450
Durastyle	# 037260	Built-in	●	●	●	●	●	●	●	●	●	●	●	●	●	800	1400	800	1400
Durastyle	# 037462	Built-in	●	●		●		●		●	●		●	●	●	800	1350	860	1510
DuraStyle	# 263152	Built-in			●											400	1480	---	---
Foster	# 033550	Above	●	●	●	●	●	●	●	●	●	●	●	●	●	500	1050	540	1070
Happy D.2	# 231865	Built-in	●	●		●		●		●	●		●	●	●	800	1550	880	1630

1) measures highlighted in a dark colour = Width in mm; 2) measures highlighted in a light colour = Depth in mm / Only the listed ceramics are suitable for the furniture series

2nd floor, Delos, DuraStyle, Fogo, Happy D.2, L-Cube, PuraVida, Vero, X-Large

Recommendation for ceramics for pure consoles

			Console												For all series Minimum size			
			2 ³⁾ 550	Delos 565	DuraStyle 550	Fogo 550	Happy D.2 480 550		L-Cube 480 550		PuraVida 550	X-Large 480 550		Vero 550				
															A	B	A with LED	B with LED
Series	Ceramic														¹⁾ 900	1800	1020	1920
Happy D.2	# 231880	Built-in	●	●		●		●		●		●	●	●	1100	2200	1220	2270
Happy D.2	# 231810	Built-in	●	●		●		●		●		●	●	●	500	1000	640	1140
Happy D.2	# 231440	Above	●	●	●	●	●	●	●	●	●	●	●	●	700	1400	840	1520
Happy D.2	# 231460	Above	●	●	●	●	●	●	●	●	●	●	●	●	750	1450	860	1610
Happy D.2	# 231765	Above	●	●	●	●	●	●	●	●	●	●	●	●	800	1500	820	1520
Happy D.2	# 231560	Above	●	●	●	●	●	●	●	●	●	●	●	●	1300	2600	1340	---
Happy D.2	# 231812	Above	●	●		●		●		●		●	●	●	900	1600	940	1640
Happy D.2	# 048360	Built-in	●	●		●		●		●		●	●	●	700	1280	740	1320
Manua	# 522048	Built-in	●	●		●		●		●		●	●	●	700	1500	780	1580
PuraVida	# 037070	Above	●	●	●	●		●		●		●	●	●	800	1600	800	1600
PuraVida	# 036970	Above	●	●	●	●		●		●		●	●	●	500	1100	500	1100
Starck 1	# 040853	Above	●	●	●	●		●		●		●	●	●	500	1100	500	1100
Starck 1	# 044753	Above	●	●		●		●		●		●	●	●	500	1100	500	1100
Starck 1	# 044648	Above	●	●		●		●		●		●	●	●	500	1100	500	1100
Starck 1	# 044546	Above	●	●		●		●		●		●	●	●	500	1100	500	1100
Starck 1	# 040833	Above	●	●	●	●	●	●	●	●		●	●	●	500	700	530	780
Starck 1	# 038647	Above	●	●		●		●		●		●	●	●	500	1100	520	1120
Starck 1	# 038747	Above	●	●		●		●		●		●	●	●	500	1100	660	1260
Starck 1	# 232144	Above	●	●	●	●	●	●	●	●	●	●	●	●	600	1100	660	1260
Starck 1	# 232246	Above	●	●	●	●		●		●		●	●	●	600	1100	640	1240
Starck 1	# 232748	Built-in	●	●		●		●		●		●	●	●	600	1200	720	1320
Starck 2	# 232360	Built-in	●	●		●		●		●		●	●	●	800	1500	820	1520
Starck 3	# 030348	Built-in	●	●	●	●	●	●	●	●	●	●	●	●	600	1200	700	1300
Starck 3	# 030256	Built-in	●	●		●		●		●		●	●	●	700	1350	800	1350
Vero	# 045460	Above	●	●	●	●	●	●	●	●	●	●	●	●	700	1400	700	1400
Vero	# 045360	Above	●	●	●	●	●	●	●	●	●	●	●	●	700	1400	700	1400
Vero	# 045450	Above	●	●	●	●	●	●	●	●	●	●	●	●	600	1200	600	1200
Vero	# 045480	Above	●	●	●	●	●	●	●	●	●	●	●	●	900	1800	900	1800
Vero	# 045410	Above	●	●	●	●	●	●	●	●	●	●	●	●	1100	2200	1100	2200
Vero	# 045560	Above	●	●	●	●	●	●	●	●	●	●	●	●	700	1400	700	1400
Vero	# 045550	Above	●	●	●	●	●	●	●	●	●	●	●	●	600	1200	600	1200
Vero	# 070445	Above	●	●	●	●	●	●	●	●	●	●	●	●	600	1150	600	1150
Vero	# 045250	Above	●	●		●		●		●		●	●	●	600	1200	700	1300
Vero	# 045260	Above	●	●		●		●		●		●	●	●	700	1400	700	1400
Vero	# 045470	Above	●	●	●	●	●	●	●	●	●	●	●	●	800	1600	800	1600
Vero	# 031550	Built-in	●	●		●		●		●*		●	●	●	600	1200	700	1200
Vero	# 045412	Above	●	●	●	●	●	●	●	●	●	●	●	●	1300	---	1300	---
Vero	# 031555	Built-in	●	●		●		●		●*		●	●	●	800	1450	800	1450


1) measures highlighted in a dark colour = Width in mm; 2) measures highlighted in a light colour = Depth in mm / Only the listed ceramics are suitable for the furniture series

2nd floor, Fogo, Happy D.2, L-Cube, Vero, X-Large

Order sheet for consoles (depth 480/550 mm)

Client	Order-No.
Series	Date
Deadline	Colour
Washbasin #	

Infobox: Individual solutions with variable-width consoles and flexible arrangement of low cabinets, console supports on request (include sketch) / Maximum console width: 2000 mm. Widths up to 2700 mm on request / A stabilising console support is required for dual solutions or variable solutions over 1200 mm / We recommend a clearance of approx. 600 mm with console basins and undercounter washbasins with no base vanity unit / We can drill tap holes for an extra €24 on request. Please specify the exact coordinates (axial dimension + diameter)! / If multiple vanity units for series Fogo are installed in a row, a 5 mm wide spacer is included but not assembled.




In order to ensure that the variable consoles we manufacture are a perfect fit, we need the following information/dimensions:

- a →← ____ mm overall console length
- b →← ____ mm axial dimension from left-hand outside edge of console to centre of washbasin cut-out.
- c →← ____ mm if a tap hole is to be drilled, please give the axial dimension from the left-hand outside edge of the console to the centre of the tap hole.
- d →← ____ mm for drilling please also give the axial dimension from the rear edge of the console to the centre of the tap hole.

Infobox: X-Large und Happy D.2 console free-standing:
2 console supports for consoles with a length up to 1000 mm,
3 console supports for consoles with a length of 1001 - 1400 mm,
4 console supports for consoles with a length of 1401 - 2000 mm.

- socket for 2nd floor, Fogo
- unit / washbasin base unit
- Console support - towel rail # 9903* / 9917
- Console support - bracket # 9902*
- Console support - T-shaped # 9926*
- HL = Tap hole drilling D = 35 mm (size specification optional)

Please ensure that all of the required information is entered on the order form. The pre-printed scale grid will make it easier to draw a plan of the console surface.



Depth = 480/550

Allmänna försäljningsvillkor

I. ALLMÄNT

Såvida inget motsägende överenskommits med verkställigheten verkställs all vår försäljning i enlighet med aktuella Allmänna Försäljningsvillkor som ersätter eventuella avvikelande klausuler i beställares order respektive brev. Utan skriftlig överenskommelse är våra kunders allmänna köpvillkor ogiltiga och kan under inga omständigheter råda över våra försäljningsvillkor.

II. OFFERTER

Information i våra kataloger, broschyrer, prislistor och offerter såsom angivits av våra representanter, agenter eller anställda har endast lämnats i informativt syfte och kan därmed utsättas för ändringar. Vi förbehåller oss rätten att utföra eventuella produktmodifikationer som vi anser berättigade alternativt upphöra att tillverka någon av våra produkter utan föregående avisering. Såvida annat ej överenskommits, gäller våra offerter endast i 30 dagar från datum för utgivande/utskick. Våra leveranser och serviceåtaganden är begränsade till angivna specifikationer i våra offerter.

III. ORDER

Skriftliga eller muntliga order som mottagits av våra representanter, agenter eller anställda är ogiltiga tills motsvarande skriftlig orderbekräftelse erhållits från oss. På säljarens anmodan kan orderbekräftelse kräva mottagningskvitto inom viss tid. Vid uteblivet klagomål inom åtta dagar från varans leveransdatum, är orderbekräftelsen likställd med ett köpekontrakt i enlighet med aktuella försäljningsvillkor, varvid kunden inte längre kan legitimt klaga över avvikelser i sin beställning. Order ska godkännas av oss och kan reduceras eller annulleras, t.ex. om produkten inte finns på lager. Emedan produktstorlek och -typ vid tillverkning utsätts för teknisk oönskliga variationer, är yrkesmässiga toleranser godtagbara. Köparen är förpliktad från det hon/han undertecknat ett orderformulär eller köpekontrakt med någon av våra delegater, representanter, agenter eller anställda. Ingen order kan annulleras utan vår skriftliga överenskommelse. Vi förbehåller oss rätten att bestrida eventuell orderannullering eller kompensering av någon som helst ekonomisk förlust därvid.

IV. PRISER

Såvida inget annat angetts i våra offerter är våra priser angivna exklusive moms respektive förpackningsavgift för varor som levereras från vår verkstad, våra butiker eller varuhus. Övsett orderrätt är våra priser fakturerade i förhållande till gällande priser på orderbekräftelsedag. Tillägg och specialutföranden ska debiteras extra. I händelse av prisökning för beställd produkts råmaterial eller arbetskostnad och såvida sådan ökning inträffar mellan orderbokning och leveransdatum, har vårt bolag rätt att helt eller delvis kompensera detta genom prisökning enligt aktuell prisbild på orderbekräftelsedag. Det överenskomna priset kan även modifieras vid eventuell skatteändring. Utan skriftlig överenskommelse om det motsatta, är våra kunders rabatter/avdrag temporära och individuellt specifika. Vi förbehåller oss, följaktligen, rätten att ändra sådana eller liknande avdrag.

V. LEVERANS - SÄNDNING

Våra leveransvillkor gäller arbetsdagar. De anges endast i informativt syfte utan förbindelse. Om handpeng krävs med ordern, räknas leveranstiden från den dag, då vi mottagit handpengen. Försenad leverans är ej laga orsak till annullering av order eller kontoköp, ej heller böter eller skadestånd. I princip ska vårt gods ha lämnat vår verkstad, våra butiker eller varuhus och kunden mottagit leveransen på överenskommet datum; efter vilket kunden övertar allt ansvar för godset. Varuhusens omkostnader för gods som inte levererats inom leveranstiden på grund av orsaker som vi inte rått över, ska köparen debiteras för. Alla varor som säljs vare sig de är provexemplar eller typartiklar ska sammanställas och godkännas i vår verkstad eller våra lager alternativt hos tredje part som de skickats till, även om fraktkostnaden är betald. Köparen ska godkänna varan före leverans. Om detta ej verkställts, ska varuomlastning utanför verkstadsområdet, där varan bevarats för leverans eller återiets godsopsamling motsvara varuspecifikation och -individualisering samt föranföda vidarebefordran av godset till köparen med reservation för varubetalning. Leverans som eventuellt genomförts av våra egna fordon ingår i vår kundservice och utgör ingen avvikelse från ovanstående villkor. I de fall då speditör utses av oss vid en försäljning, agerar vi som köparens ombud och förhållar med speditören å dennes vägnar samt räkning. Även då fraktkostnaden är betald sker godstransporten på mottagarens risk och ska vid mottagning kontrolleras beträffande antal, kvalitet och skick respektive godkännas med eventuella reservationer och vidta rättsliga åtgärder mot speditör i händelse av transportskada, gods förlust eller -förs-

ening. Vårt företags skadeståndsansvar ska inte i något fall involveras i transportskada eller haveri på grund av annan orsak (brand, vattenskada osv.) alternativt delvis eller helt förlust av aktuellt gods oavsett orsak till förlust, när godset som kunden disponerar över har lagrats av oss på kundens begäran i vårt lager alternativt tredje parts förrådsutrymme. Detsamma gäller då godset ej avhålls enligt överenskomna och föreskrivna villkor. Om tillverkning av ramar, packlådor, ramper, lastpallar el. likn. erfordras för leveransändamål, ska kostnaden debiteras extra. Dessutom ska inte nämnda transporthjälpmedel ej tas i retur.

VI. FÖRLUST SOM INGEN KAN GÖRAS ANSVARIG FÖR - FORCE MAJEUR

Verkstadsolycka, arbetsstopp, strejk, politisk händelse, ojämn leverans av råvara osv. är undantag som ger oss rätt att inställa eller annullera våra åtaganden och förlänga tidsangivelser utan att köparen får rätt till någon skadeersättning. Köpekontraktet kan uttryckligen hävas på vårt eget initiativ via utskick av ett rekommenderat brev med mottagningskvitto till köparen i följande fall: Exportproblem eller -avslag, problem vid kapitalöverföring eller andra oväntade utförelsetransaktioner som inte slutgiltigt kan förhindra försäljning.

VII. ANSVAR - GARANTI

Köparen har påtagit sig ansvar för vara som specificeras i köpekontraktet, då denne av säljaren noga informeras om produkttegenskaperna och varan levererats enligt köparens krav. Klagomål angående eventuell uppenbar defekt på vara som sålts av oss ska endast accepteras, om det verkställts med rekommenderat brev med mottagningskvitto inom tre dagar från det datum, då godset mottagits av köparen på vår fabrik, i vårt lager eller våra varuhus alternativt levererats av oss till köparen (bestyrkt t.ex. med poststämpel). Samma gäller eventuella dolda varudefekter som köparen bör ha hunnit bekanta sig med, inberäknat dag för varans mottagning. För acceptans ska klagomål angående övriga dolda varudefekter ha gjorts på ovanstående sätt inom en månad från att köparen mottagit varan i vår fabrik, våra lager eller varuhus alternativt levererats av oss eller vår speditör. Klagomål ska vara detaljerade och precisa beträffande konstaterad skada, defekt eller varans överensstämmelse med gällande köpekontrakt. Vi förbehåller oss rätten att besiktiga vara som köparen klagat på. I vilket fall som helst ska klagomål angående dolt eller uppenbar defekt endast accepteras, om varan ej utsatts för någon överkan/modifiering samt alla parter bekräftat efter vederbörlig prövning att vårt företag ansvarar för ifrågavarande defekt och om köparen vidtagit alla nödvändiga åtgärder för att bibehålla varan i sitt ursprungliga skick. Vårt företags ansvar är begränsat till att, enligt eget godtycke, ersätta vara som funnits defekt enligt ovan exklusiv transportkostnad eller återbetalning av fakturerat varubelopp inom rimlig tid. Tvist angående eventuell defekt vara ska inte i något fall berättiga köparen att hålla inne med eller neka betalning av våra betalningsförfallna fakturor/växlar. Vi tar uttryckligen inget ansvar för följdskada/skadestånd angående vara täckt av vårt garantiåtagande som köparen kan åläggas att betala. Produkt som realiserats ska ej i något fall kunna klagas på beträffande utförande, yttighet, dimensioner osv. Inte någon vara ska returneras utan föregående överenskommelse med oss. En sådan överenskommelse ska inte i något fall anses utgöra en bekräftelse om vårt ersättningsansvar.

VIII. BETALNINGSVILLKOR

Såvida vi inte särskilt, uttryckligen och skriftligt avtalat om annat, ska fakturor betalas kontant till vårt bokföringskontor med check efter motagande. Eventuellt kan en handpeng krävas vid beställning av lagerförd vara; återstod betalas, när varan ställts till köparens förfogande. Avbetalning kan endast ske efter uttrycklig och skriftlig överenskommelse med oss. Såvida inget annat avtalats, ska en sådan överenskommelse vara specifik för varje individuell transaktion. Vår vara betalas därmed med växlar/inbetalningsorder. Vägran eller underlåtande att betala desamma inom avtalad tid, ska utgöra laga skäl till omedelbar indrivning av alla våra betalningskrav med undantag av stämningar alternativt formaliteter såsom annullering eller hävande av transaktionen. Vid avbetalning som i förväg överenskommits med oss och köparens kredit försämrats, reserverar vi oss alltid rätten att kräva säkerhet såsom vi anser lämpligt för att köparen rimligen ska kunna följa sina betalningsåtaganden, även efter delförans av en beställning. Vägran eller otillräckliga garantier ger oss rätt att annullera eller inställa transaktionen helt eller delvis. Detsamma gäller i händelse av att köparens verksamhet stoppas helt eller delvis, oavsett orsak. Leveransdatum utgör startpunkt för över-

enskomna inbetalningar. Kontantbetalningar ska verkställas inom 10 dagar från leveransdagen. Endast betalning inom denna tid ska anses vara kontantbetalning. Kunden kan inte i något fall ha laga rätt att dra av värdet på en täckning eller kredit som han är berättigad till från summan som ska betalas, om han inte kan uppvisa ett insättningskvitto med aktuell summa alternativt kreditrestitutions. För utebliven betalning av förfallet belopp ska en räntesats på 2 punkter på diskonto hos Statliga Centralbanken i Baden-Württemberg debiteras. Därtill förbehåller vi oss rätten till alla fordringar som förseningen leder till. Köparen ska debiteras för samtliga kostnader i samband med returnerade, ej godkända växlar och alla samlade fordringar som vårt företag utsatts för vid skuldindrivning. Vägran eller underlåtande att betala någon del av prissumman inom avtalad tid, ska utgöra laga skäl till omedelbar indrivning av alla våra ej förfallna fakturor, utan stämningar eller formaliteter, såvida inte åsidosättande av betalningsförpliktelse gemensamt överenskommits och skriftligen vidimerats av säljaren. Oaktat allt som angetts ovan, förbehåller säljaren sig rätten att implementera artikel IV av dessa Försäljningsvillkor vid utebliven betalning av förfallet belopp oavsett storlek under försäljningskontraktet. Det är uttryckligen överenskommet och underförstått, att eventuell fakturering som verkställts på en installatörs begäran eller något annat ombud för kund/konsument direkt eller till någon tredje part, ska inte anses vara en bekräftelse från vårt företag och får ej anses befria installatör eller ombud från sina betalningsförpliktelser till oss.

IX. ÖVERFÖRING AV ÄGANDERÄTT

I enlighet med lag från den 1980-05-12 anses köparen vara helt införstådd med och ha godkänt dessa villkor som uttrycker, att all vår försäljning sker med bibehållen äganderätt. Följaktligen ska överföring av äganderätt till köparen uppskjutas tills kontraktens belopp inbetalats till full. Vid remittering av check eller växel ska betalning endast anses ha verkställts vid tidpunkt för verklig uppbörd. Riskerna överförs på köparen efter leverans av vara med bibehållen äganderätt. Köparen ska ansvara för varans skydd, underhåll och bruk på egen bekostnad och egen risk. Köparen är ansvarig för alla typer av skador på varan efter leverans. Före överföring av äganderätt till köpare, ska denne ta hand om ädamsälsligt skydd av identifieringskoder som säljaren fäst på leveransartiklarna i enlighet med uppgifterna i aktuella försäljningsdokument. Köparen har laga rätt att bestrida fordringar som tredje part kan tänkas kräva angående gods som sålts vid utmätning, konfiskering eller någon liknande procedur. Köparen ska omedelbart efter underrättelse informera säljaren om detta för att försvara respektive intressen. Om köparen inte äger den fastighet som inrymmer hans verksamhet, ska han meddela hyresvärdens om det sålda godsets laga status och intyga sitt fullgörande av dessa formaliteter till säljaren. Köparen är inte berättigad att förflytta såld vara från utsett lagerutrymme, såvida detta inte uttryckligen godkänts av säljaren. All aktivitet som kan resultera i ett angrepp mot säljarens möjligheter att överta den sålda varan i originalskick alternativt förändra laga status för del eller hela den sålda varan (förbrukning hos köparen, transformering eller införlivning med annan vara, återförsäljning, överföring av rättigheter för varan till tredje part) får endast verkställas efter betalning av förfallet restbelopp för aktuell vara, såvida inte annat skriftligen överenskommits med säljaren. Vid utebliven betalning av något förfallet belopp som stipulerats i försäljningskontraktet eller vid uteblivet fullgörande av ett åtagande som köparen är ansvarig för, kan vi med laga rätt säga upp det gällande försäljningskontraktet inom åtta dagar efter ordinarie stämning med rekommenderat brev som inte haft någon effekt, utan att vara bundna att rätta oss efter juridiska formaliteter. På samma sätt sägs med oss överenskomna service- och leveransavtal upp med laga rätt åtta dagar efter ordinarie stämning med rekommenderat brev som inte haft någon effekt. Säljarens anspråk på återtagning av godsets äganderätt påtvingar köparen skyldighet att kompensera för följdskador som orsakats av värdeminskning och särskilt av berörd varas oåtkomlighet. Köparen ska följaktligen och genom vitesklausulen vara skyldig att betala skadestånd på 10 % av kontraktensligt pris per månad för returtaget gods. Om uppsägning av kontrakt gör säljaren till gäldenär för avbetalningar som tidigare erlagts av köparen, har han rätt att kompensera för sådan skuld med fordran som föranleds av ovanstående vitesklausul.

X. PLATS FÖR VERKSTÄLLIGHET, DOMSRÄTT OCH ÖVRIGA AVTAL

Alla vår affärsuppgörelser ska anses vara versta på vårt bokföringskontor som utgör betalningsort. Betalning med tratta eller annan växel ska inte i något fall utgöra en avvikelse från

dessa Allmänna villkor.

Generellt är plats för verkställighet Hornberg, även om leveranser verkställs från andra orter. Förutsatt att beställande part är ett fullt kvalificerat affärsombud, ska alla tvister i relation till ifrågavarande, kontraktsenliga affärsförbindelser avgöras av domstol med domsrätt över leverantörens huvudkontor. Vid internationella affärstransaktioner och såvida inget annat uttryckligen avtalats ska tysk lag tillämpas. Vid all affärsverksamhet med vårt företag underförstås anmäkningsfritt godkännande av aktuella allmänna villkor.

Colour chart ceramics / metal

Colour		00 – White	20 – HygieneGlaze White
Colour code		00	20
Ceramics			
Cape Cod	—	●	.
DuraStyle	—	●	.
ME by Starck	—	●	●
P3 Comforts	—	●	●

Metal finishes

-  00 White
-  10 Chrome

Bathtub panels / Wellness products - Colour chart furniture surfaces

	2nd floor	Blue Moon	Darling New	DuraStyle	Inipi	Inipi B	Nahho	P3 Comforts	Paiova	PuraVida	Starck	St.Trop	Sundeck	Vero
Real wood massive														
76 Europ. Oak solid wood	—	—	—	—	—	—	—	—	—	—	—	—	—	—
77 Amer. Walnut solid wood	—	—	—	—	—	—	—	—	—	—	—	—	—	—
81 White Beech solid wood	—	—	—	—	—	—	—	—	—	—	—	—	—	—
95 Vintage Oak solid wood	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Real wood veneer														
05 Oak	—	—	●	—	—	—	—	●	●	—	●	—	—	●
12 Brushed Oak	—	—	●	—	—	—	—	●	●	—	●	—	—	●
13 American Walnut	—	●	●	—	●	●	—	●	●	—	●	●	●	●
24 Macassar	—	●	●	—	●	—	—	●	●	—	●	●	●	●
26 Americ. Cherry Tree	—	—	●	—	—	—	—	●	●	—	●	—	—	●
59 Ebony	●	—	—	—	●	—	—	—	—	●*	—	—	—	—
62 Anthracite Oak	●	●	—	—	—	—	—	—	—	—	—	—	●	—
65 Bleached Oak	●	—	—	—	●	—	—	—	—	—	—	—	—	—
69 Brushed Walnut	—	—	●	—	—	—	—	●	●	—	●	—	—	●
71 Mediterranean Oak	—	—	●	—	—	—	—	●	●	—	●	—	—	●
72 Brushed Dark Oak	—	—	●	—	—	—	—	●	●	—	●	—	—	●
Decor														
01 Cherry Tree (Outdoor)	—	●	—	—	—	—	—	—	—	—	—	—	●	—
02 Wengé (Outdoor)	—	●	—	—	—	—	—	—	—	—	—	—	●	—
14 Terra	—	—	●	●	—	—	—	●	●	—	●	●	—	●
18 White Matt	—	—	—	—	—	—	●**	—	—	—	—	—	—	—
22 White High Gloss	—	—	—	—	●	●	—	—	—	—	—	●	—	—
31 Pine Silver	—	—	●	●	—	—	—	●	●	—	●	●	—	●
37 White Aluminium	—	—	—	—	—	—	—	—	—	—	—	—	—	—
43 Basalt Matt	—	—	●	●	—	—	—	●	●	—	●	●	—	●
49 Graphite Matt	—	—	●	●	—	—	●**	●	●	—	●	●	—	●
51 Pine Terra	—	—	●	●	—	—	—	●	●	—	●	●	—	●
52 European Oak	—	—	●	●	—	—	—	●	●	—	●	●	—	●
53 Chestnut Dark	—	●	●	●	●	—	—	●	●	—	●	●	●	●
70 Aluminium	—	—	—	—	—	—	—	—	—	●*	—	—	—	—
73 Ticino Cherry Tree	—	—	●	●	—	—	—	●	●	—	●	—	—	●
75 Linen	—	—	—	—	—	—	—	—	—	—	—	—	—	—
79 Natural Walnut	—	—	●	●	—	—	—	●	●	—	●	—	—	●
Acryl														
82 Acrylic White	—	●	●	●	●	—	—	—	●	●	●	●	—	●
Lacquer														
03 Jade High Gloss	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Apricot Pearl High Gloss	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20 Apricot Pearl Satin Matt	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 White Lilac High Gloss	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38 Dolomiti Grey High Gloss	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40 Black High Gloss	—	—	—	—	—	—	—	—	—	●*	—	●	—	—
47 Stone Blue High Gloss	—	—	—	—	—	—	—	—	—	—	—	—	—	—
61 Olive Brown High Gloss	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 White High Gloss	—	—	—	—	—	—	—	—	—	●*	—	●	—	—
86 Cappuccino High Gloss	—	—	—	—	—	—	—	—	—	—	—	●	—	—
87 White Lilac Satin Matt	—	—	—	—	—	—	—	—	—	—	—	—	—	—
88 Red High Gloss	—	—	—	—	—	—	—	—	—	●*	—	●	—	—
89 Flannel Grey High Gloss	—	—	—	—	—	—	—	—	—	—	—	—	—	—
90 Flannel Grey Satin Matt	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* only shadow gap
** only furniture cover

Bathroom furniture - Colour chart furniture surfaces

	2nd floor	Cape Cod	Darling New	Delos	DuraStyle	Fogo	Happy D.2	Ketho	L-Cube	Light and mirrors	PuraVida	Starck	Vero	X-Large
Real wood massive														
76 Europ. Oak solid wood	—	•	•	•	•**	•	•	•	•	•	•	•	•	•
77 Amer. Walnut solid wood	—	•	•	•	•**	•	•	•	•	•	•	•	•	•
81 White Beech solid wood	—	•	•	•	•	•	•	•	•	•	•	•	•	•
95 Vintage Oak solid wood	—	•	•	•	•	•	•	•	•	•	•	•	•	•
Real wood veneer														
05 Oak	—	•	•	•	•	•	•	•	•	•	•	•	•	•
12 Brushed Oak	—	•	•	•	•	•	•	•	•	•	•	•	•	•
13 American Walnut	—	•	•	•	•	•	•	•	•	•	•	•	•	•
24 Macassar	—	•	•	•	•	•	•	•	•	•	•	•	•	•
26 Americ. Cherry Tree	—	•	•	•	•	•	•	•	•	•	•	•	•	•
59 Ebony	—	•	•	•	•	•	•	•	•	•	•	•	•	•
62 Anthracite Oak	—	•	•	•	•	•	•	•	•	•	•	•	•	•
65 Bleached Oak	—	•	•	•	•	•	•	•	•	•	•	•	•	•
69 Brushed Walnut	—	•	•	•	•	•	•	•	•	•	•	•	•	•
71 Mediterranean Oak	—	•	•	•	•	•	•	•	•	•	•	•	•	•
72 Brushed Dark Oak	—	•	•	•	•	•	•	•	•	•	•	•	•	•
Decor														
01 Cherry Tree (Outdoor)	—	•	•	•	•	•	•	•	•	•	•	•	•	•
02 Wengé (Outdoor)	—	•	•	•	•	•	•	•	•	•	•	•	•	•
14 Terra	—	•	•	•	•	•	•	•	•	•	•	•	•	•
18 White Matt	—	•	•	•	•	•	•	•	•	•	•	•	•	•
22 White High Gloss	—	•	•	•	•	•	•	•	•	•	•	•	•	•
31 Pine Silver	—	•	•	•	•	•	•	•	•	•	•	•	•	•
37 White Aluminium	—	•	•	•	•	•	•	•	•	•	•	•	•	•
43 Basalt Matt	—	•	•	•	•	•	•	•	•	•	•	•	•	•
49 Graphite Matt	—	•	•	•	•	•	•	•	•	•	•	•	•	•
51 Pine Terra	—	•	•	•	•	•	•	•	•	•	•	•	•	•
52 European Oak	—	•	•	•	•	•	•	•	•	•	•	•	•	•
53 Chestnut Dark	—	•	•	•	•	•	•	•	•	•	•	•	•	•
70 Aluminium	—	•	•	•	•	•	•	•	•	•	•	•	•	•
73 Ticino Cherry Tree	—	•	•	•	•	•	•	•	•	•	•	•	•	•
75 Linen	—	•	•	•	•	•	•	•	•	•	•	•	•	•
79 Natural Walnut	—	•	•	•	•	•	•	•	•	•	•	•	•	•
Acryl														
82 Acrylic White	—	•	•	•	•	•	•	•	•	•	•	•	•	•
Lacquer														
03 Jade High Gloss	—	•	•	•	•	•	•	•	•	•	•	•	•	•
10 Apricot Pearl High Gloss	—	•	•	•	•	•	•	•	•	•	•	•	•	•
20 Apricot Pearl Satin Matt	—	•	•	•	•	•	•	•	•	•	•	•	•	•
27 White Lilac High Gloss	—	•	•	•	•	•	•	•	•	•	•	•	•	•
38 Dolomiti Grey High Gloss	—	•	•	•	•	•	•	•	•	•	•	•	•	•
40 Black High Gloss	—	•	•	•	•	•	•	•	•	•	•	•	•	•
47 Stone Blue High Gloss	—	•	•	•	•	•	•	•	•	•	•	•	•	•
61 Olive Brown High Gloss	—	•	•	•	•	•	•	•	•	•	•	•	•	•
85 White High Gloss	—	•	•	•	•	•	•	•	•	•	•	•	•	•
86 Cappuccino High Gloss	—	•	•	•	•	•	•	•	•	•	•	•	•	•
87 White Lilac Satin Matt	—	•	•	•	•	•	•	•	•	•	•	•	•	•
88 Red High Gloss	—	•	•	•	•	•	•	•	•	•	•	•	•	•
89 Flannel Grey High Gloss	—	•	•	•	•	•	•	•	•	•	•	•	•	•
90 Flannel Grey Satin Matt	—	•	•	•	•	•	•	•	•	•	•	•	•	•

* only console
** only furniture accessoires

Sanitary colors



00 White


Colors shower trays DuraSolid Q



38 White




48 Sand




68 Anthracite

Furniture surfaces


Real wood massive




76 Europ. Oak solid wood



77 Amer. Walnut solid wood



81 White Beech solid wood




95 Vintage Oak solid wood


Real wood veneer




05 Oak




12 Brushed Oak



13 American Walnut



24 Macassar




26 Americ. Cherry Tree




59 Ebony




62 Anthracite Oak




65 Bleached Oak



69 Brushed Walnut




71 Mediterranean Oak




72 Brushed Dark Oak

Decor




01 Cherry Tree (Outdoor)




02 Wengé (Outdoor)



14 Terra




18 White Matt



22 White High Gloss




31 Pine Silver



37 White Aluminium




43 Basalt Matt




49 Graphite Matt



51 Pine Terra



52 European Oak



53 Chestnut Dark



70 Aluminium



73 Ticino Cherry Tree




75 Linen



79 Natural Walnut

Acryl




82 Acrylic White


Lacquer




03 Jade High Gloss




10 Apricot Pearl High Gloss




20 Apricot Pearl Satin Matt



27 White Lilac High Gloss




38 Dolomiti Grey High Gloss




40 Black High Gloss



47 Stone Blue High Gloss




61 Olive Brown High Gloss



85 White High Gloss




86 Cappuccino High Gloss



87 White Lilac Satin Matt



88 Red High Gloss



89 Flannel Grey High Gloss



90 Flannel Grey Satin Matt

Duravit Sweden AB
Svangatan 2 B
41668 Göteborg
Sweden
Phone +46 31 3375650
Fax +46 31 215140
info@se.duravit.com
www.duravit.se

for the pro >

pro.duravit.se

